



DOMINION & GRIMM

TRADITION SINCE 1881



2024

CONTENTS

EVAPORATORS 05

Woodfired
Oil/Propane/Natural Gas
Accessories
Electric

BRIX EQUALIZER 20

Brix Balancer Tank
Brix Equalizer Tanks

FILTRATION 23

Filter Presses
Accessories
Pumps

TANKS 26

Syrup Tanks
Sap Tanks
Silo Tanks

RELEASERS 30

Moisture Traps
Pumps
Accessories

VACUUM PUMPS 38

Becker
Edwards
Airablo

MONITORING AND CONTROL 42

Automation
Control
Mapping

REVERSE OSMOSIS 44

Osmosis Accessories
PH Neutralizer

SAP GATHERING 54

Tapping
Tubing & Mainlines
Fittings
Tools

FINISHING 74

Barrels
Instruments
Cleaners
Accessories

PACKAGING & LABELS 83

Jugs
Bottles
Labels
Grading Kits

DISTRIBUTION 92

Authorized Sellers
Corporate Stores

A WORD FROM THE D&G TEAM

Dear Producers,

Once again, we are pleased to send you our maple syrup equipment and accessories catalog, and hope that 2024 will be a better year than the previous ones. The pandemic is a thing of the past, the supply chain has almost been re-established with most of our suppliers, and raw material prices have stabilized, so it will be easier for Dominion and Grimm to manufacture the equipment needed to install your new taps and improve your sap treatment processes.

In Quebec, 7 million new taps and their associated quotas will be allocated in January. In New Brunswick, 1 million new taps will be granted on public land. At the same time, in other Canadian provinces and in the U.S., syrup production continues to increase significantly year after year. Following the small production of 2023, inventory at PPAQ and major syrup buyers are at their lowest level ever. It will be important this year to have a good crop to supply the world syrup market. A stock shortage would be very damaging to the maintenance of our international export markets, developed over the past 25 years. At DG, 2024 promises to be a period of improvement and expansion of our manufacturing capacities. In January, we inaugurated a NEW distribution centre in Barrie, Ontario, to better serve our Ontario customers. In the United States, we expanded our sales and distribution centre in St-Albans, Vermont, by 6,000 square feet.

We continue to put a great deal of effort into automating our syrup production equipment, to make it easier to manufacture syrup and solve the problem of specialized maple syrup labor. We've

added a new automated version of the Tornado evaporator fed with wood chips. As for our range of reverse osmosis systems, the new all-stainless steel series, with no plumbing or plastic parts, represents a major step forward in osmosis manufacturing quality. After more than 12 years on the market, our PLC models are increasingly popular and appreciated.

In our new 2024 catalog, you'll find many NEW products and improvements to our traditional equipment. Superior, long-lasting manufacturing quality is at the heart of our mission. From the smallest producers who make syrup for love and pleasure, to the largest producers who make it a professional and a flourishing industry, we wish you a good harvest in 2024, both in quality and quantity.

Thank you for your confidence in our company. We look forward to serving you.

The DG team and the Pepin family

DG, a 3rd-generation family-owned company, look forward to serving you.



CRAFTSMANSHIP

IT'S IN OUR DNA.

At Dominion Grimm, we're committed to preserving our heritage and honing our skills to deliver the superior quality and exceptional finish for which we're renowned. We apply this expertise to all our product ranges. It's vital for us to ensure that our talents are passed down through the generations. Our craftsmanship

comes from over 140 years of experience, which we maintain through numerous in-house training courses, and on our openness to new technologies. Our ability to innovate makes us a leader in our field. Our ability to maintain, improve and look to the future is ingrained in us and is part of Dominion and Grimm's DNA.



DOMINION

SMALL-SCALE PRODUCERS



BUCKETS FOR MAPLE SYRUP

- A 470493** 2 gallons used aluminum
- 470516** 1.5 gallons used aluminum
- B 470462** 2 gallons plastic, clear (5-year warranty)

GRIMM COVER

Grimm galvanized covers with rolled edges.

- C 482731** Size: 11 1/4" x 11 5/6"
- 480119** Replacement wire only

SPOUTS WITH HOOK

- D 474002** D&G aluminum royal spout 7/16"
- 473517** Replacement aluminum spout hooks (only)
- E 474606** 5/16" D&G spout

WOODEN-HANDLE GATHERING PAILS

With EASY-GRIP handle, made in polyethylene.

- 470417** 3 gallons
- G 428524** 4 gallons



H PRE-FILTER BAG LINERS

Heavy-duty polyester filters. Increase filter bags lifetime. .

- 487514** FDA pre-filter n° 8 +/- 100 Microns
- 487538** Paper square 36" x 36" +/- 100 Microns

H FILTER BAGS (FDA APPROVED)

- 487767** Polyester n° 8 5 Microns
- 487781** Polyester n° 8 1 Micron
- 487828** Polyester 36" x 36" 5 Microns
- 487804** Polyester 36" x 36" 1 Micron
- 487330** Felt n° 8 (seamless) 18 Microns



I SUGAR PANS WITH 3/4" OUTLET, STAINLESS STEEL N° 304

Valve not included.

- 206030** 12" x 23" x 11" with 3/4" outlet
- 206092** 17" x 23" x 11" with 3/4" outlet on the 23"
- 206122** 17" x 23" x 11" with 3/4" outlet on the 17"
- 206184** 23" x 23" x 11" with 3/4" outlet
- 216817** Special 3/4" stainless steel ball valve
- 206481** Pan 16" x 16" x 12" high with 3/4" outlet
- 206467** Pan 16" x 16" x 12" high with 3/4" outlet and 1/4" outlet for thermometer

A 18" X 48" WOOD EVAPORATOR

Evaporator designed for 50 taps

18" x 48" flat bottom pan with 3 partitions for sap circulation and valve

Includes: burner box with cast-iron front, smoke stack and pipe

Stainless steel woodfired arch set

B 18" X 8" PREHEATING PAN AND VALVE

C MODEL 94, WOOD BURNING STOVE

Designed for 25 taps, to cook in the cabin.

Furnace model 94 width 26" x 48"

Includes: stainless steel furnace with Cast-iron front burner box, 23" x 23" flat bottom pan with syrup valves, 2x 26" x 12" cast-iron plates .with rimmers, Smoke stack and pipe

D 18" X 36" WOOD EVAPORATOR

Evaporator designed for 50 to 150 taps

18" x 24" flue pan with 5" flues

8" x 12" flat bottom finshing pan

Included: burner box with cast-iron front, smoke stack and pipe

7" smoke pipe

PROPANE STOVE FOR BY-PRODUCTS

E 183812 Complete (without lid). Including letters (F,G,I,J)

F 183829 Stove only. Pressure regulator included.
Dimension 16" x 16". 65.000 BTU capacity
Can be connected on any domestic propane tank

G 206481 Stainless steel pan n° 304 16" x 16" x 12"
high with $\frac{3}{4}$ " outlet and adaptor

206467 Bain-marie 16" x 16" with $\frac{3}{4}$ " outlet and $\frac{1}{4}$ " outlet
for thermometer

H 183836 Stainless steel stand for propane stove with adjustable shelf

I 216817 $\frac{3}{4}$ " Z-p ball valve (Stainless Steel)

J 206535 Griller rack for filters

K 206528 Bain-marie 16" x 16" with $\frac{3}{4}$ " outlet

ACCESSORIES FOR PROPANE STOVE

461484 No drip $\frac{3}{4}$ " nylon filler adaptor"

046285 $\frac{3}{4}$ " stainless steel street elbow



**EVERYTHING YOU
NEED TO GET
STARTED SUGARING**


THE SPORTSMAN

RECREATIONAL EVAPORATOR



700 SERIES

THE ORIGINAL EVAPORATOR



ENSURE WOOD HAS BEEN
DRIED FOR AT LEAST 2
YEARS FOR MAXIMUM BTU






LEARN MORE



AIRTIGHT

THE MOST VIGOROUS WOOD-FIRED
EVAPORATOR IN ITS CLASS



AIRTIGHT LX



LEARN MORE



A SPORTMAN

For a 50-200 tap maple grove

Included: flue pan, syrup pan, float box, syrup ball valve, stainless steel plumbing fittings, thermometer, smoke stack and pipe

Front side of the burner box made of cast iron, rather than steel

Available in 18 x 36, 18 x 63 and 2 x 6

OPTIONS:

085727 Plate 8" x 20" with rimmers #136

085758 Full plate 8" x 20"

085840 Rimmer Stove 6 1/2" #131

The evaporator pictured includes the option of an 8" x 12" cast iron front plate for improved boiling and cooking

B MODEL 700

For a 150-6000 tap maple grove

The traditional woodfired evaporator

First-quality construction, maintaining D&G's international reputation

Sizes available: 2' x 6' to 6' x 16'

All our woodfired evaporator front sides and doors are made of cast iron

Available with drop flue pans or raised flues

One or several syrup pans (depending on model)

Included: syrup ball valve, drain, stainless steel transfer fittings, float box, dial-thermostat, water-level indicator, stack, pipe and stack cover

OPTIONS:

085789 Plate 8" x 26" with rimmers

085819 Full plate 8" x 26"

C AIRTIGHT

Woodfired evaporator with airtight steel door

Improves boiling capacity by up to 15%

Double-walled arch with an extra layer of insulation

Complies with California regulations

Sizes available: 2' x 6' and 7' x 20'

Factory-poured high-temperature reinforced concrete in the top of the door

Blower drive to control air flow

THE MODEL SHOWN IS AN
AUTOMATED MODEL




LEARN MORE



TORNADO[®]

THE MOST ROBUST WOOD EVAPORATOR IN THE INDUSTRY



Environmentally friendly

Air injection between 200°F and 400°F all around the periphery to increase combustion

30% improvement on the boiling rate

Save up to 30% on wood or wood pellets

Possibility of switching from pellets to wood in a few minutes (dual-energy model only)

Double wall system that recovers heat from the combustion chamber and preheats the air injected into the furnace.

Insulation installed at the factory


Factory-poured high-temperature reinforced concrete combustion chamber

Preheated air temperature gauge

Blower drive to control airflow

WOOD PELLET HOPPER & GEAR BOX

Pellets or wood chips are fed to the firebox from the rear, via a specially designed auger that optimizes movement. With rear feed, there are no obstructions in front of or to the sides of the evaporator, allowing free circulation around it. The Tornado's performance comes from the superior build quality of its reinforced concrete firebox and its insulated compartments allowing hot air to be injected into the combustion box.



NEW & IMPROVED FEED INPUT

LOGS



PELLETS



WOOD CHIPS



NEW



LEARN MORE



CONVENTIONAL

HIGH PERFORMANCE AT AN AFFORDABLE PRICE



**CARLIN
BURNER**



High performance evaporator

High energy efficiency

Boiling flexibility from 2 to 35 BRIX

Carlin burner

Available sizes: 18"X63" to 6'X18'

2 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator and 1 layer of no.6 ceramic wool

First start-up accompanied by a D&G technician



CHAMPION

FROM ONE GENERATION TO THE NEXT

Since 1885, its heritage of high performance, aesthetics and superior finish has made the champion the market leader

**PROPANE
VERSION
AVAILABLE**

INSTRUMENTATION

Magnehelic gauge
Pressure gauge (0-200PSI)
Burner starter
110 volt electrical outlet

High performance evaporator
Unique streamlined design
High energy efficiency
Automation available
Carlin or Powerflame burner
Boiling flexibility from 2 to 35 BRIX
Available sizes: 2'X8' to 6'X18
Integrated control panel
Noise insulated burner box

Wiring hidden in the furnace

Syrup recovery tray

Rigid 1" insulation board in the sides of all Champion evaporators

3 layers of factory-installed no. 8 ceramic wool throughout the evaporator

Cooling air chamber all around the evaporator to keep sides safe

Smoke stack thermometer

First start-up assisted by a D&G technician

THUNDERBOLT

THE MOST EFFICIENT EVAPORATOR
IN THE INDUSTRY



LEARN MORE



AUTOMATION
AVAILABLE



Very high performance evaporator, boiling capacity up to 5.25 gallons per ft²

4 pass heat exchange furnace

High energy efficiency ranging from 80 to 87%

Gas recirculation to maximize the energy of available BTUs

Reduction of greenhouse gases

Power flame burner

Offered in different configurations for Boiling flexibility from 2 to 35 BRIX

Available sizes: 3'X10' to 6'X17'

Integrated modulating Powerflame burner

Stainless steel 2 level catwalk and 1 step

First start-up accompanied by a D&G technician

PAN WASHERS

A AUTOMATED POWER WASHER

COMPONENTS:

- Tubing assemblies fit between flues in two sections (left and right)
- Tubing assembly with spray nozzle for the top flat section of the flues


B Washing tank on pivoting wheels

C Stainless steel ferrules and clamps for easy disassembly

- Gould 5hp Wash Pump (100 GPM @ 10 PSI)
- 3 High Flow modulating valves to control spray velocity
- Control box with industrial PLC
- Electronic pressure sensor to detect low water levels

ADVANTAGES:

- Effectively cleans the bottom and sides of the flues
- Large diameter High Flow Spray Nozzle
- Strainer filter at the pump inlet above the bottom lets sugar stones accumulate at the bottom of the tank
- Power supply requirement 230 Volt / 20 Amps (conventional outlet: 230V / 50A)



D STAND ALONE SYRUP PAN WASHER

- Pump system to wash your syrup pans
- Plexiglas lid
- Tank with mesh to recover the limestone
- Number of sprinklers varies according to pans size
- Available in single, double, triple and quadruple pan format

INTEGRATED SYRUP PAN WASHER (NOT SHOWN)


- Integrated in the pan or tanks
- Sold separately
- Plexiglas lid
- Number of sprinklers varies according to pans size




EVAPORATOR ACCESSORIES




A



B



C



D



E



SKIMMERS STAINLESS STEEL

- A** 267482 Perforated 4"
 267512 Not perforated 4"
 267420 Perforated 6"
 267451 Not perforated 6"

DIPPERS STAINLESS STEEL

- B** 267147 Round 5"
 267178 Round 6 1/4"
 267208 Round 7 1/4"
C 267055 Flat right side 7 1/4"
 267086 Flat left side 7 1/4"
D 267239 Maple taffy dipper with 2 grooves
 217784 5" support for dipper
 217685 7" support for dipper

INSULATION ACCESSORIES FOR EVAPORATORS

(NOT SHOWN)

- 090820 Refractory fire brick 8 1/4" x 4" x 2 1/2", 2500°F
 090851 Refractory fire half-brick 8 1/4" x 4" x 1 1/4", 2500°F
 090882 Refractory mortar 15 lb
 090929 Refractory mortar 55 lb
 090943 Soft fire brick (12 per case) 9" x 4 1/2" x 2 1/2", 2300°F
 089657 Insulation board M Board Kaow 2' x 3' x 1/2", 2300°F
 091001 Insulation board KFAC 3' x 1' x 1", 1900°F
 089435 Insulation tape 1/4" x 2"t
 157431 High temperature sealer for insulation tape 300ml
 268601 Ceramic insulation ribbon support

E ROUND SUGAR PANS STAINLESS STEEL N° 304

- 206214 10" x 14" x 5"
 206245 12" x 16" x 6"
 206276 16" diameter x 16" high

INSULATED SMOKE STACK

Stainless steel and insulated wool. Counterpart UL2561
Available in lengths of 12", 24" or 48"

BASE STACK FOR ARCH

24" pipe height

SMOKE STACK (STAINLESS STEEL 304)

Priced per linear foot.

	Diameter		Diameter		Diameter
252990	7"	253119	14"	253232	22"
253027	8"	253140	16"	253263	24"
253058	10"	253171	18"	253294	26"
253089	12"	253201	20"		

A PEAK STYLE COVER WITH SCREEN

For steam stack or oil-fired arch smoke stack. Made from stainless or galvanized steel.

B TILTTING SMOKE STACK COVERS

Including cover and 12" of pipe. Available in stainless or galvanized steel.

C ROOF JACK

Includes a collar to seal the opening between the smoke stack
Made with stainless or galvanized steel

157462 Flashing sealant in 300 ml tubes

157431 High temperature sealant (700°F)

D BAROMETRIC DAMPER (DRAFT CONTROL)

Stabilizes the pressure inside the combustion chamber. Self-adjustment depending of the negative or positive pressure. Required for the proper adjustment of your oil-fired evaporator. Available in many sizes 8" to 24" diameter.

E CAST IRON GRATES FOR WOOD EVAPORATOR

087820	18" x 5" (D-08)	087943	42" x 4" (D-23)
087851	24" x 3" (D-09)	087974	48" x 4" (D93)
087882	30" x 3.5" (D-26)	087981	Concrete grate 11" x 10"
087912	36" x 4" (D96)		

STEAM PIPES (24 GAUGE)

	Hood Width	Diameter
253997	18"	9"
254024	24"	11"
254055	30"	13"
254086	36"	15"
254147	42", 48", 60", 72"	19"



EVAPORATOR OPTIONS



A



B



C

A MODULATING AUTOMATIC DRAW-OFF

Fast (4 seconds) and progressive opening and closing with modulating device enables continuous syrup flow and balanced evaporation process.

491795 1" Automatic draw-off

491740 1 1/4" Automatic draw-off

491757 1 1/2" Automatic draw-off

491733 2" Automatic draw-off

B 217258 1 1/2" x 1 1/2" Automatic draw off adaptor

217319 2" x 1 1/2" Automatic draw off adaptor

217333 2" x 2" Automatic draw off

C 084010 2" x 2" automatic draw off 2" milk clamp (other sizes available)

D 4.0 MODULATING AUTOMATIC DRAW-OFF

Fast and progressive opening and closing with modulating device enables continuous syrup flow and balanced evaporation process.

Integrated probe inverter (1 probe included).

Communicates with the Brix equalizer to automatically adjust the flow of the evaporator draw off valve according to the desired BRIX.

–Allows to reach a more precise BRIX and reduces labour costs.

–Facilitates and speeds up BRIX balancing, preventing syrup cooling before barreling.

414091 1 1/2" Automatic draw-off 4.0

295560 2" Automatic draw-off 4.0



AUTOMATION
AVAILABLE

PROBE INVERTER

E 412639 Positioner for 2 syrup controller probes for use with syrup flow inverter. (one probe included)

491580 Controller probe alone

PLUGS

F 212192 1.5" plug with handle, silicon blue (knurled connectors)

212956 2" plug with handle, silicon blue (knurled connectors)

212130 1.5" plug with handle, with o'ring (ferule connectors)

212239 2" plug with handle, with o'ring (ferule connectors)



D



E



F

A FLOW INVERTER

Manual or automated flow inverter
Allows to maintain flow without substituting pans
Center flow capability

EVAPORATOR HOOD (NOT SHOWN)

Stainless steel hood
Full steam energy recovery
Improves evaporator performance
Single or dual function preheater
LED hood lights



A

B TRANSFERT BOX

216589 Transfer box with sediment trap

C BUTTERFLY VALVES

210501 1 1/2" butterfly valve
210136 1 1/2" butterfly valve with ferrule
210532 2" butterfly valve
210143 2" butterfly valve with ferrule



B



C

D ELECTRIC VALVES

Belimo electric sap entry and transfer valves controlled by level probes.
SAP automatically enters the flue pan and is automatically transferred.



D

DÉTECT-O

Alarm is triggered by low levels of sap in the pans.

E 471001 Detect-o alarm for oil-fired evaporator
(automatic burner cut out, wiring not included)
470998 Detect-o alarm only (for wood-fired evaporator)



E

DEFOAMER DISPENSERS

Liquid anti-foaming protector for spoke breakdown and flat bottom failure.
Liquid defoamer tank inside hood
Preheated by steam, the defoamer is carried by gravity to the determined locations
Made from 100% stainless steel
202957 Manual defoamer dispenser
280535 Automated electric defoamer dispenser


F 119620 Automated electric defoamer dispenser



F



LEARN MORE



Environmentally friendly electrically powered technology

Total recovery of energy contained in maple sap

No GHG or air contaminant emissions

Produces traditional syrup taste

6 capacities: 80, 125, 160, 225, 340 and 440 GPH

2.5 kw per imperial gallon of syrup

No smoke or steam stack

Fully automated, resulting in substantially lower labour costs

Plate heat exchanger and heating elements preheat sap and improve evaporator performance by 25%

New Power Unit system for 230, 460 and 575 V units

Proven technology since 2013



DEMONSTRATION






⚡ ECOVAP

ELECTRICITY FOR
SUSTAINABLE DEVELOPMENT

TOTAL ENERGY RECOVERY



Communicates with the Brix equalizer to automatically adjust the flow of the evaporator draw off valve according to the desired BRIX.





AUTOMATED

BRIX EQUALIZER

A 412684 BRIX EQUALIZER

Industrial Schneider programmable touchscreen for start-up, parameter settings and alarms

Automatic and programmable settings for the mixer in the insulated balancing tank

Separate manual start control for pumps and mixer

Management of the external pump for barrel filling (see web site)

Variable metering feed pump for permeate injection in the syrup

6 gallon tank with float for permeate feed

Alert for cleaning the Brix reader


0 to 80 **ATAGO** Brix reader, with integrated

temperature sensor

Flojet (6 GPM) circulation pump for barrel transfer

Low-level alarm automatically stops the transfer to barrel allowing consistent Brix and syrup temperature

120 Volt / 15 Amp Power Supply



1

AUTOMATICALLY ADJUST THE FLOW OF THE EVAPORATOR DRAW OFF VALVE ACCORDING TO THE DESIRED BRIX

Allows to reach a more precise BRIX and reduces labour costs

Facilitates and speeds up BRIX balancing, preventing syrup cooling before barreling.

2

AUTOMATICALLY AND PRECISELY BALANCES THE BRIX DEGREE OF SYRUP IN INSULATED TANKS BEFORE BARRELING

Maximizes production income: Each excess BRIX in a 34 gallon tank is equivalent to 0.67 gallons of syrup lost.

Fully automated Brix Equalizing by controlled filtrate injection (easy to operate and intuitive)

3

BARRELING

Rapid barrel filling capacity

Accelerates the syrup barreling and avoids syrup heat loss

3 WAYS TO BARREL

Stainless steel recirculation and transfer pump: Flojet 1/8 hp (6 GPM)

External pump managed by the Brix Equalizer

By gravity

ATAGO REFRACTOMETER CM-800A 0-80 BRIX

B 132933 Continuous ATAGO Brix degree reader for syrup

BRIX EQUALIZERS TANKS


ROUND INSULATED TANKS

- A 280986** Insulated tank (250 gallons)
 - B 280962** Insulated tank (125 gallons)
- Insulated tank to maintain the temperature of the syrup DURING equalizing AND / OR before packaging
- 2" insulation at R6.8 / inch all around
 - 4" Insulation at R22 / inch at the base
 - Conical bottom to facilitate outflow
 - Made of stainless steel
 - Connections with ferrules
 - Superior manufacturing quality and durability
 - Two section lid on hinges
 - Optional castors
- C 280801** FRAME FOR BRIX TANK (250 gallons)
 - D 280900** Ladder for Brix tank
 - 280948** Brix balancer mixer
 - E** $\frac{1}{4}$ hp - 110/120 Volts motor (21 RPM)
 - F** Stainless steel mixing blade




SQUARE INSULATED TANK

- G 262968** Square insulated tank (50 gallons)
- 2" R6.8 / inch insulation all around and at the base
- Completely made of stainless steel
 - Superior manufacturing quality and durability
 - Adjustable height
 - Connections with ferrules
 - Castors included
 - Optional heating element and thermostat
 - Two-part cover with hinges
- 280528** Optional mixing kit (motor, gearbox and mixing blade)
 - 280511** Optional heating element and thermostat
 - 280542** Optional graduated level



NEW
INTEGRATED BRIX
READER TANK





7" SYRUP FILTER PRESSES

Capacity of 80 in³ of filtration per empty frame.

- 264719** Complete (7 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- 420009** Complete (7 frames) with 1/2" Allflow pneumatic diaphragm pump
- 264771** Complete (3 frames) with 6 GPM 1/8 hp Flojet diaphragm pump
Flojet pump and plumbing adapted for filter press
- 265099** Complete (3 frames) with 1/2" Allflow diaphragm pneumatic pump
Also available with 4, 5, or 6 2" thick frames. Optional tilting support.



10" DIAPHRAGM SYRUP FILTER PRESSES

Capacity of 187 in³ of filtration per empty frame.

- 264136** Complete (7 frames) with 6 GPM 1/8 hp Flojet electric diaphragm pump
- 433085** Complete (7 frames) with 1/2" diaphragm Allflow pneumatic pump
- 265402** Extended complete (10 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- 265396** Long complete (10 frames) with 1/2" diaphragm Allflow pneumatic pump

SYRUP FILTER PRESSES

MADE WITH PRIMARY ALUMINUM

The best syrup presses on the market

Primary aluminum construction

Top quality finish

Electric diaphragm pump included

Available with 7 or 10 frames 2 inches thick

Also available with a pneumatic diaphragm pump

NOW AVAILABLE WITH
ELECTRIC PUMP



15" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 15 000 to 30 000 taps and more. Capacity of 415 in³ of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

264528 Syrup press (complete with 7 frames)

264542 Syrup press (complete with 10 frames)

20" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 25 000 taps and more. Capacity of 920 in³ of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

264856 20" Syrup filter press complete (7 frames)

265211 20" Syrup filter press complete (10 frames)

Included single air inlet to supply the diaphragm pump and hydraulic cylinder

385551 Plumbing kit with ferrules for diaphragm pump

265457 Black hydraulic cylinder with pedal (industrial)

FILTER PRESS ACCESSORIES



6 GPM (GALLONS/MINUTE) FLOJET PUMPS

Flojet Diaphragm pump, NSF approved
Made of nylon
1/8 hp integrated motor
6 gallons/minute pump (GPM)
Maximum pressure of 50 PSI
Can replace your Oberdorfer 1/2" brass pump

- A 385964** Pump, assembled on a stainless steel frame
B 385940 Flojet Pump only

FLOJET COMPLETE KIT

385568 Includes (C - D - E) :
Flojet 6 gallons electric diaphragm pump only
Stainless steel plumbing kit
Stainless steel frame and stand kit with 1/2" adaptors
(parts may be sold separately)



C FLOJET PUMP COMPLETE PLUMBING KIT

385582 Plumbing kit necessary to replace the Oberdorfer pump.
Includes miscellaneous plumbing items and a 0-100 PSI dial
for the Flojet pump

D FLOJET PUMP FRAME KIT

385575 Includes the stainless steel frame and the stainless 1/2"
pump adaptors, bolt and o-rings (2x)

FOOD GRADE GREASE (NOT SHOWN)

477515 Cartridge – 400g

E DIAPHRAGM PUMPS FOR FILTER PRESSES

These pumps require an air compressor.

159923 1/2" Aluminum diaphragm pump for 7" or 10" press

159916 1" Aluminum diaphragm pump for 15" or 20" press



ACCESSORIES FOR SYRUP FILTER PRESSES

- 485343** Filter aid 50 pounds "Dicalite"
- 485619** Set of 7" D&G white papers 400/box (20 microns)
- 485633** Set of 10" D&G white papers 400/box (20 microns)
- 487477** Set of 15" D&G white papers 250/box (20 microns)
- 485626** Set of 20" D&G white papers, 250/box (20 microns)
- 487323** Set of 7 3/4" Leader white papers, 400/box
- 487460** 15" polyester filter for D&G press
- 487453** 15" polyester double press filter
- 487484** 20" Polyester filter for D&G press

- A 080791** 0-100 PSI Pressure Gauge (Lead free brass)
- B 080838** 0-100 PSI D&G Pressure gauge, stainless steel

ROCKING SUPPORTS

- C 265495** Rocking support for 7" and 10" press (painted blue)
- D 265327** Stainless steel rocking support for 7", 7" short & 10" presses

E SYRUP PRESS SEPARATORS WITH STAINLESS STEEL HANDLE

Prevents the press from getting completely dirty if you have only a small quantity of syrup to filter


Separates the frames of the press

Saves time and paper filters

- 264566** 7"
- 265150** 10"
- 265792** 15"
- 265808** 20"

INSULATED COVERS FOR FILTER PRESSES

- 266515** Cover for 7" presses (3 frames)
- 266140** Cover for 7" presses (7 frames)
- F 266133** Cover for 10" presses (7 frames)
- 266430** Cover for 15" presses
- 266126** Cover for 20" presses



TO OPTIMIZE FILTRATION, INSULATING COVERS HELP REDUCE HEAT LOSS.

SYRUP TANKS

A



SYRUP DUMPING TANKS OR SYRUP DRAW-OFF CONTAINERS

Compartmentalized tanks to separate the syrup pan liquid from each pan during the cleaning or when switching syrup pans. Allows you to pump back the syrup pan concentrated liquid without mixing it from one pan to another. Plumbing system and valve to pump back into the syrup pan(s). Can be used as a syrup draw-off container.

270901 Tank, 2 compartments 25 gallons (not shown)

Also available in 20, 33, and 40 gallons

A 270932 Tank, 3 compartments 25 gallons

Also available in 40 gallons

Pump available as an option

STAINLESS STEEL SYRUP DUMPING TANKS OR SYRUP DRAW-OFF CONTAINERS

B 270987 Tank, 2 compartments 25 gallons

Also available in 20, 33, and 40 gallons

271014 Tank, 3 compartments (not shown)

Also available in 40 gallons

Pump available as an option

B



STAINLESS STEEL CONTAINERS FOR MAPLE

Container in stainless steel n° 304 with lid

C 523342 30 litres

D 523373 40 litres

E 523359 50 litres

208843 $\frac{3}{4}$ " Female welded adaptor



COMPLETE SYRUP FILTERING CONTAINERS

Complete with lids. Supplied with $\frac{3}{4}$ " valve, polyester, and hole adaptors for holding filter.

- 262739** 10 gallons, 1 polyester
- 262746** 15 gallons, 1 polyester
- 262777** 25 gallons, 2 polyesters

INSULATED SYRUP TANKS

- 262838** 12 gallon
- A 262814** 20 gallon
- B 262821** 40 gallon

SYRUP DRAW-OFF CONTAINERS WITH LIDS

Stainless steel n° 304. Valves not included.

- C 262623** 6 gallons, 22" height x 9" diam.
- D 262630** 10 gallons, conical bottom, 25" height x 12" diam.
- E 262654** 15 gallons, conical bottom, 25" height x 16" diam.
- F 262685** 25 gallons, conical bottom, 25" height x 20" diam.
- G 262715** 50 gallons, conical bottom, 30" height x 23" diam.
- 216817** Z-P $\frac{3}{4}$ " stainless steel ball valve
- 216787** Z-P $\frac{1}{2}$ " stainless steel ball valve
- 263217** 1-hole adapter for 10-gallons syrup container
- 263224** 1-hole adapter for 15-gallons syrup container
- H 264122** Syrup container ring

SUPPORTS WITH WHEELS FOR SYRUP CONTAINERS

- 262265** Round 9 gallons (12" diameter)
- 262227** Round 12 gallons (16" diameter)
- I 262258** Round 20 gallons (20" diameter)
- 262289** Round 40 gallons (23" diameter)

J STAINLESS STEEL PADDLE FOR SYRUP CONTAINERS

- 267307** To stir the syrup in the containers (measures 48" long)

PRE-FILTER BAG LINERS

Heavy-duty polyester filters. Increase filter bags lifetime.

- K 487514** FDA pre-filter n° 8 +/- 100 Microns . . . \$20.20 / dz
- L 487538** Paper square 36" x 36" +/- 100 Microns . . . \$33.90 / dz

FILTER BAGS (FDA APPROVED)

- M 487767** Polyester n° 8 5 Microns \$13.40
- N 487781** Polyester n° 8 1 Micron \$18.50
- O 487828** Polyester 36" x 36" 5 Microns \$18.50
- P 487804** Polyester 36" x 36" 1 Micron \$39.75
- Q 487330** Felt n° 8 (without stitches) 18 Microns \$58.00



SAP TANKS



A ROUND BOTTOM TANKS

Round bottom tanks, 100 to 9000 gallon capacity, stainless steel 304-2B (Dull) or 304 (Bright), 22ga or 20ga depending on the size.

274275 Customized tagging on tank available

B INTERIOR TANK LADDER

289705 Ladder for 7' and 7 1/2' tanks

SILICON PLUGS FOR TANKS


(NOT SHOWN)

402418 1 1/2" DFA tank plug

402425 2" DFA tank plug

402487 3" DFA tank plug

ULTRA-STRONG
STEEL STRUCTURE



C PLASTIC TANKS FOR SAP

Plastic sap storage tank with wide stainless steel opening and stainless steel cover.

473166 65 U.S. gallons (23" x 43" x 26") 12.5" opening

473203 125 U.S. gallons (32" x 41" x 35") 16 1/4" opening

473128 225 U.S. gallons (38" x 41" x 49") 16 1/4" opening

473142 16 1/4" stainless steel mesh



SAP SILOS



SILOS

- 433641** Silo diam.12x15 hauteur 9795 gal
- 433658** Silo diam. 12'X20' hauteur 13006 gal
- 433665** Silo diam. 12'X25' hauteur 16218 gal
- 433672** Silo diam.12'X30' hauteur 19430 gal

SILO OPTIONS

- 433702** Top access hatch
- 433719** Ladder
- 433726** Flap to restrict ladder access
- 433740** 3" auxiliary output
- 433757** Non return valve
- 433764** Overflow insect screen

INCLUDES

- Cleaning Ball
- Lower Access Trap
- Air Vent
- 3 in Overflow
- Conic bottom for easy drainability,
- Technical drawings for concrete base

RELEASERS



DG

RELEASER MODEL IS DETERMINED
BY THE NUMBER OF TAPS AND THE
AMOUNT OF VACUUM NEEDED

ELECTRIC RELEASER WITH SUBMERSIBLE PUMP

For sugar bush with 100 to 30 000 taps.

1.5 hp pump is installed within the releaser

Easy to operate. Can release water with a vacuum of 27 Hg and up with no vacuum interruption, and a 2" output.

- A For 2300 taps and less (1 pump 0.5 hp)**
- 484421** Vertical 10" x 30", 110 volts (DG-224-PS)
Manifold height 32"
- 388873** Horizontal 14" x 30", 110 volts (DG-223-30PS)
Manifold height 22.5"
- 485916** Horizontal 18" x 24", 110 volts (DG-225-PS)
Manifold height 25.5"
- 484728** Horizontal 18" x 24", 110 volts (DG-225-2PS)
Manifold height 25.5"
- NEW**
- 436178** 1/2 submersible pump option, 230 volts
Can replace 1/2 pump, 100 volts in above-mentioned models
for greater water extraction capacity if required.
- Capacity of 4000 taps (1 pump 1 hp)**
- 484346** Horizontal 14" x 36" (DG-223-PS)
Manifold height 22.5"
- Capacity of 4500 taps (2 pumps 0.5 hp)**
- 487286** Horizontal 14" x 36", 230 volts (DG-223-36S)
Manifold height 22.5"
- B Capacity of 7000 taps. (1 pump 1.5 hp)**
- 407468** Horizontal 18" x 36" (DG-227-PS)
Manifold height 25.5"
- Capacity of 8000 taps (2 pumps 1 hp)**
- 484858** Horizontal 18" x 36" (DG-225-2PS)
Manifold height 25.5"
- Capacity of 7000 to 15 000 taps (2 pumps 1.5 hp)**
- 407512** Horizontal 18" x 36" (DG-227-2PS)
Manifold height 25.5"

C SPRINKLER TO WASH THE RELEASER

409226 Sprinkler set for 24 inch releasers

409417 Sprinkler set for 36 inch releasers

Model operated under vacuum

By sucking water from your tank, the sprinkler cleans the walls of your releaser

Optional or included on your new releaser

Fits on your current releaser

Also available for mechanical releaser

D SET OF LED LIGHTS

487217 Set of LED lights for releaser

487244 Set of LED lights for double releaser

Ideal to improve vision inside the manifold

E STAINLESS STEEL SUBMERSIBLE PUMP OUTLET

487200 Stainless steel outlet kit for submersible pump

F ELECTRIC SUBMERSIBLE MULTI-PUMP RELEASER

Capacity of 25 000 taps

484438 (DG-227-PSM) 4 pump model

Horizontal model 18" X 60" with 2 cylinders


Manifold height 44"

Available in 2, 3 or 4 pumps configurations depending on the number of taps

A ELECTRIC ECONOMIC RELEASER

- 436352** Electric Vertical, 10x 30, 1/2 hp pump 110 volts
– 244-PS Eco
- 436345** Electric Horizontal, 14 x 30, 1/2 hp pump 110 volts
– 223-30 Eco
- 484353** Electric Horizontal, 18 x 24, 1/2 hp pump 110 volts
– 225-PS Eco
- 436338** Electric Horizontal, 18 x 24, 2 sub pump, 1/2 hp 110 volts
– 225-2PS Eco
-
- 436321** Electric Horizontal, 14 x 36 sub pump, 1 hp
– 223-PS Eco
- 436369** Electric Horizontal, 18 x 36, 2 sub pump, 1 hp
– 223-30 Eco
-
- 409370** Electric Horizontal, 18 x 36 sub pump, 1,5 hp Econo
– 227-PS Eco
Electric Horizontal, 18 x 36, 2 sub pump, 1,5 hp Econo
– 227-2PS Eco

Input varies depending on the releaser model



B HORIZONTAL ELECTRIC DUAL-PUMP RELEASERS

For 4000 - 20 000 taps (the number of pumps used varies according to the number of taps)


- 484339** (DG-223-36) 14" x 24" 2 penn switch, manifold height 26.5"
- 400766** (DG-227-36) 18" x 36" 2 penn switch, manifold height 29.5"
- 400605** (DG-227-48) 18" x 48" 3 penn switch, manifold height 29.5"

System uses two water pumps

Second pump serves as backup if first pump is insufficient

–"Gould" pumps can extract water from the sap to a vacuum of 27 Hg and higher

Pump and stand not included



NEW

NOW WITH INTERNAL LEVEL
FLOAT TO OPERATE THE PUMP

C RELEASER STAND FOR WATER PUMP

Available for 1, 2 or 3 water pumps

D HORIZONTAL ELECTRIC SAP RELEASERS (1 PUMP)

Capacity of 4000 taps

486173 14" x 24" (DG-223)

Manifold height 26.5"

Capacity of 5000 taps

400452 18" x 24" (DG-225)

400544 18" x 36" (DG-227)

Requires a water pump to dump the sap

Manifold height 29.5"



E VERTICAL ELECTRIC SAP RELEASERS

Capacity of 1500 taps.

400391 10" x 24" (DG-224)

Capacity of 2500 taps.

400421 10" x 36" (DG-224-1)

Requires a water pump to dump the sap

Manifold heights:

For 1500 taps (25")

For 2500 taps (38")



RELEASERS

A



DG

THE MODEL OF THE RELEASER IS DETERMINED BY THE NUMBER OF TAPS AND VACUUM LEVEL

ALL SAP RELEASERS ARE FACTORY TESTED AND CHECKED

DG

B



D



E



CONTINUOUS VACUUM

A VERTICAL MECHANICAL SAP RELEASERS

Capacity of 700 taps.

400278 (DG-216) 10" x 18"

Mechanical releaser

Installed above small storage tank

Manifold height: 20"

B DOUBLE VERTICAL MECHANICAL SAP RELEASERS

Capacity of 3000 taps.

400186 10" x 18" (DG-213-18) Manifold 18"

400407 10" x 24" (DG-213-24) Manifold 24"

Continuous vacuum mechanical sap releaser

Installed on a storage tank

The sap is alternately dumped in, one side at a time

Manifold height 20"

C HORIZONTAL MECHANICAL SAP RELEASER

Capacity of 2500 taps.

400926 10" x 18" horizontal (DG-213H)

Continuous vacuum releaser

Installed on a storage tank

The sap is alternately dumped in, one side at a time

Manifold height: 16.5"

D DOUBLE HORIZONTAL MECHANICAL SAP RELEASERS

Capacity of 2500 taps.

407956 10" x 36" (DG-214)

Capacity of 6000 taps

400476 14" x 36" (DG-219)

Capacity of 12 000 taps

400308 18" x 36" (DG-220) Vacuum inlet 2"

400360 18" x 48" (DG-222) Vacuum inlet 3"

Continuous vacuum mechanical sap releasers

Installed on a storage tank

The sap is alternately dumped in, one side at a time

Manifold heights

For 2500 taps (16.5")

For 6000 taps (22.5")

For 12 000 and 25 000 taps (26.5")

E GUIDE ROD FOR RELEASER

Improved rod guide with seal for high vacuum (27 Hg and over)

Improves the tightness of the device

Installs on any new device and existing ones

When installed as an add-on, the replacement of the float rod is mandatory when installing the guide

Daily maintenance required


MECHANICAL RELEASERS WITH DOUBLE SINGLE VALVES

- A** Capacity of 3000 taps.
400896 10" x 18" (DG-213-2VS) Vertical
- B** Capacity of 6000 taps.
400865 14" x 36" (DG-219-2VS)
- Capacity of 12 000 taps.
406928 18" x 36" (DG-220-2VS) Vacuum Inlet 2"
406911 18" x 36" (DG-220-3-2VS) Vacuum Inlet 3"
- Capacity of 25 000 taps.
406898 18" x 48" (DG-222-2VS) Vacuum Inlet 3"

Releasers allowing an even more constant continuous vacuum
 Allows a bigger volume of sap at a high vacuum
 Installed on a sap tank, they evacuate the sap mechanically (without pump) simply by vacuum

Manifold heights:

- For 3000 taps (20")
- For 6000 taps (22.5")
- For 12 000 and 25 000 taps (26.5")



C AUTOMATED MECHANICAL RELEASERS

- Capacity of 2500 taps.
487248 10" x 24" (DG-213B)
487279 10" x 36" (DG-214B)
- Capacity of 6000 taps.
407987 14" x 36" (DG-219B)
- Capacity of 12 000 taps.
407970 18" x 36" (DG-220B)
- Capacity of 25 000 taps.
407963 18" x 48" (DG-222B)

New generation of mechanical releasers
 Eliminates any loss of air when sap is dumped into the tank
 Sap sensors are connected to **BELIMO** (5-year guarantee) valves to ensure tightness of the releaser

Manifold heights:

- For 2500 taps (16.5")
- For 6000 taps (22.5")
- For 12 000 and 25 000 taps (26.5")



DEMONSTRATION



RELEASERS



**HIGH
VACUUM**



A CONVENTIONAL MOISTURE TRAPS

400773 8" x 30" Model (Vacuum 1.5 hp)

400827 10" x 24" Complete Model (Vacuum 5 hp and under)

Options:

400735 Moisture trap only

400711 Aluminum base

485893 Water level sensor for emergency stop

400834 Complete 14" x 30" model (Vacuum 7.5 hp) and up

Options:

400636 Moisture trap only

400704 Aluminum base

485893 Water level sensor for emergency stop

B DELUXE MOISTURE TRAPS

Includes filtering devices for water particles

Water level sensor to stop the pump in case of failure

409295 Deluxe D&G 14" x 30" moisture trap for Becker pump (recommended) 7.5 hp and more

404108 Deluxe 10" x 24" moisture trap D&G

D&G SAP LIFTERS WITH MANIFOLD

Single (up to 350 taps).

C **400582** Sap lifter with manifold (DG-555)

Double (up to 800 taps)

D **400599** Sap lifter with manifold (DG-555-2)

Requires high-level vacuum (20 to 29 Hg)

Makes it possible to collect sap from trees on sites lower than the main pumping station

Maximum elevation drop of 15 feet

We recommend the installation of this unit in a temperate place between 1° and 5° Celsius to avoid frost

FDA BLUE FLAPPERS FOR RELEASERS

E **403156** 2" small

F **403125** 3" large

G **403187** 3" with spring and hinge (specify releaser model)

VACUUM GAUGE (LEAD-FREE)

116261 2.5" dia. 0 30 Hg, lead-free brass

371462 4" dia. 0 30 Hg, lead-free brass

080104 2.5" dia. 0 30 Hg, stainless steel

H **080128** 4" dia. 0 30 Hg, stainless steel

A 1 PH -230 V-ODP GOULD PUMPS

Made of stainless steel. 2- and 3-stage pumps also available.

385001 3/4 hp 1ST
385032 2 hp 1ST
385018 1 hp 1ST

385049 3 hp 1ST
385025 1.5 hp 1ST

B GOULD HI-PRESSURE MULTISTAGE PUMPS

125 to 350 PSI, 5 gallons and more per minute, 1/2 to 5 hp.

SEE OUR IN-STORE REPRESENTATIVES FOR YOUR SPECIFIC NEEDS

C RELEASER PENN SWITCH

401923 (DG-430)

D ELECTRIC CONTROL FOR STORAGE TANK

Starts water pump. Used to transfer sap to another tank. Volume to be transferred is also adjustable.

401985 (DG-432)

OTHER ROD LENGTHS ALSO AVAILABLE

E STAINLESS STEEL FLOAT TANK SUPPORT

402579 Stainless steel support for electrical control for storage tank
 (See letter D)

F HORIZONTAL VACUUM BOOSTERS

Helps vacuum transport on long distances from the sugar bush and enhances vacuum performance in the lines.

Without support

With support

400872 6" x 12"

358692 10" x 24"

400902 6" x 18"

358166 10" x 30"

400933 6" x 24"

358708 10" x 48"

401046 3" x 24"

358197 10" x 60"

409684 O-ring joint for 10" booster

403453 Orange O-ring joint \$/per foot

G INVERSE SLOPE PUMPING SYSTEM

Allows sap to flow from a remote pumping station to the main sap releaser (sugar bush). To be installed with a mechanical releaser storage tank. Enables sap to flow by gravity when the vacuum pump is shut down.

403934 (DG-520)

H AIR INJECTOR SYSTEM

Air injector system increases sap flow toward the main sap releaser. Also optimizes sap ladder operation and helps sap rise.

405426 Air injector system (DG-510)
 (for check valves see pg. 64)

I RELEASER FLOATS

402227 Small blue
402524 Large



MOISTURE TRAPS



B



C



D



E



F



A ANTI-FRAZIL PVC MESH

- 408144** For manifold 6" x 12"
- 408175** For manifold 6" x 27"
- 408151** For manifold 6" x 18"
- 408182** For manifold 6" x 38"
- 408168** For manifold 6" x 24"
- 401138** Other sizes available (\$/foot²)

B SWIVELS FOR MECHANICAL SAP RELEASER

- 403965** 1 1/2"
- 403996** 2"
- 404023** 3"

- C 404733** Grease pack (3 ml)

HEIGHT ADJUSTABLE RELEASER STANDS (NOT SHOWN)

- 274510** For 48" tank (set of 2)
- 274541** For 84" tank (set of 2)
- 274527** For 60" tank (set of 2)
- 274558** For 90" tank (set of 2)
- 274534** For 72" tank (set of 2)

D HEIGHT AND LENGTH ADJUSTABLE RELEASER STANDS

- 274589** 3' to 5' (set of 2)
- 274596** 4' to 7 1/2' (set of 2)

RELEASER STANDS (NOT SHOWN)

Made of stainless steel 18 gauge. Use to hold the pneumatic releaser above the tank.

- 274404** For 48" tank (set of 2)
- 274411** For 60" tank (set of 2)

OTHER SIZES AVAILABLE

E CYLINDERS FOR RELEASERS

- 402395** Cylinder for releaser (DG-216)
- 401565** 2 1/2" cylinder for releaser (DG-213)
- 401657** 3" cylinder for releaser (DG-215,219,220)
- 401688** 4" cylinder for releaser (DG-220-3,222)

F VULCANIZED SEALING JOINTS

- 403415** For releaser DG-213
- 403408** For releaser DG-216
- 403521** For releaser DG-224,224-1

OTHER SETS AVAILABLE FOR ALL RELEASER MODELS



MAPLE SYRUP HISTORY

NEW


Explore the evolution of maple syrup production, from yesterday to today, through a host of elements from various players in the field. You will find several images, anecdotes and historical facts about maple syrup.

493874 Histoire Acéricole: Anecdotes, Procédés techniques, Chalumeaux

**Only available in french at the moment*

VISIT OUR UPDATED WEBSITE

Stay tuned for exciting new features and updates arriving throughout the year. Remember to visit our website for the latest news and exclusive sales.



VACUUM PUMPS



A BECKER OIL-COOLED PUMPS

Oil-cooled pallet vacuum pump Available in all voltages
 Vibration isolator Ultra quiet
 Up to -29.5 Hg Stand and drive not included
 3, 5, 7.5 and 10 hp models Without overheating
 Direct drive shaft

B YASKAWA SMART SPEED MODULATOR

For vacuum pump
 Smart drive kit including a temperature and vacuum probe
 Controls the vacuum level as needed
 Modulation between -15 and -29.9 Hg
 Motor start, stop and speed adjustment according to temperature setting
 Adjust the vacuum and temperature settings yourself
 Once the desired vacuum is reached, the speed modulator slows the motor and maintains the set level of vacuum



C EDWARDS CLAW VACUUM PUMPS

Dry (oil-free) pumping chamber.
 Market leading low noise level.
 Efficient motor with variable speed option for complete controllability.
 Simple maintenance with contact-free internals eliminating wear.
 Cool running and simple air cooling.
 Compact design with a small footprint.
 Available in 3 models:
099069 -EDC 065 at 2,0 hp
389344 -EDC 150 at 6 hp
389337 -EDC 300 at 10,0 hp

D EDWARDS SCREW VACUUM PUMP

Variable speed drive
 Quiet
 CFM still high at 29.9 Hg
 Available 240V 1 PH, 575V 3 PH et 380/460V 3 PH

098673 Edwards screw pump EOSi350 7.5 hp 240V 1 PH
098703 Edwards screw pump EOSi585 10 hp 240V 1 PH
098737 Edwards screw pump EOSi730 15 hp 240V 1 PH
098819 Edwards screw pump EOSi900 20 hp 240V 1 PH

A VACUUM PUMP

Industrial quality . Oil-cooled vacuum pump. These pumps include a wide range of accessories making them safe and efficient.

Programmable start/stop

Remote control (cellular or computer)

Vacuum adjustment based on temperature

Fully automated.

Electric engine from 1.5 hp up to 20 hp

Available with Honda gas or diesel motor (*NOT SHOWN*)

Oiler (*NOT SHOWN*)

B Moisture traps 1 1/2", 2" or 3"

361944 10" x 24" Moisture trap & 1.5" inlet

363597 10" x 24" Moisture trap & 2" inlet

361975 15" x 30" Moisture trap & 2" inlet

363177 15" x 30" Moisture trap with pen switch & 3" inlet

363146 15" x 30" Moisture trap with pen switch & 2" inlet

362330 15" x 30" Moisture trap & 3" inlet

363627 10" x 24" Moisture trap with pen switch & 2" inlet

Other moisture traps size available

C "Flood" oil reclaimer

The FLOOD oil reclaimer lets vacuum pumps operate up to 27 Hg.

D COOLING UNIT FOR "FLOOD" OIL RECLAIMER

Cooling unit lets vacuum pumps operate up to 27 Hg

This system necessarily operates with the "FLOOD" oil recuperator

The majority of oil injected into the pump is reclaimed by the "FLOOD" oil reclaimer and the cooling unit will cool down before it returns to the pump.

Temperature control controls the radiator fan according to the oil temperature.

This system works with all oil and water-recirculation vacuum pumps

Fits all cold oil model pumps (De Laval, Universal, Elmira)

Injects 2 litres of oil/minute to cool pump for maximum efficiency

ECO-FRIENDLY OIL FOR VACUUM PUMPS (*NOT SHOWN*)

361852 3.7 L Regular vacuum pump oil

363955 3.7 L "Flood" vacuum pump oil

361883 18.9 L Regular vacuum pump oil

364167 18.9 L "Flood" vacuum pump oil

372162 18.9 L Radiator oil pump

364815 High performance flood filter



VACUUM PUMPS



A VACUUM PUMP AND DRIVE FOR 800 TO 12,500 TAPS

Compact oil pump for tight spaces. Available in many sizes.

Vacuum over 29 Hg

May operate with hydraulic vegetable oil

230 volts (available on 3 PH voltage)

INCLUDES:

Vane pump

Flood - Oil collector

Speed modulating drive

Vacuum probe with display

Radiator

Check-valve

Digital thermostat

Ball valve

Damp trap with level controller

Couplings and fittings (accessories can be modified on request)

Stand (optional)

MINI VACUUM PUMP

For sugar bushes of 800 taps and less. 8 CFM 27 Hg vacuum pump. Magnetic starter (thermostat not included). Flood Oil collector (temperature indicator not included). Damp trap. Vacuum control. Oil level gauge. Check valve (sap releaser not included). Approved system CSA.

B 377839 D&G Vacuum pump 151 flood 3 hp Kit

363511 Gas Honda motor 5.5 hp with electric starter

C 378096 $\frac{3}{4}$ hp electric motor with radiator and thermostat

378041 Gas Honda motor 5.5 hp with electric starter and radiator

378072 Gas Honda motor 5.5 hp with manual starter and radiator


371431 8 CFM 1750 vacuum pump head

VACUUM PUMPS WITH GUZZLER DIAPHRAGM

Economic models for small operations.

500 taps and less until 25" Hg

- A 386572** Diaphragm vacuum pump, 115 volts
- 1,000 taps and less
- B 386596** Double diaphragm vacuum pump, 115 volts



VACUUM REGULATORS

- C 401473** Small pressure regulator (DG 312-1)
- D 401374** Medium regulator
- E 362187** Adjustable vacuum control
- F 374685** 3/4" copper vacuum control with spring
- 407772** 1" PVC vacuum control with spring



G AUTOMATIC VACUUM CONTROL

408427 Automatic vacuum control

Electric vacuum control, wireless remote monitoring and control for pump station

3.5" colour touch panel screen (HMI)

Can manage master lines and be accessed by phone, tablet or computer.



H PRESSURE WASHER

Cold water pressure washer

Pressure: 5000 psi

Flow: 5.0 gpm

TS119 1450RPM industrial pump

motor 20hp TEFC 230VOLT 3 phase (also available on 460 and 575 3 phase)

50 'hose

MANY MORE MODELS AVAILABLE



I ANTI-WATER BALL BASKET

435423 Basket 2" PVC waterproof ball



4TH GENERATION

MONITORING AND CONTROL

The latest generation of our powerful software for monitoring and complete surveillance of your Sugar bush on a tablet, computer or cell phone. The system allows for an overview of all your sensors and pumping stations to effectively optimize the performance of your sugar bush. Unlike our competitors, all of this is possible without requiring an internet connection.



FEATURES

Mapping of your Sugar bush

Vacuum and leak detection sensors on each mainline with leakage and equipment malfunction warnings

Remotely control your equipment (Vacuum pumps, sap pumps, pipe drainage, releasers and others)

Increased sensors' battery life with a new off-season mode. Facilitates system restart at the beginning of each season.

Metering of sap tank levels

History of vacuum vs temperature data
Freeze reports

Releaser water metering system

Integrated camera system

Compatible with previous version

NO MONTHLY FEES OR INTERNET ACCESS REQUIRED
BETTER REACH, QUICKER INSTALLATION, SHORTER RESPONSE TIME

VACUUM MONITORING

D&G REMOTE MONITORING STARTER KIT

122033

Includes:

- A** D&G server (software)
- B** Wireless Gateway
- C** Mobile Gateway
- Back-UPS
- Network switch



122248
WIRELESS TANK LEVEL SENSOR

Monitoring of sap levels in a tank up to 25 feet high



A 121258
D&G SERVER (SOFTWARE)

Mandatory for all setups
At the heart of D&G's monitoring system



119573
MODULATING VALVE FOR VACUUM PUMP

Makes it possible to lower the vacuum of the pumps without modifications to them



B 122224
WIRELESS GATEWAY

Sends information collected by the wireless sensors to the D&G server



121326
INPUT-OUTPUT CONTROL BOX

Controls and monitors pumping stations
Required for vacuum pump modulation



C 122231
MOBILE GATEWAY

Link between a smartphone and the wireless sensors



D 122200
SINGLE VACUUM WIRELESS SENSOR

Vacuum and temperature readings for **1** mainline



E 122217
DOUBLE VACUUM WIRELESS SENSOR

Vacuum and temperature readings for **2** mainlines



SURVEILLANCE CAMERAS

- 121142** Rotary camera
- 121234** Fixed camera



**TOTAL AUTONOMY:
ABSOLUTE CONTROL
OVER YOUR DATA**

Reinvent your surveillance: our product combines internet connectivity and intranet autonomy. Control your data without fees or third parties.

MAPPING SERVICES



**LARGE
FORMAT
MAP OF
YOUR
SUGAR
BUSH**



SUGAR BUSH MAPPING SERVICES

- GPS mapping of your site
- Tubing layout designed by an experienced team
- Tubing system installation according to your terrain and criteria (transfer tanks, wet/dry system, etc.)
- Precise evaluation of the material required
- Accurate plan of your tubing system, stations, buildings, etc.
- Map printing, after completion of your project

COROPLAST PRINTING SIZES: 2' X 3' 3' X 5' 4' X 8'

ECONO SERIES

MAIN PLUMBING MADE OF STAINLESS STEEL

14 new models of R/O,
400 to 3000 GPH
Sequential pump start
Digital Temperature indicator
Each membrane has its own flow-
meter and sampler.



400+ GALLONS ECONO



1 600 GALLONS

R/O 400-B ECONO SERIES

For 1500 - 2500 taps.
1 membrane 8" x 40" & 1 membrane 4" x 40"
 $\frac{1}{2}$ hp feed pump
3 hp pressure pump
1 recirculating pump $\frac{3}{4}$ hp
Low amps 22 A.
Complete and easy to operate
Stainless steel frame

Wash tank
Flow meter
Dial thermometer
Automatic shutoff when sap tank is empty
Instruction panel with pictograms
Set of 3-way valves for installation
Stainless steel casings for membranes
Starting at 400 gallons/hour
Econo model available up to 20 000 taps

R/O 1600-B ECONO SERIES

With 3 membranes, 8" x 40"
1 feed pump, 5 hp
1 (multistage) pressure pump, 7.5 hp-220V high performance
1 recirculation pump, 1.5 hp on the third membrane
Digital thermometer
Flow meters
Stainless steel vessels for membranes
Set of 3-way valves for installation
Wash tank
Automatic shutoff when sap tank is empty
Stainless steel frame
Instruction panel with pictures

*DOMINION & GRIMM OFFERS THE POSSIBILITY TO
UPGRADE TO THE PARALLEL SERIES FOR THIS MODEL*

PERFORMANCE CALCULATIONS ARE BASED ON SAP AT 55°F, CONCENTRATED FROM 2 - 8 BRIX



LX SERIES

LX-B
LX-PLATINUM



LX-1600 MODEL



HORIZONTAL VERSION

AVAILABLE WITH
LARGER PIPES 1.5"

LX SERIES

For 5000 to 20 000 taps.

Simplified timer 0 - 60 minutes

High temperature indicator light

Pump motor overload warning light

The filtrate, concentrate and drain outlets are equipped with NTP adapters

An air purge tank is installed on each model

The 600 and more models are equipped with a 3-cartridge RAM filter except for the 3000 and 3000-

B2 models which have a 7-cartridge RAM filter.

Complete and easy to operate

Stainless steel frame

Wash tank

Flow meter

Automatic shutoff when sap tank is empty

Instruction panel with pictograms

Set of 3-way valves for installation

Stainless steel casings for membranes

MOUNTAIN 2.0



38 MEMBRANES

The mountain model is available with 3, 4, 6, or 8 pumps.
Up to 18 000 gallons per hour
Contact your rep for more information



- 3 x 10 hp feed pumps with variable speed "drive" starter
- 6 x 10 hp pressure pumps with variable speed "drive" starter
- 6 recirculation pumps 5 hp
- 3 cylinders 8' x 80"
- 3 recirculation pumps 3 hp

- 6 filters with 7 cartridges per filter
- 4 recirculating pumps 1 1/2 hp
- TDS reader (conductivity of permeate)
- Brix reader 0 - 33 Brix
- Concentrate to 25 Brix and more
- Entirely made of 304 stainless steel
- *Specs and features are for the pictured model



BRIX CHART FOR REVERSE OSMOSIS

Reduce boiling time by removing water with reverse osmosis

° BRIX	% WATER REMOVED	SAP REQUIRED TO PRODUCE ONE GALLON OF SYRUP
2	0	43
8	75%	10.75
10	80%	8.6
15	87%	5.7
20	90%	4.3
25	92%	3.44
30	93.3%	2.86
35	94%	2.45



RAM EDITION



FULL AUTOMATED "PRESTIGE" R/O RAM
EDITION WITH 1000 GALLONS HIGH BRIX



FULL AUTOMATIC 400 GPH / 1600 GPH R/O

- 400 GPH or 1600 GPH models
- High Brix R/O (over 20 Brix)
- Full automatic model
- Daily schedule programmable to save labour
- No labour required after R/O started
- 6 choices sequences to program the automate
- Remote start (option)
- The full automatic R/O can manage your tank by mobile, tablet, or computer (option)
- Automatic soap injection
- Multi-stage pump 7.5 hp stainless steel
- Recirculation pump 3 hp stainless steel
- 3 stainless steel RAM filter cartridges


AUTOMATED CONTROL OF BRIX DEGREE

D&G are pioneers in
the field of osmosis
automation with more
than 10 years
of experience.



PRESTIGE EDITION

THE ONLY TRULY AUTOMATED AND FLEXIBLE REVERSE OSMOSIS



FULLY AUTOMATED
PRESTIGE PLATINUM

4 Stainless steel housings for 3
membranes, 8" x 80"

4 Stainless steel housings for 1
membrane, 8" x 40"

4 High-pressure pumps
in stainless steel, 7.5 hp

Feed pump in stainless steel, 7.5 hp

Most efficient on the
market (150 Amps / 220 Volts)

FULLY AUTOMATED PRESTIGE PLATINUM

Programmable cycle sequence. 10 different programmable and flexible sequences each comprising 14 cycles.

Stop, start and arrangement of cycles according to the conditions set by the operator

Model with high concentration (20 Brix and more) available

User-friendly and intuitive Schneider touchscreen on mobile console.

Autonomous, no connection to external servers required

Remote access to all device functions and controls (PLC)

Platinum model available with 1 to 28 membranes

All impellers are made of stainless steel

Stainless steel vessels

Stainless steel plumbing

All electrical and automation components are from Schneider

Available in 4 models: **1** Full automatic Platinum **2** Full automatic **3** Standard

**SCHNEIDER 15" TOUCHSCREEN
ON MOBILE CONSOLE FOR
THE PRESTIGE MODEL**

SCHNEIDER TOUCHSCREEN INTERFACE

D&G R/O systems with touchscreen control: advanced technology

Choose the selected mode on the screen and the machine will start in that mode

Schedule 1 day without adjusting or making changes to the manual cycle

Requires no labour after it is started



2 automation versions available

- Advanced automation 2021

- Advanced automation PLATINUM 2021



OSMOSIS



SPORTSMAN 80 - 160 GPH

Ideal to cut in half your volume of maple water to evaporate.
For 800 taps and less.

1 diaphragm pump (1/2 hp)

295003 Sportsman 80 GPH

1 membrane (4")

A 295591 Sportsman 100 GPH

–1 membrane 4"

–Can be upgraded by adding a second membrane.

B 294969 Sportsman 160 GPH

2 membranes (4")

C BRIX CONTROL MODULE FOR OSMOSIS

295126 The Brix controller for osmosis allows you to manage the Brix concentration of your osmosis. Making it possible to maintain a constant Brix level.

Suitable for all conventional osmosis regardless of the brand

Continuous reading of the sugar level with permanent display

Allows high data accuracy and time savings

No manual sampling required

Can be managed remotely with a smartphone, computer or tablet (option)

Suitable for all brands of conventional osmosis

Schneider PLC

D ATAGO REFRACTOMETER 0-33 BRIX

126543 Atago refractometer - CM-BASE (A) - 0 - 33 Brix

E AUTOMATED VALVES FOR TANK

Full automatic R/O can manage your sap tank and permeate tank

The computer manages the electric valves of your tank with sap level detector

Butterfly valves of 1.5" to 3"

F EXPANSION KIT FOR R/O

292071 Econo Expansion kit with 1.5 hp recirculation pump.

Also available with 3 hp recirculation pump.

SEDIMENT STRAINER

- A 131356** Y shaped 2" sediment strainer
B 131370 Y shaped 4" sediment strainer
 Entirely made of stainless steel
 1.5" and 3" adapters available

SUEZ MEMBRANE

- C 159893** 4" x 40" Membrane
D 159909 8" x 40" Membrane

MEMBRANES HYDRANAUTICS, ESPA4-LD

- 485237** 4" x 40" Membrane
360404 8" x 40" Membrane

STORAGE HOUSING FOR MEMBRANES

- E 359965** Storage housing for 8" x 40" membrane
F 360480 Storage housing for 4" x 40" membrane

G MAPLE SAP FILTER CARTRIDGES

SPECIAL PRICE (FULL CASE)

- 485077** 2 x 10, Purtrax 5 microns (box of 40)
485091 2 x 20, Purtrax 5 microns (box of 20)
485138 2 x 20, Purtrax 10 microns (box of 20)
485121 2 x 20, Purtrax 75 microns (box of 20)
367465 Cartridge union 2" for sap
367311 Gasket for 2 X 20 cartridge case

H BAGS FOR SAP FILTER - 50 - 100 MICRONS

- 487651** 8" x 17", 50 microns..... \$9.50
487613 8" x 30", 50 microns..... \$14.50
487774 With rope 8" x 17", 25 microns \$9.50
487798 With rope 8" x 30", 25 microns..... \$14.50
I 487637 Bag holder \$45.10

J SS FILTER FOR MULTIPLE CARTRIDGE

- 134241** RAM filter (3 cartridges)
292262 5200 filter (7 cartridges)



PH NEUTRALIZATION SYSTEM

SUGAR BUSH WASTEWATER NEUTRALIZATION SYSTEM

This system provides reliable, flexible, and powerful control for the treatment of wastewater discharged from reverse OSMOSIS. No matter the manufacturer or the model.

Allows the neutralization of washing water pH before its release into the environment.

Smart control box with easy-to-use touchscreen

Remote management and real-time data consultation

Data recording of all sensors allowing the creation of tables and graphs.
Transferable to USB key. Useful for providing reports required by environmental authorities.


Integrated management on automated D&G Osmosis

Piping entirely in stainless steel

Completely autonomous



PH NEUTRALIZATION SYSTEM



MAINLINES

FOOD GRADE

A




**SUPERIOR
QUALITY AND
THICKNESS**

TUBING MADE OF
VIRGIN MATERIAL
FUSIONNABLE WITH
POLYETHYLENE
FITTINGS.

C



B



E



D



F



G



A BLUE MAINLINE - FOOD GRADE APPROVED

458484	100 lb 1/2", 500	479731	100 lb 1 1/4", 500'
479717	100 lb 3/4", 500'	456541	100 lb 1 1/4", 1000' (on spool)
455674	100 lb 3/4", 2 500' (on spool)	479748	100 lb 1 1/2", 250'
479724	120 lb 1", 500'	456947	100 lb 1 1/2", 900' (on spool)
455698	120 lb 1", 2 000' (on spool)	457005	100 lb 2", 500'

B BLACK MAINLINE TUBING - FOOD GRADE APPROVED

455711	100 lb 1/2", 500	479779	100 lb 1 1/4", 300'
479755	100 lb 3/4", 500'	455834	100 lb 1 1/4", 1000' (on spool)
455759	100 lb 3/4", 2 500' (on spool)	479786	100 lb 1 1/2", 250'
479762	120 lb 1", 500'	455872	100 lb 1 1/2", 900' (on spool)
455797	120 lb 1", 2 000' (on spool)	455919	100 lb 2", 500'

C LASHED TUBING - FOOD GRADE APPROVED

	BLACK		BLUE
456121	100 lb 3/4", 2500'	454936	100 lb 1", 2000'
456145	120 lb 1", 2000'	454950	120 lb 1 1/4", 1000'
456169	100 lb 1 1/4", 1000'	454745	100 lb 1 1/2", 900'
468995	100 lb 1 1/2", 900'		

D TENSION GRIPS FOR MAINLINE

- 104893** 1" tension grip
- 104909** 1 1/4" tension grip
- 104916** 1 1/2" tension grip
- 104923** 2" tension grip

E CEDAR PICKETS

- 023361** 2 x 2, 6' (packs of 9)
- 023378** 2 x 2, 8' (packs of 9)

OTHER LENGTHS AVAILABLE UPON REQUEST

BASE FOR PICKETS

- F 023323** Picket base(round) 2" x 2"
- 023316** Hybrid 2 x 3

G FOAM FOR MAINLINE

- 480102** 1" foam (24/pack)
- 480249** 1 1/4" foam (12/pack)
- 480164** 1 1/2" foam (12/pack)
- 480188** 2" foam (10/pack)

TUBES FUSION

Process to combine tubes and fittings
Fusion bonding of endings

ADVANTAGES

Eliminates leaks
Protects tubing by creating a shell against the weather
Increased output and performance
Saves time and money on labour

8 EASY ELECTROFUSION STEPS

After flattening them, align the ends of the tubes
Set the welding by adjusting the heat
Melt the material by joining the ends
Prepare the tubing surface for better adhesion of the fusion and electrofusion fittings
Screw the saddle on the tube **(B)**
Insert the coupler on the saddle **(C)**
Activate fusion using the scanner **(D)**
Let the fusion cool down

A HIGH DENSITY BLACK POLYETHYLENE MAINLINE TUBING (ELECTROFUSION)

467691 1" black, 500'	469053 1 1/2" blue , 500'
469008 1 1/4" black, 500'	469060 1 1/2" blue (spool), 3500'
469015 1 1/4" black (spool), 4000'	469077 2" blue, 500'
466403 1 1/2" black, 500'	469084 2" blue (spool), 2000'
467561 1 1/2" black (spool), 3500'	
466410 2", 500'	
467585 2" black (spool), 2000'	
467592 3" black (spool), 800'	

FITTINGS FOR MAINLINE (ELECTROFUSION)

B SADDLES

467752 1 1/2" X 1"
467769 2" X 1"

C COUPLERS

467721 1"
467738 1 1/2"
467745 2"

OTHER SIZES AND FITTINGS AVAILABLE



ELECTROFUSION
UNIT PURCHASE OR
LOCATION



A



DEMONSTRATION



FUSION



All your polyethylene tubing is fusible with all types of fittings on the market

TUBING

**NO COMPROMISING ON QUALITY
SAME RESIN SINCE 1998**

5/16"

DOMINION & GRIMM 5/16" TUBING

- 459627** Semi-stiff tubing 55X, RL 500', transparent blue
- 456480** Semi-stiff tubing 75X, RL 500', transparent blue
- 456442** Semi-stiff tubing 80X, RL 500', blue
- 458668** Semi-stiff tubing 85X, RL 500', transparent blue
- 459108** Semi-stiff tubing 86X, RL, 500', light green
- 469145** Semi-stiff tubing 88X, RL, 500', grey

5/16"

HW

5/16" SEMI-STIFF TUBING (THICK WALL), HW

- 469176** Semi-stiff tubing 88X HW, RL 500' grey
- 467677** Semi-stiff tubing 86X HW, RL 500', light green
- 454929** Semi-stiff tubing 85X HW, RL 500', transparent blue
- 454912** Semi-stiff tubing 83X HW, RL 500', transparent blue
- 466502** Semi-stiff tubing 70X HW, RL 500', transparent blue

3/16"

3/16" SEMI-STUFF TUBING

- 454844** Semi-stiff tubing 31 X 3/16", RL 500', blue
- 454783** Semi-stiff tubing 32 X 3/16", RL 500', light green

**OTHER COLOURS AND CATEGORIES OF
TUBING AVAILABLE ON REQUEST**

DOMINION & GRIMM PRE-CUT DROP LINES

COLOUR	32"	36"	40"
REGULAR 5/16" TUBING			
Transparent blue 75x		458781	462603
Transparent blue 85x		458774	462641
Transparent green 86x		461392	
HEAVY WALL 5/16" TUBING			
Transparent blue 75x HW	467653	466441	
Transparent blue 85x HW		466526	
Transparent green 86x HW		454646	
REGULAR 3/16" TUBING			
Duraflex blue		467530	
Duraflex green		467547	

**OTHER DROP LINES CATEGORIES AND LENGTHS AVAILABLE ON
REQUEST. MINIMUM QUANTITY OF 10,500**



5/16"
TUBING




**ALL OUR TUBINGS ARE
COVERED WITH A LIMITED
15 YEAR WARRANTY**

5/16" **HW
TUBING**



3/16"
TUBING

**DROP LINE
PRE-ASSEMBLED
AVAILABLE ON
REQUEST**



TUBING FITTINGS

D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

NYLON

COMPATIBLE WITH ALL T-PLUGS
FROM MAJOR MANUFACTURERS



511387	5/16" spout, blue
511356	5/16" spout, black
511363	5/16" spout, white
511851	5/16" spout, flexible nylon, gray



474255	5/16" spout, blue
508882	3/16" - 5/16" spout, blue
474279	5/16" spout, black
508899	3/16" - 5/16" spout, black
474262	7/16" spout, black
510397	5/16" spout, white



510304	5/16" 110° nylon spout, blue
476266	5/16" 110° nylon spout, black
510380	5/16" 110° nylon spout, white



508806	5/16" - 1/4" spout, blue
508844	3/16" - 1/4" spout, blue
508813	5/16" - 1/4" spout, black
508851	3/16" - 1/4" spout, black
508837	5/16" - 1/4" spout, white



474200	7/16" short spout, blue
474316	7/16" short spout, black

TUBING FITTINGS

D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

POLYCARBONATE SPOUTS



508820 Chalumeau jetable 5/16" à 1/4", clair

465932 Chalumeau jetable 5/16", clair

509056 Chalumeau jetable 3/16", clair



**THIN
WALL**

479267 5/16" 110° disposable polycarbonate spout, purple

511868 1/4" 110° disposable polycarbonate spout, purple

510366 5/16" 110° disposable polycarbonate spout, blue

511875 1/4" 110° disposable polycarbonate spout, blue

479489 5/16" 110° disposable polycarbonate spout, green

511882 1/4" 110° disposable polycarbonate spout, green

479250 5/16" 110° disposable polycarbonate spout, clear

479236 1/4" 110° disposable polycarbonate spout, clear

ROSE



Quebec
Breast Cancer
Foundation

511820 5/16" - 5/16" spout, pink

511387 5/16" - 1/4" spout, pink

**D&G WILL GIVE BACK \$0.01 TO THE
QUEBEC BREAST CANCER
FOUNDATION FOR EACH SPOUT SOLD**

RÉDUCTEURS ET ADAPTATEURS



465628 Adaptateur 5/16" à 5/16", noir

465697 Adaptateur 5/16" à 5/16", bleu

474408 Réducteur de chalumeau 7/16" à 5/16", noir

465604 Réducteur 7/16" à 5/16" jetable, polycarbonate, clair



511783 5/16" - 1/4" adaptor, clear

465703 5/16" - 5/16" adaptor, clear

474286 7/16" - 1/4" spout reducer, black

510403 7/16" - 1/4" spout reducer, white

TUBING FITTINGS

5/16" - 3/16" T-PLUGS



511790	5/16" long T-plug, blue
510649	5/16" long T-plug, black
508905	3/16" long T-plug, black
510441	5/16" - 5/16" - 3/16 long T-plug, black



511349	5/16" universal T-plug with enlarged gas chamber, black
511325	5/16" blocked on left long T-plug, green
511332	5/16" blocked on right long T-plug, green
479205	3/16" blocked on left long T-plug, green
479212	3/16" blocked on right long T-plug, green
510601	3/16" - 3/16" blocked long T-plug, green



510656	5/16" universal T-plug, black
508929	3/16" universal T-plug, black
510809	3/16" - 3/16" - 5/16 T-plug, black
510670	5/16" short female T-plug, black

D&G SMF MANIFOLDS



510861	Manifold D&G 5/16" (not assembled)
Includes:	
389764	Manifold, D&G 5/16" fixed head
510847	Manifold joint 3-16" or 5/16" WML
510960	Hose clamp 1" and screw. 31/64" drilling



468735	Manifold D&G 5/16" (not assembled)
Includes:	
389764	Manifold, D&G 5/16" fixed head
510847	Manifold joint 3-16" or 5/16" WML
511844	Hose clamp 1 1/4" and screw. 31/64" drilling



510854	Manifold D&G 3/16" (not assembled)
Includes:	
389795	Manifold, D&G 3/16" fixed head
510847	Manifold joint 3-16" or 5/16" WML
510960	Hose clamp 1" and screw. 31/64" drilling

TUBING FITTINGS

D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

END OF LINE ELBOW HOOKS



510977 5/16" end of line elbow hook, black

510663 5/16" long elbow hook, black

479120 3/16" long elbow hook, black

479113 3/16" end of line elbow hook, black

UNIONS



510786 5/16" union with eyelet, black

510779 5/16" union with hook, black

510793 5/16" union, black

465321 3/16" union with hook, black

510908 5/16" - 3/16" union reducer with hook, black

DIVERS



510328 5/16" antibacterial reservoir for alcohol sterilization



509032 5/16" 2SP end of line elbow hook, black

509049 3/16" 2SP end of line elbow hook, black



510151 5/16" 6-way star fitting, black

510144 5/16" 3-way star fitting, black



465918 5/16" fork, black



463495 5/16" "Y", black



465987 5/16" loop with pin, black

TUBING FITTINGS



SPOUTS



476136 5/16" straight disposable spout, clear

474170 5/16" spout, black



TOMAHAWK



501197 5/16" Tomahawk spout, clear

510830 5/16" Tomahawk spout, transparent blue

510984 5/16" Tomahawk spout, transparent green



ADAPTORS



THIN WALL

510717 5/16" - 5/16" polycarbonate adaptor, clear

510700 5/16" - 5/16" polycarbonate adaptor, transparent blue



DU-EAU SPOUTS

510359 19/64" Du-Eau spout, blue

474156 19/64" Du-Eau spout, blackv

510694 1/4" Du-Eau spout, black

510885 1/4" Du-Eau spout, blue



CAPS & T-PLUGS



501562 5/16" universal T-plug (2 stages), black

500763 5/16" cap



SLIDING FITTINGS



006579 Sliding hook fitting

006609 5/16" sliding coupler

006623 3/16" WML sliding fitting



MANIFOLDS



476235 5/16" manifold with fixed head - 31/64" drilling, black

465758 3/16" manifold with fixed head - 31/64" drilling, black

463600 31-64" WML fixed head manifold kit

465970 Fastener for universal manifold

PLASTECH MANIFOLD

463693 3/4" single manifold kit

463716 1" single manifold kit

463730 1 1/4" single manifold kit

510199 5/16" saddle, black

510168 3/4" saddle, black




WIRES & VALVES

A



B




C



D



F



E

G



H



A GALVANIZED WIRE, QUALITY N° 1

- 480003 N° 8, 65 lb, 1000' high density
- 480379 N° 9, 50 lb, 900'
- 480355 N° 12, 50 lb, 1735'
- 480256 N° 14, 50 lb, 2900'
- 480324 N° 10, 50 lb, 1100' approx. high density

B SPLICES

- 466151 Set of 2 for #8 wire, Orange
- 466205 Set of 2 for #8 wire, White
- 466168 Set of 2 for #10 wire, Black

C STAINLESS STEEL BALL VALVES

- 044663 1/2"
- 044694 3/4"
- 044724 1"
- 044755 1 1/4"
- 044786 1 1/2"
- 044816 2"

D GALVANIZED 16GA TWISTING CLIPS, ROLL OF 2500

- 479977 10", 2" mainline

GALVANIZED 18GA TWISTING CLIPS, ROLL OF 2500

- 480348 4", 1/2" mainline
- 480133 5", 3/4" mainline
- 480157 6", 1" mainline
- 480171 7", 1 1/4" mainline
- 480195 8", 1 1/2" mainline
- 480218 10", 2" mainline
- 480225 12", 3" mainline
- 480232 14", 3" mainline

TWISTERS

- E 475078 Hand twister
- F 475115 Red automatic twister
- 479496 Heavy-duty automatic twister

LARGE GRIPPLE-JOINER - NO° 6, 9, 12 AND 14 GAUGE **GRIPPLE**

Maximum sustained load: 1200 lb

- G 480430 Tensioning tool for gripples
- H 466267 More large gripple (10 - 7.5 gauges)

STAINLESS STEEL FITTINGS

STAINLESS STEEL FITTING SELECTION N°304 (SS) OTHER SIZES AVAILABLE IN STORE



SHORT UNIONS

	L"	INS"
466533	2-3/4"	1/2"
465031	2-3/4"	3/4"
464850	2-3/4"	1"
464911	2-3/4"	1-1/4"
464874	2-3/4"	1-1/2"
464973	2-3/4"	2"



LONG UNIONS

	L"	INS"
465055	4"	3/4"
464959	4"	1"
464935	4"	1-1/4"
464898	4"	1-1/2"
465017	4"	2"
465086	5"	3/4"
465000	5"	1"
464942	6"	1/4"
464980	6"	2"



ADAPTATEURS

	INS"	MIPT"
466892	1/2"	1/2"
466939	1/2"	3/4"
466915	3/4"	1/2"
466953	3/4"	3/4"
466977	1"	3/4"
467011	1"	1"
467059	1"	1-1/4"
467110	1"	1-1/2"
467035	1-1/4"	1"
467134	1-1/4"	1-1/2"
467097	1-1/2"	1-1/4"
467158	1-1/2"	1-1/2"
467196	1-1/2"	2"
467172	2"	1-1/2"
467219	2"	2"



REDUCERS

	INS B"	INS A"
464799	3/4"	1"
464775	3/4"	1-1/4"
464737	3/4"	1-1/2"
464751	1"	1-1/4"
464829	1"	1-1/2"
466878	1"	2"
464713	1-1/4"	1-1/2"
464836	1-1/4"	2"
464812	1-1/2"	2"
481390	2"	3"



"T"

	INS A"	INS B"	INS C"
050039	3/4"	3/4"	3/4"
466089	1"	1"	3/4"
466786	1-1/4"	1-1/4"	1"
050022	1-1/4"	1-1/4"	1-1/4"
466687	1-1/2"	1-1/2"	1"
050046	1-1/2"	1-1/2"	1-1/2"
050060	2"	2"	2"

CLAMPS

TRIDON



REGULAR	SIZE
104343	3/4"
104374	1"
104404	1-1/4"
104435	1-1/2"
104466	2"



STAINLESS STEEL	SIZE
104527	3/4"
104589	1"
104640	1-1/4"
104701	1-1/2"
104763	2"

BREEZE



ROBUST	SIZE
104855	1"
104862	1-1/4"
104879	1-1/2"
104886	2"



REGULAR	SIZE	STAINLESS STEEL
	3/4"	511196
511080	1"	511226
	1-1/4"	511257
	1-1/2"	511288
	2"	511318



QUICK CONNECT WITH FERRULE

	INS"
480881	3/4"
480805	1"
480898	1-1/4"
476846	1-1/2"
476877	2"



"Y"

	INS B"	INS A"
466595	3/4"	1-1/4"
466632	1"	1"
466694	1-1/4"	1-1/4"
466779	1-1/2"	1-1/2"
466854	2"	2"



"Y" REDUCERS

	INS A"	INS B"	INS C"
466601	1"	3/4"	3/4"
466656	1 1/4"	1"	3/4"
466625	1-1/4"	1"	1"
464843	1-1/2"	1"	1"
481123	1-1/2"	1-1/4"	1-1/2"
481536	2"	1-1/2"	1-1/4"

STAINLESS STEEL FITTINGS & PLUMBING



COUPLINGS NPT

048869	1/2"
048876	3/4"
048883	1"
048890	1-1/4"
048920	1-1/2"
048951	2"



"T" FIPT

049798	1/2"
049828	3/4"
049859	1"
049880	1-1/4"
049910	1-1/2"



CAPS MIPT

050787	1/2"
050817	3/4"
050848	1"
050879	1-1/4"
050909	1-1/2"
050930	2"



ELBOWS FIPT X FIPT

045806	1/2"
045837	3/4"
045868	1"
045899	1-1/4"
045929	1-1/2"
045950	2"



UNIONS FNTP

050305	1/2"
050336	3/4"
050367	1"
050398	1-1/4"
050381	1-1/2"
050428	2"



ELBOWS 90° MIPT X FIPT

048869	1/2"
048876	3/4"
048883	1"
048890	1-1/4"
048920	1-1/2"
048951	2"



REDUCERS FIPT X FIPT

051210	3/4"	1/2"
051227	1-1/2"	1-1/4"



REDUCERS MIPT X FIPT

051371	3/4"	3/8"
051296	3/4"	1/2"
051333	1"	1/2"
051326	1"	3/4"
051388	1-1/4"	1"
047770	1-1/2"	1-1/4"



ADAPTORS INS X MIPT

064159	1/4"	1/4"
064142	3/8"	3/8"
051685	1/2"	1/2"
051715	3/4"	3/4"
064135	1"	1"



TEFLON TAPE FOR STAINLESS STEEL FITTINGS

157622	Teflon sealing tape 1/2" SS, gray
157615	1/2" Teflon sealing tape, white

NIPPLES NPT



047138	1/4" x close
047145	3/8" x close
047152	1/2" x close
047183	1/2" x 2"
047213	1/2" x 2-1/2"

047244	3/4" x close
047275	3/4" x 2"
047299	3/4" x 3"
047305	3/4" x 5"
047312	3/4" x 6"

047336	1" x close
047367	1" x 2"
047428	1" x 3"
047480	1" x 5"
047435	1" x 6"

047541	1-1/4" x close
047572	1-1/4" x 2"
047633	1-1/4" x 4"
047664	1-1/4" x 5"
047695	1-1/4" x 6"
047602	1-1/4" x 2-1/2"

047794	1-1/2" x close
047817	1-1/2" x 2"
047848	1-1/2" x 2-1/2"
047909	1-1/2" x 3"
047930	2" x close
047960	2" x 3"

"QUICKCONNECT" FITTINGS & PLUMBING



**DUST CLAMPS ONLY
DC, MALE ADAPTORS**

461491	3/4" x 1/2"
461514	1" x 1-1/4"
461552	1-1/2"
461576	2"



**MALE COUPLERS FEMALE
THREAD INT. "A"**

461873	1/2"
461897	3/4"
461910	1"
461934	1-1/2" x 1/4"
461958	1-1/2"
461972	2"



**TYPE "A" STAINLESS STEEL
QUICK COUPLERS**

462948	1/2"
462962	3/4"
462986	1"



**FEMALE COUPLER
HOSE SHANKS FOR
"CS" POLYETHYLENE**

462153	1/2"
462177	3/4"
462191	1"
462214	1-1/4"
462238	1-1/2"
462252	2"



**FEMALE COUPLER
MALE THREAD EXT.
"BS"**

462016	1/2"
462030	3/4"
462054	1"
462078	1-1/4"
462092	1-1/2"
462115	2"



**FEMALE COUPLERS
FEMALE THREAD INT.
"DS"**

462290	1/2"
462313	3/4"
462337	1"
462351	1-1/4"
462375	1-1/2"
462399	2"



**DUST PLUGS FOR FEMALE
COUPLER "DP"**

501029	3/4" x 1/2"
501067	1" x 1-1/4"
501104	1-1/2"
501128	2"



**TYPE "CS" STAINLESS STEEL
QUICK COUPLERS**

463655	1/2"
463662	3/4"
463686	1"



**MALE COUPLER
HOSE SHANKS FOR
POLYETHYLENE "E"**

462436	1/2"
462450	3/4"
462474	1"
462498	1-1/4"
464720	1-1/4" male
462511	1-1/2"
462535	2"

**"O-RING" FOR ADAPTOR
(NOT SHOWN)**

465192	3/4"
465215	1"
465253	1-1/2"
465277	2"



**TYPE "E" STAINLESS STEEL
QUICK COUPLERS**

463709	1/2"
463723	3/4"
463754	1"

PVC FITTINGS & PLUMBING



**COUPLINGS
(FIPT X FIPT)**

457609	1-2"
457562	3/4"
457548	1"
457487	2"



**COUPLINGS
(SLIP X SLIP)**

456886	1-1/4" x 1"
456848	1-1/2" x 1"
458491	1-1/2" x 1-1/4"
461858	2" x 1-1/4"



**FEMALE COUPLINGS
(SLIP X FIPT)**

461590	1" x 1"
461613	1-1/4" x 1-1/4"
461187	1-1/2" x 1-1/4"
461637	2" x 2"
457425	3" x 3"



"T" (SLIP X SLIP)

458378	3/4" x 3/4" x 3/4"
461231	3/4" x 3/4" x 1"
463174	1" x 1" x 1"
463198	1-1/4" x 1-1/4" x 1-1/4"
463228	1-1/2" x 1-12" x 1-1/2"
460586	2" x 2" x 1"



"T" (FIPT X FIPT)

458408	1/2" x 1/2" x 1/2"
458385	3/4" x 3/4" x 3/4"
458361	1" x 1" x 1"
458347	1-1/4" x 1-1/4" x 1-1/4"
458323	1-1/2" x 1-12" x 1-1/2"
458309	2" x 2" x 2"



**REDUCER
BUSHINGS
(MIPT X FIPT)**

458859	1/2" x 3/8"
458835	1/2" x 1/4"
458910	3/4" x 1/2"
458897	3/4" x 3/8"
458958	1" x 3/8"
458972	1" x 1/2"
458996	1" x 3/4"
458934	1" x 1/4"
459030	1-1/4" x 3/4"
459054	1-1/4" x 1"
459092	1-1/2" x 3/4"
459115	1-1/2" x 1"
459139	1-1/2" x 1-1/4"
459153	2" x 1"
459177	2" x 1-1/4"
459191	2" x 1-1/2"
459238	3" x 2"



**REDUCING
ADAPTORS
(SLIP X SLIP)**

458886	1-1/4" x 1"
456848	1-1/2" x 1"
458491	1-1/2" x 1-1/4"
461858	2" x 1-1/4"



**ADAPTORS
(MIPT X SLIP)**

461361	1" x 1"
461460	1-1/4" x 1-1/4"
461286	1-1/2" x 1-1/2"
461347	2" x 2"
457326	2-1/2" x 2-1/2"
457302	3" x 3"



**QUICK COUPLINGS
(SLIP X SLIP)**

462801	3/4"
455148	1"
461255	1-1/4"
461309	1-1/2"
461323	2"



**QUICK COUPLINGS
(FIPT X FIPT)**

461583	3/4"
461385	1"
461408	1-1/4"
461422	1-1/2"
461446	2"



PLUGS (MIPT)

467394	1/2"
437373	3/4"
467356	1"
467332	1-1/4"
467318	1-1/2"
467295	2"



**90° ELBOWS
(FIPT X FIPT)**

458163	3/4"
458422	1"
458149	1-1/2"
458125	2"



**90° ELBOWS
(SLIP X SLIP)**

458262	3/4"
460975	1"
460999	1-1/4"
460982	1-1/2"
461019	2"



**90° "STREET"
ELBOWS
(MIPT X SLIP)**

458064	1"
458040	1-1/2"



**90° "STREET"
ELBOWS
(MIPT X FIPT)**

458002	1/2"
457982	3/4"
459207	1"
457944	1-1/4"
457920	1-1/2"



PVC GLUE

463440	118ml, clair
463501	226ml, clair
463068	8oz, clair primer

AUTRES RACCORDS
DISPONIBLES



SINGLE COUPLING PVC VALVE (SLIP X SLIP)

462023	3/4"
462122	1"
462184	1-1/2"
462207	2"

SINGLE COUPLING PVC VALVE (SCREW)

462245	3/4"
462269	1"
462283	1-1/4"
462344	2"



PVC VALVES THREAD X THREAD

463679	1/2"
463976	3/4"
464010	1"
464058	1-1/4"
464072	1-1/2"
464119	2"



RIGID PVC TUBING CLEAR 10' (\$/FOOT)

455087	1"
455681	1-1/2"
455667	2"


RIGID PVC TUBING WHITE 10' (\$/FOOT)

456275	3/4"
456459	1"
456473	1-1/4"
456466	1-1/2"
456497	2"
456565	2-1/2"



FLEXIBLE PVC TUBING, CLEAR (\$/FOOT)

455094	1/2"
455131	3/4"
455179	1"
455216	1-1/4"
455254	1-1/2"
455339	2"



FLEXIBLE PVC TUBING, REINFORCED, CLEAR (\$/FOOT)

455117	1/2"
455155	3/4"
455193	1"
455230	1-1/4"
455278	1-1/2"
455315	2"



SLIP X SLIP VALVES

464065	3/4"
463990	1"
464034	1-1/4"
464027	1-1/2"
464096	2"



GUILLOTINE VALVES

464683	1"
464129	1-1/2"
464133	2"
464690	3"



FLEXIBLE "SPA" TUBING (\$/FOOT)

467363	1-1/2"
467370	2"



PVC SUCTION TUBING (\$/FOOT)

368240	3/4"
368271	1"
366772	1-1/4"
368332	1-1/2"
368363	2"



PVC STRAPS

470929	3/4"
470899	1"
470912	1-1/4"
470905	1-1/2"
470936	2"
471018	3"

POLYETHYLENE FITTINGS



**REGULAR
(INS X INS X INS)**

459931	1" x 1" x 3/4"
459955	1-1/4" x 1-1/4" x 1"
459979	1-1/2" x 1-1/2" x 1"
459993	1-1/2" x 1-1/2" x 1-1/4"
460210	2" x 2" x 1-1/2"



**REDUCERS
(INSERT X INSERT)**

459313	1" x 3/4"
459351	1-1/4" x 1"
459412	1-1/2" x 1-1/4"
459474	2" x 1-1/2"



**ELBOWS
(INSERT X INSERT)**

460852	3/4"
460890	1"
460913	1-1/4"
460937	1-1/2"
460951	2"



**MALE ADAPTORS
(INSERT X MNPT)**

461675	3/4"
461279	1"
461699	1-1/4"
461712	1-1/2"
461736	2"



**UNIONS
(INSERT X INSERT)**

462818	3/4"
462832	1"
462856	1-1/4"
462870	1-1/2"
462894	2"



CAPS (INSERT)

500886	3/4"
500909	1"
500923	1-1/4"
500947	1-1/2"



**"T"
(INS X INS X INS)**

463013	3/4"
463037	1"
463051	1-1/4"
463075	1-1/2"
463099	2"



**"T" GREY ADAPTORS
(INS X INS X INS)**

461132	3/4" x 3/4" x 1/2"
461156	1" x 1" x 1/2"
461170	1-1/4" x 1-1/4" x 1/2"



**POLYETHYLENE
FITTINGS
NO RESTRICTIONS
(UNIONS)**

468056	3/4"
468063	1"
468070	1-1/4"
468087	1-1/2"
468094	2"



**POLYETHYLENE
FITTINGS
NO RESTRICTIONS
(MALE ADAPTORS)**

468001	3/4"
468018	1"
468025	1-1/4"
468032	1-1/2"
468049	2"



**CLEAR PLASTIC
CHECK VALVES
(FIPT)**

405440	1"
405457	1-1/4"
383991	1-1/2"
384042	2"



**CLEAR PLASTIC
CHECK VALVES
(SLIP X SLIP)**

383861	1"
383878	1-1/4"
383892	1-1/2"
383915	2"

OTHER SIZES AVAILABLE IN BOTH MODELS

D&G TOOLS AND ACCESSORIES

A 480751 Support level line

LOWE CUTTER

B 480584 $\frac{5}{16}$ " Lowe straight cutter

C 480522 $\frac{5}{16}$ " Lowe cutter

D BRING TOGETHER HOOK

006630 $\frac{5}{16}$ " - $\frac{3}{16}$ " automatic bring together hook

E APRON FOR FOREST WORK

475382 Orange

F LINE LEVELER

479892 Kuker Ranken hand level

LINE TAPPING MULTI-TOOL

467028 LineViper 3/16

G 467004 LineViper 5/16

GV SNOWSHOES, ALUMINUM FRAME

H 475443 9" x 29" (4102, Snow aerolite)

475467 10" x 36" (4103, Snow aerolite)

476334 11" x 28" (5546, Wide trail)

I 475481 11" x 38" (5548, Wide trail)

475894 12" x 33" (5547, Wide trail)

475504 12" x 42" (5549, Wide trail)

J 476310 9" x 30" (5821, Snow)

476327 10" x 36" (5822, Snow)

K 476341 9" x 29" (4124, Winter trail)

476358 10" x 36" (4125, Winter trail)

OTHER SNOWSHOE MODELS AVAILABLE



HIGH-DENSITY ULTRA-DURABLE FABRIC



TOOLS



TOOLS

- A 480980** $\frac{3}{16}$ " compact insertion plier & vise grip (710651)
- 480690** 9" wire bender, with #9 and #12 spring (71576)
- B 480959** 11" wire bender, with #6 and #9 spring (71571)
- C 473975** $\frac{5}{16}$ " compact insertion plier & vise grip (71065)

- D 475160** Repair tool, automatic tension (71401)
- E 474934** Deluxe tubing drop plier (71106)
- F 480744** Electric rewinding hook (719991)

- G 480126** Small tubing repair plier (71050)
- H 480362** $\frac{3}{16}$ " small tubing repair plier (710501)
- I 480140** Spring for insertion plier (71051)

- J 474897** $\frac{31}{64}$ " metal punch (71300)
- K 474873** $\frac{3}{8}$ " metal punch (71315)
- 474903** $\frac{15}{32}$ " metal punch (for Plastech)

- L 470646** $\frac{3}{16}$ " - $\frac{5}{16}$ " bring together hook (71905)
- M 470639** $\frac{5}{16}$ " bring together hook (71904)
- N 473401** Reducer spout remover (71292)



SINGLE DRILL BIT

- 480607** 15/32", green (71311)
474828 3/8", black (71316)
A 474729 31/64", red (71301)
474705 7/16", blue (71321)
475764 5/16", yellow (71331)

TUBING TOOLS AND ACCESSORIES



- B 476921** Cut vacuum plier, automatic tension (71919)
C 475016 Tubing remover, four functions (71210)
D 480447 3/4" + 1" mainline plier(71500)
E 480577 Horizontal reel, adjustable for wire and tubing (71625)
F 475177 Horizontal 22" adjustable tubing reel (71610)

10 INCH ALUMINUM HAMMERS

- G 472800** Hammer and spout remover (71806)
H 472817 Hammer and hatchet (71807)
I 472824 Hammer and hatchet (71808)

TOOLS

- J 476907** 5/16" Installation plier with knife (71146)
476914 3/16" Installation plier with knife (711081)
473999 5/16" Installation plier without knife (71109. . .)
K 480904 3/16" Installation plier without knife (711091. . .)
L 470943 1/4" cone and gauge tester(71947)



TAPPING



A



C



B



D



E



F



G



H



I



HAMMERS

- A 473876 10" hammer with handle (2 faces)
- B 473920 5/16" tubing aluminum plier
- 478604 3/16" tubing aluminum plier

SPOUT REMOVERS

- C 473883 15" spout remover (small)
- 474521 22.5" spout remover (medium)
- 474033 30" spout remover (tall)
- D 474583 40" spout remover (x-tall)
- 476365 48" spout remover (on request)

MAINLINE ADJUSTER

- E 477010 30" mainline adjusting tool

OTHER D&G TOOLS AND ACCESSORIES

- F 155284 Garant pruner
- G 474835 1 1/2" plastic mainline cutter
- 474859 2" plastic mainline cutter
- H 466243 Knipex plier for high tension #10 wire
- I 466359 CHAMBERLAND Drop line plier

J SURVEYOR TAPE

149733	Neon orange
149900	Neon Pink
149917	Neon blue
149924	Neon red
149740	Neon orange/black

J





**SHARPENING SERVICES
AVAILABLE IN STORE**

TAPPING DRILLS



SPECIAL PRICING

G	474668	5/16" regular length
H	474644	19/64" regular length
I	472008	1/4" regular length
J	474682	7/16" regular, special right
K	478956	19/64" short length
L	478963	5/16" short length
	474484	1/4" short length

M	475047	19/64" regular length
	475009	5/16" regular length
	476747	1/4" regular length
	478987	19/16" short length
	478994	5/16" short length
N	478970	1/4" short length

- O** **470547** 7/16" tapping bit stopper (71910)
- 470561** 5/16" tapping bit stopper (71911)
- 470523** 19/64" tapping bit stopper (71912)
- P** **409035** tapping bit stopper (71918)



DRILL BIT CRAFTSMANSHIP

FEATURES

Precise Split Point Clearance

The clearance at the tip of the drill bit enables precise penetration without distorting the hole, ensuring clear and accurate results.

Full-Length Deep Flute

The full-length deep flute allows for efficient accumulation of wood chips, reducing friction and enabling entry to the desired depth in a single operation.

Spiral Chip Relief Ellipse

The clever machining of the spiral chip relief ellipse retains wood chips inside the bit, ensuring complete evacuation upon removal from the tree.

Long-lasting Performance

Crafted with high-carbon steel, our drill bit stays sharper longer than most available on the market, ensuring exceptional durability.

USAGE TIPS

Ensure Sharpness

Ensure the side lips of the drill bit are sharp. Well-sharpened side lips guarantee precise cutting, enhancing harvest quality.

Minimal Sharpening

To ensure increased durability, avoid sharpening the drill bit more than twice. This ensures consistent performance and extends the tool's lifespan.

DRUMS

STAINLESS STEEL DRUMS

- A** 472695 34 gallons, BARINOX
 473067 40 gallons, BARINOX
 499692 2" stainless steel plug for above
 952036 2" nylon gasket for stainless steel
 473135 Drum wrench
 499708 Reducing drum plug for $\frac{3}{4}$ " plug
 499685 2" TRI-SURE zing plug for drum
 473050 2" irradiated gasket for drum

B HEATING BELT, 1200 WATTS

266492 Keeps or warms your barrels (not completely filled)
 Ensure your barrels are packaged at a minimum temperature of 180°F
 Thermostat 0 - 375°F
 Runs on 110/120 Volts 15 Amps
 Length of 58.5", for 34 gallons barrels

C BARIL LITHO D&G

473111 34 gallons stainless steel (PERSONALIZATION POSSIBLE)

D DRUM ROCKER

For moving, draining, or storing drums up to 45 gallons.

473210 1000 lb capacity

E DRUM TRUCK

Designed to handle containers from 18" in diameter to large 45 gallons drums.

473234 1000 lb capacity

F DRUM TRANSFER

Lets you switch from one drum to another during filling. Helps avoid overflow.

402074 $\frac{1}{2}$ "

402470 1" stainless steel

DRUM PIPES

G 006531 $\frac{1}{2}$ " "U" pipe with hook positioning

F 006524 $\frac{1}{2}$ " "U" pipe SS for filling drum

006517 $\frac{3}{4}$ " "U" pipe SS for filling drum

006487 1" "U" pipe SS for filling drum



A

Barinox



IMPORTANT TO MAINTAIN A
HIGH TEMPERATURE IN THE
BARREL BEFORE CLOSING



B




C



D



E



F



G



H

PAN CLEANERS

DG
&

CLEANING YOUR EQUIPMENT IS THE KEY TO PRODUCING QUALITY SYRUP AND PROTECTING YOUR EQUIPMENT.

After using your pans, it's important to thoroughly clean them of accumulated limescale deposits, just as you would your pots and pans in the kitchen.

The build-up and types of deposits vary from region to region. After 3-4 hours of boiling, it's advisable to clean or replace with clean pans, and take the time to clean the soot from underneath your pans and dishes.

The build-up acts as a thermal barrier and can reduce the intensity of boiling. Cleanliness increases your chances of making quality syrup and the performance of your equipment.

LIQUID PAN CLEANER

- J 477997** 4 litres, liquid pan cleaner
- K 477973** 20 litres, liquid pan cleaner
Agriculture Canada Approved. Biodegradable products.
Liquid cleaners for evaporators.
- L 477393** 4L "Finox" creosote cleaner



"SUPER CLEAN" CLEANER

- M 477423** 3.78 litres, "Super Clean" liquid cleaner for pans
- 477430** 20 litres, "Super Clean" liquid cleaner for pans

"MYSTER PAN" CLEANER

- N 478192** 4 litres, "Myster Pan" liquid cleaner
- 478208** 20 litres, "Myster Pan" liquid cleaner

OSMOSIS CLEANERS



MEMBRANE CLEANING PRODUCTS

- A 472718** Pearl ALKALINE cleaner (2 kg)
- 478277** Pearl ALKALINE cleaner (20 kg)
- B 361449** **361449** Bio Perm - Suitable for **organic** production (4 litres)
- C 472732** Bio Perm - Suitable for **organic** production (20 litres)
- D 478055** Acid cleaner in powder, Acid-osmosis (2 kg)
- E 361418** Sanitizing Oxisan - peracetic acid (4 litres)
- 139437** Sanitizing Oxisan - peracetic acid (20 litres)
- 139444** Sanitizing Oxisan - peracetic acid (55 litres)
- 132063** Sanitizing Oxisan - peracetic acid (205 litres)
- F 359453** Glycol concentrated food antifreeze (4 litres)
- 359033** Glycol concentrated food antifreeze (20 litres)
- G 477751** Anti-bacteria, for storage, for membrane (1 kg S.M.B.S.)

H PH TEST STRIPS

Checking PH of your washing solution.

- 133381** PH test strip (set of 10)

DENATURED ALCOHOL

- 477843** Disinfects tapping drills and spouts, 4 liters (2-J)

TUBING CLEANERS



ISOPROPYL ALCOHOL

- I 420269** 70% isopropyl alcohol, 4 litres
- 420276** 70% isopropyl alcohol, 18.9 litres
- 424946** 70% isopropyl alcohol, 205 litres (45 gallons) drum (Non-returnable drums)
- 477201** Container and adjustable strap only
- 477225** Seal for syringe gun
- J 477379** 5 litre container kit with adjustable straps
- K 477386** 15ml feed regulator plastic gun (only)

CHLORINE

- L 420290** 20 litres, chlorine disinfectant
- 420283** Empty container for chlorine (returnable)

CLEANING TIPS



ACID SOLUTION FOR MINERAL REMOVAL

An acid-based solution will help dissolve minerals so that they can be removed from the membrane. The membrane material tightens in acid solution, making the pores tight and rigid. After an acid wash, a quick wash in an alkaline solution followed by a good rinse will restore the membrane to the desired level of concentration.

AFTER USING THE CONCENTRATION CYCLE

Desugaring
3-4 minute rinse
Soap (PH 12), 3-4oz/membrane
(or 1-2oz/membrane for 4" membrane)
Rinse 3-4 minutes

Hot water loop (optional)
3-4 minute rinse
Hot water loop (optional)
Final rinse 15-20 minutes

ALKALINE SOLUTIONS WILL HELP ELIMINATE BACTERIA AND ORGANIC MATTER

Washing is done in a NaOH (Sodium Hydroxide) solution to remove bacteria and organic matter. It is important to follow your manufacturer's instructions for the use of available solutions.

Alkaline solutions (soaps) set membrane materials to high porosity. Your wash cycles should always be at low pressure. Be sure to rinse well before concentrating. It's important to maintain a soapy load with a maximum pH of 12.



BRUSHES AND GLOVES

A



B



C



G



D



E



H



BRUSHES


- A 475573** 7/16" for drill
- B 475597** 7/16" with eyelet
- C 475702** For 5/16" and 19/64" eco spout
- D 475696** N° 99 fiber brush, for 7" flue
- E 475672** Nylon N° 97 flues
- F 475658** 1/2" special, nylon (small flue)
- G 475719** N° 98 for underneath 2" flue pan
- H 475795** Brush for 1.5 and 2 gallons bucket washer. Used with a drill

I THERMAL GLOVES

Breathable polyurethane coating. Insulated acrylic liner.

486654	Medium	486678	X-Large
486630	Large	486647	XX-Large

F



I



A MOULDS

VARIOUS CANDY, LOLLIPOP AND SUGAR MOULDS AVAILABLE. CHECK YOUR LOCAL D&G STORE OR OUR WEBSITE FOR MODELS AND AVAILABILITY.

FDA LOLLIPOP MOULDS

- B 488757** Barrel with maple leaf, clear (12 cavities)
C 488771 Maple leaf (12 cavities)

D CONES

- 452581** 900 per box
452574 1914 per box

E CONE TABLES

Made with polyethylene

- 489105** For mini cones, 60 cavities (white)
489921 12 cavities
489938 24 cavities
489945 36 cavities
489952 48 cavities

LITHOGRAPHED CONE BOXES WITH CLEAR TOP

Bush scene design, space to inscribe producer's name. 100 per box.

- F 452857** For 6 cones (Brown)
452888 For 12 cones (Brown)
410574 For 6 cones (White)
G 410581 For 12 cones (White)

WHITE CONE BOXES WITH OPEN CLEAR TOP

(NOT SHOWN)

- 100 per box
452611 For 6 cones
452765 For 12 cones

H SUGAR MOULDS

- 268625** 250 g adjustable table, 35 moulds
268656 500 g adjustable table, 24 moulds
487989 Table only
268687 250 g moulds only, separators included
268717 500 g moulds only, separators included

I CELLOPHANE BAGS

100 per box




- 487675** 4 oz (2.5" x 1" x 6")
487552 375g, for lollipops (2.5" x 1.25" x 7")
487583 1 lb (3.25" x 1.25" x 8.5")
487590 1.5 lb (3.5" x 1.25" x 9")

J SEALING WAX BLOCS

- | | |
|----------------------------|---------------------------|
| 489020 Red (1kg) | 489044 Gold (1kg) |
| 488979 Silver (1kg) | 489518 Black (1kg) |
| 488993 Blue (1kg) | 489556 White (1lb) |



INSTRUMENTS



MAPLE SAP DENSIMETER

- A 116599** * Densimeter, 0° - 8.5° Brix (2010)
- B 116391** * Densimeter, 0° - 15° Brix (1755)
- C 116612** * Densimeter, 8° - 23° Brix
- D 116629** * Syrup densimeter (2075). 35° - 75° Brix & baume, 59° hot syrup, 66° cold syrup
- 267666** * Syrup densimeter (2075) with certified calibration

2000 HYDROTHERM

Will give you reading between 35°F and 210°F. Pre-calibration at 65.8° Brix. Combination of a hydrometer and a thermometer

- E 115998** * Alla Hydrotherm
- F 470202** * Strong Kessler Hydrotherm

HYDROMETER CUPS


- G 267727** Height: 10", diameter: 1 1/2"
- H 267758** Height: 10", diameter 2"

THERMOMETERS

- I 116025** * Red drop D&G thermometer
- J 116056** * Refill for D&G red drop thermometer
- K 116124** * Digital thermometer, for candies

BRIX REFRACTOMETERS

Included: An adjustment screwdriver, a rag, pipettes and carrying case.

- L 116636** * Alla 1st quality, 0° - 32° Brix
- 116582** * Alla 1st quality, 45° - 82° Brix
- 116575** * Alla 1st quality, 58° - 90° Brix
- 116537** 15 ml calibration liquid for refractometer 58° - 90° 
- For 15ml refractometer, 58° to 90° (not shown)
- M 357459** Atago Pal-Maple 0° - 85° Brix refractometer
- 117398** Atago invert sugar refractometer

N INDUSTRIAL QUALITY DIAL THERMOMETERS

Tempered glass. These dial thermometers are 1/4" mpt

- 115783** * 12" x 5" dial thermometer (0°F - 50°F)
- 115813** * 9" x 5" dial thermometer (0°F - 50°F)
- 115844** * 9" x 3" dial thermometer (0°F - 50°F)
- 115875** * 12" x 3" dial thermometer (0°F - 50°F)
- 115936** * 18" long prob dial thermometer (0°F - 50°F)
- 206634** Bracket for pan (not shown)

**LIMITED WARRANTY
NON-REFUNDABLE**

ACCESSORIES

MISCELLANEOUS

- A 602887** DG Candle - Maple Syrup Scented

GRADING SETS

- B 117435** Grading set, new classes Valid for two years.
495182 Additional empty bottles
C 117312 Lovibond grading set, Complete
D 117329 Lovibond color wheel, IMSI
E 117510 Lovibond optical glass (only)
F 117503 Lovibond support (only)

ACCESSORIES FOR HANNA TESTER

- G 122415** Maple Syrup Digital Grader (HI759)
122422 Test tubes, 25/package (HI759)
115622 Disposable test tube, 100/package (HI96759)
115615 Disposable pipette, 50/package
117183 450 ml Glycerin for Hanna Tester

H STAINLESS STEEL PAIL

- 470066** 3 gallons

DRUM FUNNEL (NOT SHOWN)

- 473159** Drum funnel

HEAVY PADDLES MADE OF MAPLE WOOD

- I 490125** 42"
J 490002 24" Old-fashioned model
K 490026 18" Old-fashioned model
L 490040 12" Old-fashioned model

TAFFY STICKS MADE OF MAPLE WOOD

- M 490057** 10", 12 per package
490033 6", 12 per package
N 489129 Tongue depressors (500/cs)

O GLUCOSE

- 477539** 20 litres
477553 4 litres

DEFOAMER, KOSHER

- P 477614** 1 litre, liquid
477621 4 litres, liquid
Q 477591 200 g, powder
R 477560 2.5 Kilo, powder

DEFOAMER

- S 478925** Sunflower oil, bio, deodorized 1 litre
477140 Sunflower oil, bio, deodorized 4 litres
477645 Sunflower oil, bio, deodorized 16.5 litres
T 267024 Stainless steel spoon for defoamer

U D&G GENUGEL

- Gelatine to produce maple jelly. Approximately one jar of 250 ml / g
477577 200 g

V SUCROVERT

- To invert syrup which has to be transformed into sub-products.
498541 465 ml



A



B



C

D



E



F



G



H



M



N



O



P



Q



R



S



T



U



V



DEMONSTRATION



A

COMPLIANT WITH
THE CALIFORNIA LEAD
AGREEMENT

B



A DOMINION MAPLE CREAM MACHINE

Mixer holding up to 2 gallons of maple syrup. $\frac{3}{4}$ hp 110 Volts electric motor. 1" lead free brass "Oberdorfer" gear pump. All stainless steel plumbing on ferrules with fittings fully removable for a quick cleaning of the tank and the plumbing.

264306 Mixer for maple cream

053283 2" Silicone gasket

264313 Stainless steel arm to clean & empty cream machine pipe

B DOMINION & GRIMM CREAM MIXER

$\frac{1}{2}$ hp 110 Volts electric motor with a gear box

Compact and robust construction

Completely made in stainless steel

Holes in the paddles for better mix

265747 Cream mixer

206306 16" x 6" Additional sugar pan

D



PLUMBING WITH
SANITARY FITTINGS

PLUMBING WITH
SANITARY FITTINGS

E



WATER BATH BOTTLERS, STAINLESS STEEL STAINLESS STEEL 304

To maintain temperature or warm syrup before bottling.

C 266256 34-gallon bain-marie bottler \$3,896.60

Includes: 5000W heating element - 220V, adjustable thermostat, all stainless steel plumbing, stainless steel base, adjustable shelf, acrylic level for water and syrup.

266201 Base and countertop (stainless steel. 34 gallons)

SQUARE BAIN-MAIRE BOTTLERS (50 GALLONS)

D 266423 Stainless steel base

266355 Stainless steel base \$690.00

E 266218 9-gallon water bath bottler

Includes: 3000W heating element - 220V, adjustable thermostat, all stainless steel plumbing, stainless steel base, adjustable shelf, acrylic level for water and syrup.

266300 Base and countertop (stainless steel. 9 gallons) \$534.30

HEATING ELEMENTS (NOT SHOWN)

111945 5000 Watts

111914 3000 Watts

095559 Dial thermometer 3" x 6" connection $\frac{1}{2}$ (0°F to 250°F)



PLUMBING WITH
SANITARY FITTINGS

CLEAR GUMMED LABELS

Oval, can be used on different balls (500/Roll)

- A 493218 Mini "Pure Maple Syrup", clear
- B 493232 "Pure Maple Syrup", clear
- C 493515 "Pure Maple Syrup", 8.45 fl. oz., clear
- D 493492 New York, clear
- E 493478 New York, 8.45 fl. oz., clear
- F 493454 Vermont, clear
- G 493430 Vermont, 8.45 fl. oz., clear
- H 493676 "Pure Maple Syrup", full color
- I 493591 "Pure Maple Syrup", full color
- 493652 "Pure Maple Syrup, 8.45 fl. oz., full color
- J 493614 "Pure Maple Syrup, 16.9 fl. oz., full color

NUTRITION FACTS TABLE STICKERS (NOT SHOWN)

500/Roll

493904 Large size

493911 Medium size

493942 For syrup, 200/Roll

K MAPLE LEAF STICKER

Gold maple leaf with clear background. Completes your package.

493522 500/Roll

PERSONALIZED LABELS, (MINIMUM OF 1000)


Printed with customer's name. For syrup cans or any other container used for maple syrup products.

- L 493447 $1\frac{5}{16}$ " x $2\frac{11}{16}$ " Sugar bush design
- 493355 Bar code, without pattern

DECORATIVE CARDS, 100/BAG

Bilingual decorative cards with nutrition facts for maple syrup

- M 452475 Sugar bush scene with elasti-band
- N 493713 Tamper evident gold foil sticker (1000/Roll)



JUGS



PLASTIC JUGS

Plastic light brown with screen printing. Nutrition facts and caps included.

	All State	VT	NY	ME	PA	MA	OH	IN	Plain
Gallon	490811	490958	490873	490835	490910	490934	490897	500718	347733
1/2 Gallon	490651	490798	490712	490675	490750	490668	490736	490491	490781
Quart	590514	490613	500565	490538	490576	500596	-	500657	326844
Pint	590439	490453	500404	500367	500442	500374	500428	500732	490774
1/2 Pint	490231	490378	490293	490255	490330	490248	490316	500435	490347
3.4oz	500169	-	-	-	-	-	-	-	492457

TAMPER EVIDENT CAPS FOR JUGS

590559	28PP Brown
590443	38PP Brown
590184	38PP Red

RESHIPPING BOXES FOR BEIGE JUGS (NOT SHOWN)

	Pack Size	Code
Gallon	4-Pack	710018
1/2 Gallon	6-Pack	710032
Quart	6-Pack	710087
Pint	6-Pack	710056
1/2 Pint	12-Pack	710070
	Pack Size	Code
Gallon	Single	710025
1/2 Gallon	Single	710049
Quart	Single	710094
Pint	Single	710063

METAL TINS & STICKERS

GRADE STICKERS (ALL STATE)

500/Roll

- A 999210** Gold with delicate taste
+ 75 % Transmission of light
- B 999211** Amber with rich taste
50 % - 74.9 % Transmission of light
- C 999212** Dark with robust taste
25 % - 49.9 % Transmission of light
- D 999213** Very dark with strong taste
- 25 % Transmission of light

GRADE STICKERS (VERMONT)

500/Roll

- E 999200** Gold with delicate taste
+ 75 % Transmission of light
- F 999201** Amber with rich taste
50 % - 74.9 % Transmission of light
- G 999202** Dark with robust taste
25 % - 49.9 % Transmission of light
- H 999203** Very dark with strong taste
- 25 % Transmission of light

GRADE STICKERS (NEW YORK)

500/Roll

- I 999205** Gold with delicate taste
+ 75 % Transmission of light
- J 999206** Amber with rich taste
50 % - 74.9 % Transmission of light
- K 999207** Dark with robust taste
25 % - 49.9 % Transmission of light
- L 999208** Very dark with strong taste
- 25 % Transmission of light

PLASTIC CREAM TUBS

Nutrition facts and caps included.

M 491528	1/2 Pound	N 591665	1 Pound
-----------------	-----------	-----------------	---------

METAL LITHOGRAPHED TINS

Nutrition facts and caps included.

- O 501050** 1/2 Pint, 65/box
- P 501036** Pint, 35/box
- Q 500992** Quart, 24/box



PRINTED BOTTLES & JARS



STATE LABELLED BOTTLES

The state bottle designs are available in different states by request.

		NY	VT	All State
A	Gallon	999115	999123	999131
B	1/2 Gallon	999116	999124	999132
C	Liter	999117	999125	999133
D	500ml	999118	999126	999134
E	250ml	999119	999127	999135



GENA BOTTLES

503047	8oz (38-400), 12/box
J 499012	12oz (38-400), 12/box
499029	16oz (38-400), 12/box
499050	32oz (38-400), 12/box



HOCKEY PLAYER BOTTLES

K 503924	200ml (28PP), 12/box
-----------------	----------------------



MAPLE CREAM GLASS JARS

The maple cream jars are only available with the ALL STATE design
Private labelling available.

F 999136	1 Pound (82mm), 12/box
G 999137	1/2 Pound (70mm), 12/box
H 999138	1/4 Pound (63mm), 12/box



GATHERING SCENE BASQUAISE BOTTLES

I 498121	250ml (28-400), 12/box
-----------------	------------------------



DORICA BOTTLES

494796	100ml (24PP), 24/box
L 502125	250ml (31.5PP), 12/box
498008	500ml (31.5PP), 12/box
504334	750ml (31.5PP), 12/box



MARASCA BOTTLES

495915	60ml (18PP), 96/box
432538	100ml (24PP), 24/box
M 504174	250ml (31.5PP), 12/box
432576	500ml (31.5PP), 12/box
432590	750ml (31.5PP), 12/box
432613	1L (31.5PP), 12/box



KENT BOTTLES

495731	8oz (28PP), 12/box
498800	12oz (28PP), 12/box
A 503832	250ml (28PP), 12/box
495700	375ml (28PP), 12/box
505218	500ml (28PP), 12/box



DECANTER BOTTLE

498244	16oz (38-400), 12/box
B 503368	32oz (38-400), 12/box



WHISKEY BOTTLES

D 501661	750ml (28-400), 12/box
502064	1L (28-400), 12/box



GALLONE BOTTLES

502279	50ml (18PP), 96/box	495663	1L (31.5PP), 6/box
D 499401	250ml (31.5PP), 12/box	503313	64oz (38-400), 6/box
495625	500ml (31.5PP), 12/box	503320	128oz (38-400), 4/box



TONDO BOTTLES

499463	100ml (28PP), 12/box
E 432804	250ml (28PP), 12/box
432811	500ml (28PP), 12/box



FOLIA BOTTLES

F 432439	250ml (28-400), 12/box
432446	500ml (28-400), 12/box



LEO BOTTLES


G 432514	50ml (18PP), 48/box
502774	375ml (28PP), 12/box



MAPLE LEAF BOTTLES

498619	50ml (18PP), 48/box
H 498633	100ml (24PP), 12/box
498602	250ml (24PP), 12/box
498749	500ml (28PP), 12/box

GLASS BOTTLES



TARQUINA BOTTLES

A	503655	100ml (28-400), 12/box
B	503672	250ml (28-400), 12/box



CLASSIC BARREL BOTTLES

C	499241	125ml (24PP), 35/box
D	499258	250ml (24PP), 24/box



ICE BOTTLES

498435	50ml (18PP), 96/box
E 507458	100ml (22-400), 12/box
432767	200ml (31.5PP), 12/box



SPICE SHAKERS

F	589201	100ml (43-485), 165/box
G	589225	8.4oz (53-485), 285/box
H	589232	16oz (63-485), 288/box



LIDS FOR SPICE SHAKERS

I	589256	43-485 red flapper with 5 holes, 1400/box
	589386	43-485 black flapper with 5 holes, 1400/box
J	589263	53-485 red 2 flappers; 3 holes / 7 holes, 850/box
K	589287	53-485 white 2 flappers; 3 holes / spoon, 850/box
	589195	53-485 black 2 flappers; 3 holes / spoon, 850/box
L	589294	63-485 red 2 flappers; 7 holes / spoon, 750/box
M	589379	63-485 black 2 flappers; 3 holes / spoon, 600/box

CAPS & COVERS



REGULAR PLASTIC CAPS

589423	White, 18-400, 7600/box
590139	Black, 22-400, 4700/box
589690	White, 24-400, 3900/box
A 590078	Brown, 24-400, 3900/box
590023	Black, 28-400, 4250/box
B 589966	White, 28-400, 4250/box
589782	Brown, 28-400, 4250/box
590238	White, 31.5, 3000/box
590207	Black, 31.5, 3000/box
590450	White (Tri-Foam), 38-400, 3100/box
590467	Black (Tri-Foam), 38-400, 3100/box



TAMPER EVIDENT PLASTIC CAPS

590481	Black, 18PP, 3000/box	504822	Black, 28PP, 3000/box
590313	Gold, 18PP, 3000/box	D 589768	Black with pour spout (I), 31.5PP, 1600/box
590016	Black, 24PP, 2000/box	590160	Black with pour spout (C), 31.5PP, 1600/box
590368	Gold, 24PP, 2000/box	589799	Black, 31.5PP, 1600/box
590009	Black, 28PP, 2300/box	E 590030	Gold, 31.5PP, 1600/box
C 589485	White, 28PP, 2300/box	F 999778	Gold, 31.5PP, 3000/box
590559	Brown, 28PP, 2300/box	G 999777	Black, 31.5PP, 3000/box
590580	Gold, 28PP, 2300/box	590443	Brown, 38PP, 1600/box
590375	Gold, 28PP, 3000/box		



METAL CONTINUOUS THREAD CAPS

H 591716	Gold, 38-400, 3400/box
I 591686	White, 38-400, 3400/box
J 591693	Black, 38-400, 3400/box



METAL COVERS

593024	Black, 38mm, 3700/box	593246	Black, 53mm, 1750/box	593482	White, 63mm, 1200/box	593567	Pink Flower, 70mm, 1050/box	593727	White, 89mm, 600/box
593000	Black p.b., 38mm, 3700/box	593277	Gold, 53mm, 1750/box	593444	Silver p.b., 63mm, 1200/box	522451	Yellow Flower, 70mm, 1050/box	592041	White, 100mm, 390/box
593031	Gold, 38mm, 3700/box	593307	White, 53mm, 1750/box	590696	Silver, 63mm, 1430/box	K 593604	Black, 82mm, 725/box	592058	Gold, 100mm, 390/box
593062	White, 38mm, 3700/box	590917	Silver, 53mm, 2000/box	482595	Honeycomb, 63mm, 1200/box	L 593635	Gold, 82mm, 725/box	593758	Gold, 110mm, 270/box
593123	Gold, 43mm, 3400/box	593338	Black, 58mm, 1575/box	590696	Silver, 70mm, 1050/box	M 593666	White, 82mm, 725/box	593765	White, 110mm, 270/box
593154	White, 43mm, 3400/box	593369	Gold, 58mm, 1575/box	593512	Black, 70mm, 1050/box	N 593659	Silver, 82mm, 725/box		
593116	Silver, 43mm, 3400/box	593390	White, 58mm, 1575/box	593543	Gold, 70mm, 1050/box	O 593680	Honeycomb, 82mm, 725/box		
593048	Black, 48mm, 2700/box	593611	Honeycomb, 58mm, 1575/box	593574	White, 70mm, 1050/box	593628	Gold p.b., 82mm, 725/box		
593185	Gold, 48mm, 2700/box	593376	Silver, 58mm, 1575/box	593505	Silver p.b., 70mm, 1050/box	P 593710	Pink Flower, 82mm, 725/box		
593215	White, 48mm, 2700/box	593420	Black, 58mm, 1575/box	593499	Gold p.b., 70mm, 1050/box	Q 482649	Yellow Flower, 82mm, 725/box		
590665	Silver, 48mm, 2700/box	593451	Gold, 63mm, 1200/box	593673	Honeycomb, 70mm, 1050/box	593697	Gold, 89mm, 600/box		

HONEY PACKAGING



MIELE JARS

	494963	500g (70mm), 12/box
A	494970	1Kg (82mm), 12/box



PLASTIC HONEY BEARS

B	558320	375g, 2 Panels, black eyes and nose (38-400), 240/box
	558344	375g, 1 Panel, black eyes and nose (38-400), 240/box
	590887	38-400 yellow flip-top caps with liner, 2000/box



HUNNY JARS

	499265	212ml (63-DTO-15), 12/box
C	499272	390ml (70-DTO-15), 12/box
	499296	Black 63-DTO-15 Lid
	499319	Gold 63-DTO-15 Lid
	499333	Black 70-DTO-15 Lid
	499326	Gold 70-DTO-15 Lid



1 POUND HONEY JARS

A	504754	314ml Round Jar (70-XDTO-18), 12/box
B	499418	314ml Square Jar (63mm), 12/box
C	432675	314ml Orcio Jar (63mm), 12/box
D	502675	12oz Mason Jar (70-450), 12/box



CLASS HONEY JARS

E	999400	1/2 Pound (48-405), 24/box
F	999401	1 Pound(48-405), 24/box
G	999402	2 Pound (63-405), 12/box
	999409	White lid for 1/2 Pound & 1 Pound Jars
	591440	White lid for 2 Pound Jars



MUTH HONEY JARS

H	999403	1/2 Pound Embossed, 12/box
I	999404	1 Pound Embossed, 12/box
	999408	Cork for 1/2 Pound Jars
	999407	Cork for 1 Pound Jars



COMBED HONEY CONTAINERS

	491559	250ml aluminum (lids included), 1000/bte
J	540257	250g white rectangular TE container, 560/box
K	239299	Clear rectangular lid, 1260/box



5 GALLON / 60 POUND PAILS

L	545467	5 Gallon / 60 Pound Pail
	548680	White Snap On Lid
	548611	White Rubber Gasket Lid with Tear Strip

Other sizes available.



MASON JARS

Full line of mason jars available from 250ml up to 1.9 Liters..

AUTHORIZED DEALERS

Interested in becoming a dealer? Call 1.877.277.9625 to find out more on becoming a registered D&G dealer.

USA HEAD OFFICE



90 Parah Drive,
St. Albans, VT 05478
Phone: 802.524.9625
Fax: 802.524.9643

Toll Free: 1.877.277.9625
Email: omanahan@dominiongrimm.ca
Email: mdesilets@dominiongrimm.ca



NEW YORK

- 1 HOOVER MAPLE SUPPLY**
2355 Pulteney Rd.,
Branchport, NY 14418
T. 607.522.4340
- 2 BRIAN DENO**
667 O'Neal Rd.,
West Chazy, NY 12992
T. 518.570.7744
bdeno@qtwcny.rr.com
- 3 RIPPLE ROAD MAPLE,**
655 Ripple Rd.,
Norwich, NY 13815
T. 607.674.5273
info@rippleroadmaple.com
- 4 MAPLE SYRUP MAKING SUPPLIES**
16695 Sandy Creek Valley Rd.,
Watertown, NY 13601
T. 315.767.2845
maplechasefarm@yahoo.com
- 5 MACK MAPLE SUPPLY**
1139 County Rt. 35
Postdam, NY 13676
T. 315.244.5256
mackmaplesupply@gmail.com
- 6 SCHWEIGART'S MAPLE EQUIPMENT**
804 CR103
Woodhull, NY 14418
T. 602.525.6353
gschweigart08@gmail.com
- 7 COUNTRY POWER PRODUCTS**
2339 State Route 40,
Greenwich, NY 12834
T. 518.692.1015
john@countrypowerproducts.com
- 8 J. WIGGER & SONS INC**
7700 RT 474
Clymer, NY 14724
716-355-2511
- 9 RIDGE CREEK MAPLE SUPPLY**
24 Front Street,
Marathon, New York 13803
854-243-1197

- 10 CREEKSIDE MAPLE SUPPLY**
378 Logtown Rd.,
Fultonville, NY 12072
518-922-6518
- 11 PLEASANT VALLEY MAPLE SUPPLIES**
858 Pleasant Valley Rd.,
Whitesville, NY 14897
607-356-3537
- 12 TIMBER TRAILS FOREST FARM**
5565 County Rd 33
Canandaigua, NY 14424
585.208.2602
cody@timbertrailsforestfarm.com

NEW

VERMONT

- 13 MOUNT PLEASANT SUGARWORKS**
2668 US Route 7 Leicester, VT 05733
T. 802.247.3117
info@mountpleasantmaple.com
- 14 ROARING BROOK MAPLE**
176 Railroad Street Wallingford, VT 05773
T: 802.417.4779
roaringbrookmaple@yahoo.com
- 15 GOODRICH MAPLE**
2427 US Route 2, Cabot, VT 05647
T. 1.800.639.1854
goodrichsmapple@yahoo.com
- 16 POULIN'S SUGARHOUSE**
450 VT RT 12A, Randolph VT 05060
T. 802.431.3645
justin@gmavt.net
- 17 APPALACHIAN SUPPLY INC.**
4581 Memorial Drive, St. Johnsbury, VT 05819
T. 802.748.4513
info@appalachiansupplyinc.com
- 18 PURINTON MAPLE**
130 Pond Rd St., Huntington VT 05462
T. 802.434.4385
info@purintonmaple.com
- 19 BENOIT FAMILY MAPLE** (Jugs Only)
853 Crow Hill Rd
Sheldon, VT 05843
802-933-4010

OHIO

- 20 STUMPWATER FARM LLC**
29499 Clark Rd.
Sullivan, OH 44880
T. 419.736.3576
stumpwater@outlook.com

- 21 SUGARBUSH CREEK FARM**
13034 Madison Rd.,
Middlefield, OH 44062
T. 440.636.5371
docmaple@msn.com

WISCONSIN

- 22 STERNITZKY SPECIALTY FOODS**
W1417 US Hwy 10,
Granton, WI 54436
T. 715.571.3329
tim@themapledude.com

- 23 ANDY SIPPL**
N1 2020 Tamrake Rd.,
Birmamwood, WI 54414
T. 715.216.4627
sippssugarbush@hotmail.com

- 24 MIKE ORYSEN**
N 5767 Sams Lane
Pretice, WI 54556
T. 715.829.0311
mike@autumnridgemapple.com

- 25 JENSEN MAPLE SYRUP**
E 3677 370th Ave
Menomonie, WI 54751
T. 715.308.7058
jorbraunvieh@gmail.com

NEW HAMPSHIRE

- 26 BEN'S SUGARSHACK**
83 Webster Hwy.,
Temple, NH 03084
T. 603.562.6595
ben@bensmaplesyrup.com

MAINE

- 27 SUGA COUNTRY PRODUCTS**
861 Cross Hill Rd.,
Vassalboro, ME 04989
T. 207.923.3355
sugacountryproducts@gmail.com

MASSACHUSETTS

- 28 WINSTON'S SUGAR HOUSE**
46 Conway Street
Shelburne Falls, MA 01370
413-522-5090

PENNSYLVANIA

- 29 RUSSELL MAPLE FARMS**
1379, Orwell Hill Rd.
Rome, PA 18837-7873
T. 570.247.7360
F. 570.247.2591
russellmaplelarks@gmail.com
- 30 BRENNEMAN'S MAPLE FARM**
572 Oak Dale Rd.
Salisbury, PA 15558
T. 814.941.8974

Don't see your local dealer?

A complete list and interactive map of our dealers and distributors is available on our website dominiongrimm.ca



90, Parah Dr.
St-Albans, Vermont, 05478
T 802.524.9625
dgusa@dominiongrimm.ca
dominiongrimm.ca

