

# ***DOMINION & GRIMM***



**FROM ONE GENERATION  
TO THE NEXT**



**EQUIPMENT AND ACCESSORIES**

[www.dominiongrimm.ca](http://www.dominiongrimm.ca)  
Follow us on Facebook

**2021**

# TABLE OF CONTENTS

4	EVAPORATORS
12	EVAPORATOR ACCESSORIES
18	SYRUP FILTER PRESSES & ACCESSORIES
21	SYRUP, SAP AND EQUALIZER TANKS
26	RELEASERS
34	VACUUM MONITORING SYSTEM
36	AIRABLO, BECKER, EDWARDS VACUUM PUMPS
40	REVERSE OSMOSIS AND CLEANERS
45	WASTE WATER PH NEUTRALIZER
49	TUBING, MAINLINES AND FITTINGS
65	TOOLS
68	ACCESSORIES
73	PACKAGING

## PRESIDENT'S WORD

Dear Sugarmakers,

We hope you are getting through the health crisis safely and without too much financial hardship to your businesses.

This eventful year has prompted us all to reflect on ourselves as citizens and as entrepreneurs. These difficult times have brought us back to our basic values and our origins.

At Dominion & Grimm, these times have reminded us of our long and rich history and has motivated us to keep our heritage moving forward into the future.

The quality of our products, respect, integrity, innovations, and support for our customers have been the foundation of our values since 1881.

You are our "raison d'être", the centre of our efforts and the source of our visions for the future.

When you choose our products, we want the quality to serve you for generations to come.

Whether you are a small or large producer, driven simply by pleasure or commercial goals, our relationship with you is

based on respect and integrity to assist you in your passion to produce exceptional maple products.

Our traditional equipment coupled with new technology will allow you to produce syrup and maple by-products that will stand out. We continue to work to develop and manufacture products that maintain a balance between performance, economics and concern for the environment.

This year again, we are offering you new items and equipment that will improve your productivity.

We invite you to follow us on social networks to see the evolution of our innovations and discover our new products.

We wish you and your loved ones a year filled with health and syrup.

**The Dominion & Grimm Team**  
A family business for 3 generations

TO LEARN MORE  
ABOUT OUR HERITAGE



QR or Click



ADVANCED VACUUM MONITORING SYSTEM



20 INCH SYRUP PRESSES WITH ELECTRIC LEVER

## TECHNOLOGY AT THE SUGAR BUSH

**ECO-FRIENDLY** installation of the Ecovap 440 gallons per hour electric evaporator. Superior **ENERGY EFFICIENCY** with only 2.5 kW per imperial gallons of syrup.

The BRIX EQUALIZER modulates the Ecovap syrup draw off according to the BRIX degree to be reached.

The BRIX EQUALIZER then automatically, continuously, and precisely balances the BRIX degree of syrup in insulated tanks before barreling. The equalizer **SAVES ON LABOUR COSTS** and **MAXIMIZES PRODUCTION REVENUE**.



28 MEMBRANES LA MONTAGNE AUTOMATED OSMOSIS

The sugar bush is equipped with an **AUTOMATED PH NEUTRALIZATION** system that provides reliable, flexible, and powerful control for the treatment of wastewater discharged from reverse OSMOSIS and other wash water.



TO LEARN MORE



QR or Click

# EVAPORATORS



## A 18" X 48" WOOD EVAPORATOR

- Evaporator designed for 50 taps
- 18" x 48" flat bottom pan with 3 partitions for sap circulation and valve
- Included: burner box with **cast-iron** front, smoke stack and pipe
- Stainless steel woodfired arch set

**B** 18" x 8" preheating pan and valve

**GALVANIZED OPTION AVAILABLE**

## C MODEL 94, WOOD BURNING STOVE

Designed for 25 taps, to cook in the cabin.

Furnace model 94 width 26" x 48"

Includes :

- Stainless steel furnace with **Cast-iron** front burner box
- 23" x 23" flat bottom pan with syrup valves
- 2x 26" x 12" cast-iron plates with rimmers
- Smoke stack and pipe

**GALVANIZED OPTION AVAILABLE**

## MODEL 92 , WOOD BURNING STOVE (NOT SHOWN)


Designed for 20 taps, to prepare by-products.

Furnace model 92 width 18" x 36"

Includes :

- Stainless steel furnace with **Cast-iron** front burner box
- 17" x 21" flat bottom pan
- Syrup ball valve
- 2x 20" x 12" cast-iron plates with rimmers
- Smoke stack and pipe

**GALVANIZED OPTION AVAILABLE**



## INSULATION ACCESSORIES FOR EVAPORATORS (NOT SHOWN)

- 090820 Refractory fire brick 8  $\frac{1}{4}$ " x 4" x 2  $\frac{1}{2}$ ", 2500°F  
090851 Refractory fire half-brick 8  $\frac{1}{4}$ " x 4" x 1  $\frac{1}{4}$ ", 2500°F  
090882 Refractory mortar 15 lb  
090929 Refractory mortar 55 lb  
090943 Soft fire brick (12 per case) 9" x 4  $\frac{1}{2}$ " x 2  $\frac{1}{2}$ ", 2300°F  
089657 Insulation board M Board Kaow 2' x 3' x  $\frac{1}{2}$ ", 2300°F  
089442 Insulation board Gard Pro 39  $\frac{1}{2}$ " x 39  $\frac{1}{2}$ " x  $\frac{1}{4}$ ", 1360°F  
091001 Insulation board KFAC 3' x 1' x 1", 1900°F  
089435 Insulation tape  $\frac{1}{4}$ " x 2"t  
157431 High temperature sealer for insulation tape 300ml  
268601 Ceramic insulation ribbon support

## A WOODFIRED 2' X 8', FOR 250-550 TAP MAPLE GROVE

2' x 8' evaporator for a sugar bush of 250 to 550 taps. Woodfired arch with one door, flue pan, and a syrup pan, float box to control the sap level in the pans, base stack and stack. Custom built to your needs.

## SAP LEVELS FOR EVAPORATORS

**B** 080173 Glass tube for sap levels  $\frac{5}{8}$ " OD x 12"

080210 Full sap level 2" x 8"

## C WOODFIRED 2' X 6' EVAPORATOR MODEL 700

- For a 150-400 tap maple grove
- The traditional woodfired evaporator
- First-quality construction, maintaining D&G's international reputation
- Sizes available: 2' x 6' and 6' x 16'
- Furnace also available in galvanized steel
- All our woodfired evaporator front sides and doors are made of **cast iron**
- Available with drop flue pans or raised flues
- One or several syrup pans (depending on model)
- Included: syrup ball valve, drain, stainless steel transfer fittings, float box, dial-thermostat, water-level indicator, stack, pipe and stack cover

Options:

085789 Plate 8" x 26" with rimmers

085819 Full plate 8" x 26"

## D THE SPORTMAN 18" X 63" EVAPORATOR

- For a 50-200 tap maple grove
- Included: 18" x 45" pan, 18" x 18" syrup pan, float box, syrup ball valve, stainless steel plumbing fittings, thermometer, smoke stack and pipe
- Front side of the burner box made of **cast iron**, rather than steel
- Furnace also available in galvanized steel

Options:



085727 Plate 8" x 20" with rimmers #136

085758 Full plate 8" x 20"

085840 Rimmer Stove 6  $\frac{1}{2}$ " #131

– Front part made of cast iron (18" x 12") for cooking and improved boiling rate

See options and accessories on pages 12 to 17



# EVAPORATORS



## WOODFIRED EVAPORATOR WITH *AIRTIGHT* FRONT

- Woodfired evaporator with airtight steel door
- Improves boiling capacity by up to 15%
- Double-walled arch with an extra layer of insulation
- Blower system supplies air under the burning wood and from the front section of the unit
- Complies with California regulations
- Sizes available: 2' x 6' and 6' x 16'

TO LEARN MORE



QR or Click



## TORNADO HIGH-EFFICIENCY WOODFIRED EVAPORATOR


Hot Air is channelled below the fire source through the double layered heated chambers found in the walls as well as the front and back portion of the arch. This multi-air injection source increases the wood combustion and maximizes gasification.

- Increased boiling capacity by 30%
- Lower your wood consumption by 30%
- Twin layer walls allows for the recuperation of heat from the combustion chamber and preheat the air injected in the main combustion chamber
- Double combustion chamber to gasify
- Air is injected in the combustion chamber at temperatures between 200° & 400°F
- Ultra-robust construction
- Fully automated models available

PREHEATS  
AIR UP TO  
200°F - 350°F

# TORNADO

- Wood
- Wood Pellets



TO LEARN MORE



QR or Click

THE MOST ROBUST WOOD EVAPORATOR IN THE INDUSTRY

2 VERSIONS:

- WOOD
- WOOD AND WOOD PELLETS

ENVIRONMENTALLY FRIENDLY

AIR INJECTION BETWEEN  
200°F AND 400°F ALL AROUND  
THE PERIPHERY TO INCREASE  
COMBUSTION

30% IMPROVEMENT ON THE  
BOILING RATE

SAVE UP TO 30% ON WOOD OR  
WOOD PELLETS

POSSIBILITY OF SWITCHING  
FROM PELLETS TO WOOD IN A  
FEW MINUTES (DUAL-ENERGY  
MODEL ONLY)

DOUBLE WALL SYSTEM THAT  
RECOVERS HEAT FROM THE  
COMBUSTION CHAMBER AND  
PREHEATS THE AIR INJECTED  
INTO THE FURNACE.

## FEATURES AND EQUIPMENT INCLUDED

- High quality D&G knurled connectors
- sides of the evaporator
- Aesthetic pan and ultra-strong D&G fold
- 3 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator
- Factory-poured high-temperature reinforced concrete combustion chamber
- Preheated air temperature gauge
- Blower drive to control airflow
- Return set and plumbing completely made of stainless steel
- Smoke stack and cover
- 1" rigid insulation panels in the



Wood pellet hopper and gear box



## CONVENTIONAL

- OIL
- PROPANE
- NATURAL GAS

TO LEARN MORE



QR or Click



HIGH PERFORMANCE AT  
AN AFFORDABLE PRICE

HIGH PERFORMANCE  
EVAPORATOR

HIGH ENERGY EFFICIENCY

SLICK, CLEAN LINES

OFFERED IN DIFFERENT PAN  
CONFIGURATIONS

BOILING FLEXIBILITY FROM 2 TO  
35 BRIX

CARLIN BURNER

AVAILABLE SIZES: 2'X6' T 6'X18'

### FEATURES AND EQUIPMENT INCLUDED

- High quality D&G knurled connectors
- Smoke stack and cover
- Barometric damper (draft control) with stack adapter
- Aesthetic pan and ultra-strong D&G fold
- 2 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator and 1 layer of no.6 ceramic wool
- Return set and plumbing completely made of stainless steel
- First start-up accompanied by a D&G technician
- Inlet flow box
- Transfer box (raised flue model)
- Water level



Carlin Burner

# CHAMPION

- Oil
- Propane
- Natural Gas

FROM ONE GENERATION TO THE NEXT



TO LEARN MORE



QR or Click

SINCE 1885, ITS HERITAGE OF HIGH PERFORMANCE, AESTHETICS AND SUPERIOR FINISH HAS MADE THE CHAMPION THE MARKET LEADER

HIGH PERFORMANCE EVAPORATOR

UNIQUE STREAMLINED DESIGN

HIGH ENERGY EFFICIENCY

OFFERED IN DIFFERENT CONFIGURATIONS

AUTOMATION AVAILABLE

CARLIN OR POWERFLAME BURNER

BOILING FLEXIBILITY FROM 2 TO 35 BRIX

AVAILABLE SIZES: 2'X6' TO 6'X18'

## FEATURES AND EQUIPMENT INCLUDED

- Integrated control panel
- Noise insulated burner box
- High quality D&G knurled connectors
- Wiring hidden in the furnace
- Smoke stack and cover
- Barometric damper (draft control) with adapter
- Carlin burner
- Syrup recovery tray
- Aesthetic pan and ultra-strong D&G fold
- Rigid 1" insulation board in the sides of all Champion evaporators
- 3 layers of factory-installed no. 8 ceramic wool throughout the evaporator
- Cooling air chamber all around the evaporator to keep sides safe
- Return set and plumbing completely made of stainless steel
- Smoke stack thermometer
- First start-up assisted by a D&G technician

Instrumentation:


- Magnehelic gauge
- Pressure gauge (0-200PSI)
- Burner starter
- 110 volt electrical outlet



THE MOST EFFICIENT  
EVAPORATOR IN THE  
INDUSTRY

## THUNDERBOLT

- OIL



TO LEARN MORE



QR or Click

VERY HIGH PERFORMANCE  
EVAPORATOR, BOILING CAPACITY  
UP TO 5.25 GALLONS PER FT<sup>2</sup>

4 PASS HEAT EXCHANGE FURNACE

AUTOMATION AVAILABLE

HIGH ENERGY EFFICIENCY

RANGING FROM 80 TO 87%

GAS RECIRCULATION TO MAXIMIZE  
THE ENERGY OF AVAILABLE BTUS

REDUCTION OF GREENHOUSE  
GASES

OFFERED IN DIFFERENT

CONFIGURATIONS FOR BOILING  
FLEXIBILITY FROM 2 TO 35 BRIX

AVAILABLE SIZES: 3'X10' TO 6'X17'

POWER FLAME BURNER

### FEATURES AND EQUIPMENT INCLUDED

- Integrated control panel
- Wiring hidden in the furnace
- Smoke stack and cover
- Integrated modulating Powerflame burner
- Syrup recovery tray
- 1" rigid insulation panel in the sides of the evaporator
- 3 layers of factory-installed no. 8 ceramic wool insulation throughout the evaporator
- Return set and plumbing completely made of stainless steel
- High quality D&G knurled connectors
- Stainless steel 2 level catwalk and 1 step First start-up accompanied by a D&G technician

Aesthetic pan and ultra-strong D&G fold




Instrumentation:

- 2 oil pressure gauges
- Preheated oil and air temperature gauges
- Burner starter
- 100 volt electrical outlet

# ECOVAP

- ELECTRICITY



TO LEARN MORE



QR or Click

QR or Click

Demonstration on:



THE GREATEST TECHNOLOGICAL  
BREAKTHROUGH FOR THE  
MAPLE SUGAR INDUSTRY

ENVIRONMENTALLY  
FRIENDLY ELECTRICALLY  
POWERED TECHNOLOGY

TOTAL RECOVERY OF ENERGY  
CONTAINED IN MAPLE SAP

NO GHG OR AIR  
CONTAMINANT EMISSIONS

6 CAPACITIES: 80, 125, 160,  
225, 340 AND 440 GPH

2.5 kW PER IMPERIAL  
GALLON OF SYRUP

## FEATURES AND EQUIPMENT INCLUDED



- No smoke or steam stack
- Fully automated, resulting in substantially lower labour costs
- Plate heat exchanger and heating elements preheat sap and improve evaporator performance by 25%
- Allows feed of concentrate up to 22 BRIX
- New Power Unit system for 230, 460 and 575 V units
- Over 275 units sold since 2014
- Better tasting, colour-defined syrup
- Fast and easy boiling and cleaning

Rotary wash support for  
condensers



# EVAPORATOR ACCESSORIES

A




## A AUTOMATED POWER WASHER

Components:

- Tubing assemblies fit between flues in two sections (left and right)
- Tubing assembly with spray nozzle for the top flat section of the flues
- Stainless steel ferrules and clamps for easy disassembly (**C**)
- Washing tank on pivoting wheels (**B**)
- Gould 5hp Wash Pump (100 GPM @ 10 PSI)
- 3 High Flow modulating valves to control spray velocity
- Control box with industrial PLC
- Electronic pressure sensor to detect low water levels

Advantages:

- Effectively cleans the bottom and sides of the flues
- Large diameter High Flow Spray Nozzle
- Strainer filter at the pump inlet above the bottom lets sugar stones accumulate at the bottom of the tank
- Power supply requirement 230 Volt / 20 Amps (conventional outlet: 230V / 50A)



## D STAND ALONE SYRUP PAN WASHER

- Pump system to wash your syrup pans
- Plexiglas lid
- Tank with mesh to recover the limestone
- Number of sprinklers varies according to pans size
- Available in single, double, triple and quadruple pan format

## INTEGRATED SYRUP PAN WASHER (NOT SHOWN)

- Integrated in the pan or tanks
- Sold separately
- Plexiglas lid
- Number of sprinklers varies according to pans size

# EVAPORATOR OPTIONS

A



## A FLOW INVERTER

- Manual or automated flow inverter
- Allows to maintain flow without substituting pans
- Center flow capability

## EVAPORATOR HOOD (NOT SHOWN)

- Stainless steel hood
- Full steam energy recovery
- Improves evaporator performance
- Single or dual function preheater
- LED hood lights

## TRANSFERT BOX

### B 216589 Transfer box with sediment trap

## C BUTTERFLY VALVES

- 210501 1 1/2" butterfly valve
- 210136 1 1/2" butterfly valve with ferrule
- 210532 2" butterfly valve
- 210143 2" butterfly valve with ferrule


B



C



D



E



F



## VALVES

- D Electric sap entry and transfer valves controlled by level probes. SAP automatically enters the flue pan and is automatically transferred.

## DÉTECT-O

Alarm is triggered by low levels of sap in the pans.

- E 471001 Detect-o alarm for oil-fired evaporator  
(automatic burner cut out, wiring not included).....\$372.00

- 470998 Detect-o alarm only (for wood-fired evaporator) .....\$290.00

## DEFOAMER DISPENSERS

Liquid anti-foaming protector for spoke breakdown and flat bottom failure.

- Liquid defoamer tank inside hood
- Preheated by steam, the defoamer is carried by gravity to the determined locations
- Made from 100% stainless steel

- 202957 Manual defoamer dispenser

- F 280535 Automated electric defoamer dispenser

## OTHER OPTIONS (NOT SHOWN)

- |                                |                               |
|--------------------------------|-------------------------------|
| –Ferule connectors             | Oil fired options:            |
| –Smoke stack thermometer       | –Modulating Powerflame burner |
| –Electrical outlet (110 volts) | –Magnéhélic gauge             |
| –Draft control                 | –Pressure gauge (0-200PSI)    |
| –Stainless steel catwalk       |                               |
| –Syrup recovery tray           |                               |

# EVAPORATOR ACCESSORIES



## A INSULATED SMOKE STACK

- Stainless steel and insulated wool
- Counterpart UL2561
- Available in lengths of 12", 24" or 48"

## B STACK BASE FOR ARCHES

	Galvanized	Diameter	S/S 304	Galvanized	Diameter	S/S 304
252358	2'	6' x 10"	251757	252563	4' x 10' x 18"	251962
252389	2.5'	6' x 12"	251788	252594	4.5' x 10' x 22"	251948
252440	3'	6' x 14"	251849	252655	5' x 10' x 22"	252020
252471	3.5'	6' x 16"	251870	252716	6' x 10' x 26"	252082

## C SMOKE STACK (STAINLESS STEEL 304)

Priced per linear foot.

	Diameter	Diameter	
252990	7"	253171	18"
253027	8"	253201	20"
253058	10"	253232	22"
253089	12"	253263	24"
253119	14"	253294	26"
253140	16"		

Also available in galvanized steel

## D PEAK STYLE COVER WITH SCREEN

For steam stack or oil-fired arch smoke stack. Made from stainless or galvanized steel.

## E TILTING SMOKE STACK COVERS

Including cover and 12" of pipe. Available in stainless or galvanized steel.

## F ROOF JACK

Includes a collar to seal the opening between the smoke stack  
Made with stainless or galvanized steel..... PRICE ON REQUEST  
157462 Flashing sealant in 300 ml tubes..... \$23.00

## G BAROMETRIC DAMPER (DRAFT CONTROL)

Stabilizes the pressure inside the combustion chamber. Self-adjustment depending of the negative or positive pressure. Required for the proper adjustment of your oil-fired evaporator. Available in many sizes 8" to 24" diameter.

## H CAST IRON GRATES FOR WOOD EVAPORATOR

087820	18" x 5" (D-08) .....	\$62.50	087943	42" x 4" (D-23) .....	\$130.20
087851	24" x 3" (D-09) .....	\$53.40	087974	48" x 4" (D-93) .....	\$156.50
087882	30" x 3.5" (D-26) .....	\$114.50	087981	Concrete grate 11" x 10" .....	\$63.00
087912	36" x 4" (D-96) .....	\$125.00			

# EVAPORATOR ACCESSORIES

## A MODULATING AUTOMATIC DRAW-OFF

Fast and progressive opening and closing with modulating device enables continuous syrup flow and balanced evaporation process.

<b>491795</b>	1" Automatic draw-off .....	\$1685.00
<b>491740</b>	1 1/4" Automatic draw-off .....	\$1685.00
<b>491757</b>	1 1/2" Automatic draw-off.....	\$1800.00
<b>491733</b>	2" Automatic draw-off .....	\$1800.00

**B** 217258 1 1/2" x 1 1/2" Automatic draw off adaptor

217319 2" x 1 1/2" Automatic draw off adaptor

217333 2" x 2" Automatic draw off

**C** 084010 2" x 2" automatic draw off 2" milk clamp

(other sizes available)



**A**




## PROBE INVERTER

<b>D</b> 412639	Positioner for 2 syrup controller probes for use with syrup flow inverter. (one probe included) .....	\$375.00
-----------------	--	----------

## PLUGS

**E** 212192 1.5" plug with handle, silicon blue

212956 2" plug with handle, silicon blue



## PROPANE STOVES

**F** 183812 Complete (without lid). Including letters (G, H, J, K) .....

\$640.90

**G** 183829 Stove only. Pressure regulator included.

Dimension 16" x 16". 65.000 BTU capacity

Can be connected on any domestic propane tank .....

\$92.70

**H** 206481 Stainless steel pan n° 304 16" x 16" x 12"

high with 3/4" outlet and adaptor .....

\$292.90

**I** 206511 Stainless steel lid for 16" x 16" pan.....

\$68.00

**J** 183843 Stand for propane stove with adjustable shelf **CLEARANCE** .....

\$178.60

**K** 216817 3/4" Z-p ball valve (Stainless Steel) .....

\$54.80

**L** 206535 Griller rack for filters .....

\$174.10

**M** 206528 Bain-marie 16" x 16" with 3/4" outlet.....

\$290.80

206467 Bain-marie 16" x 16" with 3/4" outlet and 1/4" outlet

for thermometer.....

\$299.00


## Accessories for propane stove

**N** 461484 No drip 3/4" nylon filler adaptor .....



\$80.40

**O** 046285 3/4" stainless steel street elbow .....

\$17.90



# EVAPORATOR ACCESSORIES



## SKIMMERS – STAINLESS STEEL

<b>A</b>	267482 Perforated 4"	\$76.30
<b>B</b>	267512 Not perforated 4"	\$72.10
<b>C</b>	267420 Perforated 6"	\$82.40
<b>D</b>	<b>B</b> 267451 Not perforated 6"	\$77.30

## DIPPERS – STAINLESS STEEL

<b>C</b>	267147 Round 5"	\$78.70
<b>D</b>	267178 Round 6 1/4"	\$80.80
<b>E</b>	267208 Round 7 1/4"	\$80.80
<b>F</b>	267055 Flat right side 7 1/4"	\$109.90
<b>G</b>	267086 Flat left side 7 1/4"	\$109.90
<b>H</b>	267239 Maple taffy dipper with 2 grooves	\$89.40
<b>I</b>	217784 5" support for dipper	\$37.70
	217685 7" support for dipper	\$37.70

## SUGAR PANS WITH 3/4" OUTLET, STAINLESS STEEL N° 304

Valve not included.

<b>J</b>	205828 12" x 17" x 11" with 3/4" outlet	\$291.00
<b>K</b>	206030 12" x 23" x 11" with 3/4" outlet	\$320.20
<b>L</b>	206092 17" x 23" x 11" with 3/4" outlet on the 23"	\$341.10
	206122 17" x 23" x 11" with 3/4" outlet on the 17"	\$341.10
<b>M</b>	206184 23" x 23" x 11" with 3/4" outlet	\$410.80
<b>N</b>	216817 Special 3/4" stainless steel ball valve	\$54.80
	206450 Pan 16" x 16" x 12" high, no outlet	\$243.00
	206528 Pan 16" x 16" x 12" high with 3/4" outlet	\$290.80
	206467 Pan 16" x 16" x 12" high with 3/4" outlet and 1/4" outlet for thermometer	\$299.00

## ROUND SUGAR PANS, STAINLESS STEEL N° 304

<b>O</b>	206214 10" x 14" x 5"	\$276.70
<b>P</b>	206245 12" x 16" x 6"	\$281.00
Pan (not shown)		
	206276 16" diameter x 16" high	\$368.20

# EVAPORATOR ACCESSORIES

QR or Click



Demonstration on:



## DOMINION MAPLE CREAM MACHINE

Mixer holding up to 2 gallons of maple syrup.  $\frac{3}{4}$  hp – 110 Volts electric motor. 1" lead free brass "Oberdorfer" gear pump. All stainless steel plumbing on ferrules with fittings fully removable for a quick cleaning of the tank and the plumbing.

**264306** Mixer for maple cream..... \$2650.00

**053283** 2" Silicone gasket ..... **PRICE IN STORE**

**264313** Stainless steel arm to clean & empty cream machine pipe..... \$42.50



## DOMINION & GRIMM CREAM MIXER

- 1/2 hp – 110 Volts electric motor with a gear box
- Compact and robust construction
- Completely made in stainless steel
- Holes in the paddles for better mix

**265747** ..... \$2217.30

**206306** 16" x 6" Additional sugar pan ..... \$283.30




## D&G HIGH CAPACITY MAPLE CREAM MACHINE

- The water cooling system allows the product to be processed without having to cool it first
- Continuous cream production
- Easy disassembly with ferrules for easy cleaning
- 2 hp motor running on 220V
- Yaskawa drive
- Stainless steel endless screw, tubing, frame and production casing



# SYRUP PRESSES




A

B

C

FILTERS UP TO  
1300 GALLONS WITHOUT  
CHANGING PAPERS



D



E

FILTERS UP TO  
1800 GALLONS WITHOUT  
CHANGING PAPERS

## HIGH QUALITY PRIMARY ALUMINUM FINISH

### A 20" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 25 000 taps and more. Capacity of 920 in<sup>3</sup> of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

**264856** 20" Syrup filter press complete (7 frames)

**265211** 20" Syrup filter press complete (10 frames)

**B** **NEW** Included single air inlet to supply the diaphragm pump and hydraulic cylinder

**C** **385551** Plumbing kit with ferrules for diaphragm pump

**D** **265457** Black hydraulic cylinder with pedal (industrial)

### E 15" DIAPHRAGM SYRUP FILTER PRESSES

Ideal for 15 000 to 30 000 taps and more. Capacity of 415 in<sup>3</sup> of filtration per empty frame. Manufactured in aluminum. Removable stainless steel plumbing with ferrule. Hydraulic system to tighten the plates. High quality finish.

**264528** Syrup press (complete with 7 frames)

**264542** Syrup press (complete with 10 frames)

### ACCESSORIES FOR SYRUP FILTER PRESSES

**485350** Filter aid 10 pounds

**485374** Filter aid 50 pounds "Speed plus"

**485343** Filter aid 50 pounds "Dicalite"

**485619** Set of 7" D&G white papers 400/box (20 microns)

**485633** Set of 10" D&G white papers 400/box (20 microns)

**487477** Set of 15" D&G white papers 250/box (20 microns)

**485626** Set of 20" D&G white papers, 250/box (20 microns)

**487323** Set of 7 ¾" Leader white papers, 400/box


**487460** 15" polyester filter for D&G press

**487453** 15" polyester double press filter

**487484** 20" Polyester filter for D&G press

**F** **080791** 0-100 PSI Pressure Gauge (Lead free brass)


**G** **080838** 0-100 PSI D&G Pressure gauge, stainless steel



## 10" DIAPHRAGM SYRUP FILTER PRESSES

Capacity of 187 in<sup>3</sup> of filtration per empty frame.

- A** 265143 Complete (7 frames) with 6 GPM 1/8 hp Flojet electric diaphragm pump
- 265426 Complete (7 frames) with 1/2" diaphragm Allflow pneumatic pump
- 265204** Extended complete (10 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- 265181 Long complete (10 frames) with 1/2" diaphragm Allflow pneumatic pump




## 7" SYRUP FILTER PRESSES

Capacity of 80 in<sup>3</sup> of filtration per empty frame.


- B** 264702 Complete (7 frames) with 6 GPM 1/8 hp Flojet diaphragm electric pump
- C** 264825 Complete (7 frames) with 1/2" Allflow pneumatic diaphragm pump
- 264795 Complete (3 frames) with 6 GPM 1/8 hp Flojet diaphragm pump
- Flojet pump and plumbing adapted for filter press
- 265099 Complete (3 frames) with 1/2" Allflow diaphragm pneumatic pump

Also available with 4, 5, or 6 2" thick frames. Optional tilting support.



## ROCKING SUPPORTS

- D** 265495 Rocking support for 7" and 10" press (painted blue)
- E** 265327 Stainless steel rocking support for 7", 7" short & 10" presses




## F SYRUP PRESS SEPARATORS WITH STAINLESS STEEL HANDLE


- Prevents the press from getting completely dirty if you have only a small quantity of syrup to filter
  - Separates the frames of the press
  - Saves time and paper filters
- |                         |         |
|-------------------------|---------|
| <b>264566</b> 7" .....  | \$17.60 |
| <b>265150</b> 10" ..... | \$33.00 |
| <b>265792</b> 15" ..... | \$49.50 |
| <b>265808</b> 20" ..... | \$64.90 |



# SYRUP PRESSES



A




B



IN COMPLIANCE WITH  
THE CALIFORNIA  
LEAD AGREEMENT



IN COMPLIANCE WITH  
THE CALIFORNIA  
LEAD AGREEMENT



C




D



E



F



G



H

## LEAD FREE OBERDORFER BRASS PUMP

- A** 092411 Oberdorfer 1" brass pump for cream machine
- B** 098574 Oberdorfer 1/2" brass pump  
1/2" repair kit
- 098291 2 gears, gasket and packing
- 485671 Gasket and packing

## 6 GPM (GALLONS/MINUTE) FLOJET PUMPS

- Flojet Diaphragm pump, NSF approved
  - Made of nylon
  - 1/8 hp integrated motor
  - 6 gallons/minute pump (GPM)
  - Maximum pressure of 50 PSI
  - Can replace your Oberdorfer 1/2" brass pump
- |   |          |
|---|----------|
| <b>C</b> 385964 Pump, assembled on a stainless steel frame..... | \$638.60 |
| <b>D</b> 385940 Flojet Pump only.....                           | \$386.30 |

## FLOJET COMPLETE KIT

- 385568** Includes (D - E - F) :
- Flojet 6 gallons electric diaphragm pump only
- Stainless steel plumbing kit
- Stainless steel frame and stand kit with 1/2" adaptors ..... \$664.40

## E FLOJET PUMP COMPLETE PLUMBING KIT

- 385582 Plumbing kit necessary to replace the Oberdorfer pump. Includes miscellaneous plumbing items and a 0-100 PSI dial for the Flojet pump ..... \$187.50

## F 385575 FLOJET PUMP FRAME AND STAND KIT

- 385575** Includes the stainless steel frame and the stainless 1/2" pump adaptors, bolt and o-rings (2X)..... \$96.80

## FOOD GRADE GREASE (NOT SHOWN)

- |                                |         |
|--------------------------------|---------|
| 477515 Cartridge – 400 g ..... | \$14.00 |
|--------------------------------|---------|

## G DIAPHRAGM PUMPS FOR FILTER PRESSES

These pumps require an air compressor.

- 358159** 1/2" Aluminum diaphragm pump for 7" or 10" press
- 358203** 1" Aluminum diaphragm pump for 15" or 20" press
- 385551** Plumbing kit for diaphragm (not shown)

## INSULATED COVERS FOR FILTER PRESSES

Maintains the syrup temperature.

- |   |          |
|---|----------|
| <b>266515</b> Cover for 7" presses (3 frames).....    | \$260,00 |
| <b>266140</b> Cover for 7" presses (7 frames) .....   | \$395.00 |
| <b>H 266133</b> Cover for 10" presses (7 frames)..... | \$495.00 |
| <b>266430</b> Cover for 15" presses .....             | \$695.00 |
| <b>266126</b> Cover for 20" presses.....              | \$895.00 |

## SYRUP DUMPING TANKS OR SYRUP DRAW-OFF CONTAINERS

Compartmentalized tanks to separate the syrup pan liquid from each pan during the cleaning or when switching syrup pans. Allows you to pump back the syrup pan concentrated liquid without mixing it from one pan to another. Plumbing system and valve to pump back into the syrup pan(s). Can be used as a syrup draw-off container.

**270901** Tank, 2 compartments 25 gallons (not shown)

- Also available in 20, 33, and 40 gallons

**A 270932** Tank, 3 compartments 25 gallons

- Also available in 40 gallons

- Pump available as an option

**A**



**B**



**C**



**D**

## SYRUP DOUBLE BOILERS, STAINLESS STEEL NO° 304

Syrup filler, stainless steel n° 304.

**266256** 34 gallons gravity filling unit, base included ..... \$3 711.90

Electric water jacketed model 5000W – 220V. Adjustable thermostat.

The plumbing is all in stainless steel. Adjustable table and paint rack/base included.  
Water and syrup acrylic level.

**266287** Base only 34 gallons (Frame steel painted blue) ..... \$417.10

**266201** Base counter only 34 gallons (Frame stainless steel) ..... \$636.70

**D 266218** 9 gallons filler - stainless steel base included ..... \$2 761.90

Electric water jacketed model 3000 W – 220 V. Adjustable thermostat.

The plumbing is all in stainless steel. Adjustable table and paint rack/base included.  
Water and syrup acrylic level.

**266195** Base only 9 gallons, steel frame painted blue  
(can be sold separately) ..... \$237.70

**E 266300** Base counter only (for filler 9 gallons stainless steel) ..... \$485.70

**095559** Dial thermometer 3" x 6" 1/2 connection (0° to 250°F) ..... \$84.50

## ELECTRIC WATER JACKETED ELEMENTS (NOT SHOWN )

**111945** 5000 Watts

**111914** 3000 Watts

# SYRUP TANKS



## STAINLESS STEEL CONTAINERS FOR MAPLE

Container in stainless steel n° 304 with lid

<b>A</b>	523342	30 litres .....	\$368.30
<b>B</b>	523373	40 litres .....	\$419.30
<b>C</b>	523359	50 litres .....	\$457.00
	208843	¾" Female welded adaptor .....	\$42.90

## COMPLETE SYRUP FILTERING CONTAINERS

Complete with lids. Supplied with ¾" valve, polyester, and hole adaptors for holding filter.		
262739	9 gallons, 1 polyester .....	\$668.30
262746	12 gallons, 1 polyester.....	\$702.90
262777	20 gallons, 2 polyesters.....	\$858.50

## SYRUP DRAW-OFF CONTAINERS WITH LIDS

Stainless steel n° 304. Valves not included.

<b>D</b>	262623	5 gallons, 22" height x 9" diam.....	\$426.70
<b>E</b>	262630	9 gallons, conical bottom, 25" height x 12" diam. ....	\$481.30
<b>F</b>	262654	12 gallons, conical bottom, 25" height x 16" diam. ....	\$527.50
<b>G</b>	262685	20 gallons, conical bottom, 25" height x 20" diam. ....	\$615.80
<b>H</b>	262715	40 gallons, conical bottom, 30" height x 23" diam.....	\$774.40
	216817	Z-P ¾" stainless steel ball valve.....	\$54.80
	216787	Z-P ½" stainless steel ball valve.....	\$47.10
	263217	1-hole adapter for 9-gallons syrup container.....	\$200.80
	263224	1-hole adapter for 12-gallons syrup container .....	\$220.70
<b>I</b>	264122	Syrup container ring .....	\$62.10

## SUPPORTS WITH WHEELS FOR SYRUP CONTAINERS

<b>J</b>	262265	Round 9 gallons (12" diameter) .....	\$145.10
	262227	Round 12 gallons (16" diameter) .....	\$156.60
<b>J</b>	262258	Round 20 gallons (20" diameter).....	\$158.80
	262289	Round 40 gallons (23" diameter).....	\$165.10

## K STAINLESS STEEL PADDLE FOR SYRUP CONTAINERS

267307	To stir the syrup in the containers (measures 48" long)	\$139.10
--------	---	----------

## PRE-FILTER BAG LINERS

Heavy-duty polyester filters. Increase filter bags lifetime.


<b>L</b>	487514	FDA – pre-filter n° 8	+/‐ 100 Microns	\$19.60 / dz
	487538	Paper – square 36" x 36"	+/‐ 100 Microns	\$31.50 / dz

## FILTER BAGS (FDA APPROVED)

<b>N</b>	487767	Polyester n° 8	5 Microns	\$13.00
<b>O</b>	487781	Polyester n° 8	1 Micron	\$18.00
<b>P</b>	487828	Polyester 36" x 36"	5 Microns	\$17.00
<b>Q</b>	487804	Polyester 36" x 36"	1 Micron	\$38.50
<b>R</b>	487330	Felt n° 8 (without stitches)	18 Microns	\$58.00

A

## SUPERIOR TO THE COMPETITION ULTRA-STRONG STEEL STRUCTURE



### A ROUND BOTTOM TANKS

Round bottom tanks, 100 to 9000 gallon capacity, stainless steel 304-2B (Dull) or 304 (Bright), 22ga or 20ga depending on the size.

**274275** Customized tagging on tank available

### B INTERIOR TANK LADDER

**289705** Ladder for 7' and 7 1/2' tanks

### SILICON PLUGS FOR TANKS (NOT SHOWN)

**402418** 1 1/2" DFA tank plug

**402425** 2" DFA tank plug

**402487** 3" DFA tank plug




### C PLASTIC TANKS FOR SAP

Plastic sap storage tank with wide stainless steel opening and stainless steel cover.

<b>473166</b>	65 US gallons (23" x 43" x 26") 12.5" opening.....	\$796.00
<b>473203</b>	125 US gallons (32" x 41" x 35") 16 1/4" opening .....	\$847.00
<b>473128</b>	225 US gallons (38" x 49" x 41") 16 1/4" opening .....	\$985.00


# BRIX BALANCER TANK



**TO LEARN MORE**



QR or Click



## BRIX EQUALIZER TANKS (INSULATED)

- Insulated tank
- Conical bottom
- Two section Lids on hinges
- Tank helps you equalize the Brix and temperature of large quantities of syrup for consistent packaging
- Optional castors

**A** 280986 Insulated tank (250 gallons)

**280962** Insulated tank (125 gallons) not illustrated

**262968** Square insulated tank (50 gallons) not illustrated

- Option with heating element
- Option with mixer

**B** 280801 Frame for Brix Tank (250 gallons)

**C** 280900 Ladder for Brix tank

**280948** Brix balancer mixer

**D** – 1/4 hp - 110/120 Volts motor (21 RPM)

**E** – Stainless steel blade

**TO LEARN MORE**



## AUTOMATED BRIX EQUALIZER

**F** 412684

**Automatically adjust the flow of the evaporator draw off valve according to the desired BRIX**

- Allows to reach a more precise BRIX and reduces labour costs
- Facilitates and speeds up BRIX balancing, preventing syrup cooling before barreling.

**Automatically and precisely balances the BRIX degree of syrup in insulated tanks before barreling.**

- Maximizes production income: Each excess BRIX in a 34 gallon tank is equivalent to 0.67 gallons of syrup lost.
- Fully automated Brix Equalizing by controlled filtrate injection (easy to operate and intuitive)

### Includes:

- Touchscreen Start-up, Parameter Settings and Alarms
- Automatic and programmable settings for the mixer in the insulated balancing tank
- Separate manual start control for pumps and mixer
- Management of the external pump for barrel filling
- Variable metering feed pump for permeate injection in the syrup
- Control box (PLC / interface: industrial Schneider "Touchscreen")
- Alert for cleaning the Brix reader
- 0 to 80 Atago Brix reader, with integrated temperature sensor
- Stainless steel piping and quick coupling
- Flojet (6 GPM) circulation pump for barrel transfer
- 6 gallon tank for permeate feed
- Low-level alarm automatically stops the transfer to barrel allowing consistent Brix and syrup temperature
- 120 Volt / 15 Amp Power Supply

## ATAGO REFRACTOMETER CM-800A – 0-80 BRIX

**G** 132933 Continuous Brix degree reader for syrup

# BRIX AUTOMATED EQUALIZING SYSTEM




~~~~~ → Adjustment of the draw-off temperature value of the evaporator draw off according to the BRIX degree to be reached in the mixing tank

→ BRIX equalizing before barreling

→ Syrup flow diagram

# RELEASERS



## A ELECTRIC RELEASER WITH SUBMERSIBLE PUMP

For sugar bush with 100 to 30 000 taps.  
 – 1.5 hp pump is installed within the releaser  
 – Easy to operate. Can release water with a vacuum of 27 Hg and up with no vacuum interruption, and a 2" output.

### For 2300 taps and less (1 pump 0.5 hp)

- A** **484421** Vertical 10" x 30", 110 volts (DG-224-PS) **NEW**  
 – Manifold height 32"  
**388873** Horizontal 14" x 30", 110 volts (DG-223-30PS)  
 – Manifold height 22.5"  
**485916** Horizontal 18" x 24", 110 volts (DG-225-PS)  
 – Manifold height 25.5"  
**487286** Horizontal 14" x 36", 230 volts (DG-223-36S) **NEW**  
 – Manifold height 22.5"

### Capacity of 4000 taps (2 pumps 0.5 hp)

- 487728** Horizontal 18" x 24", 110 volts (DG-225-2PS) **NEW**  
 – Manifold height 25.5"

### Capacity of 4000 taps (1 pumps 1 hp)

- 484346** Horizontal 14" x 36" (DG-223-PS)  
 – Manifold height 22.5"

### B Capacity of 7000 taps. (1 pump 1.5 hp)

- 407468** Horizontal 18" x 36" (DG-227-PS)  
 – Manifold height 25.5"

### For 7000 to 15 000 taps (2 pumps 1.5 hp)

- 407512** Horizontal 18" x 36" (DG-227-2PS)  
 – Manifold height 25.5"

## C SPRINKLER TO WASH THE RELEASER

- 409226** Sprinkler set for releaser  
 – Model operated under vacuum  
 – By sucking water from your tank, the sprinkler cleans the walls of your releaser  
 – Optional or included on your new releaser  
 – Fits on your current releaser  
 – Also available for mechanical releaser

## D SET OF LED LIGHTS

- 487217** Set of LED lights for releaser  
**487244** Set of LED lights for double releaser  
 – Ideal to improve vision inside the manifold

## E STAINLESS STEEL SUBMERSIBLE PUMP OUTLET

- 487200** Stainless steel outlet kit for submersible pump

## F ELECTRIC SUBMERSIBLE MULTI-PUMP RELEASER

- Capacity of 25 000 taps  
**484438** (DG-227-PSM) 4 pump model  
 – Horizontal model 18" X 60" with 2 cylinders  
 – Manifold height 44"  
 – Available in 2, 3 or 4 pumps configurations depending on the number of taps

## A ELECTRIC ECONOMIC RELEASER

Horizontal, electric extractor with 1.5 hp submersible pump

Capacity of 2300 taps.

**484353** (DG-225-PS eco) 18" x 36"

- Submersible pump 0.5 hp, 110 Volts

Capacity of 6000 taps

**409370** (DG-227-PS eco) 18" x 36"

Horizontal, electric extractor with 1.5 hp submersible pump

- Economical version of the 227-PS extractor

- Has the same features as other submersibles, but without manifold.

- Suitable for wet/dry systems that have only two extractors at the pumping station.

- Manifold height 22"



## B INTELLIGENT PUMP CONTROLLER

**601613** Yaskawa controller

- Modulates the speed of the submersible pump according to the volume in the releaser

- Continuous sap evacuation

- Saves electricity

- Increases pump longevity



NEW

## C HORIZONTAL ELECTRIC DUAL-PUMP RELEASERS

For 4000 - 20 000 taps (the number of pumps used varies according to the number of taps)

**484339** (DG-223-36) 14" x 24" 2 penn switch, manifold height 26.5"

**400766** (DG-227-36) 18" x 36" 2 penn switch, manifold height 29.5"


**400605** (DG-227-48) 18" x 48" 3 penn switch, manifold height 29.5"

- System uses two water pumps

- Second pump serves as backup if first pump is insufficient

- "Gould" pumps can extract water from the sap to a vacuum of 27 Hg and higher

- Pump and stand not included



## D RELEASER STAND FOR WATER PUMP

Available for 1, 2 or 3 water pumps

## E HORIZONTAL ELECTRIC SAP RELEASERS (1 PUMP)

Capacity of 4000 taps

**486173** 14" x 24" (DG-223)

Manifold height 26.5"

Capacity of 5000 taps

**400452** 18" x 24" (DG-225)

**400544** 18" x 36" (DG-227)

- Requires a water pump to dump the sap

- Manifold height 29.5"



## F VERTICAL ELECTRIC SAP RELEASERS

Capacity of 1500 taps.

**400391** 10" x 24" (DG-224)

Capacity of 2500 taps.

**400421** 10" x 36" (DG-224-1)

- Requires a water pump to dump the sap


- Manifold heights:

For 1500 taps (25")

For 2500 taps (38")

# RELEASERS

ALL SAP RELEASERS ARE  
FACTORY TESTED AND  
CHECKED.



THE MODEL OF THE RELEASER IS DETERMINED  
BY THE NUMBER OF TAPS AND VACUUM LEVEL

## A VERTICAL MECHANICAL SAP RELEASERS

Capacity of 700 taps.

**400278** (DG-216) 10" x 18"

- Mechanical releaser
- Installed above small storage tank
- Manifold height: 20"

## B HORIZONTAL MECHANICAL SAP RELEASER

Capacity of 2500 taps.

**400926** 10" x 18" horizontal (DG-213H)

Continuous vacuum releaser

- Installed on a storage tank
- The sap is alternately dumped in, one side at a time
- Manifold height: 16.5"

## C DOUBLE VERTICAL MECHANICAL SAP RELEASERS

Capacity of 3000 taps.

**400186** 10" x 18" (DG-213-18) Manifold 18"

**400407** 10" x 24"(DG -213-24) Manifold 24"

- Continuous vacuum mechanical sap releaser
- Installed on a storage tank
- The sap is alternately dumped in, one side at a time
- Manifold height 20"

## E GUIDE ROD FOR RELEASER

– Improved rod guide with seal for high vacuum (27 Hg and over)

– Improves the tightness of the device

– Installs on any new device and existing ones

– When installed as an add-on, the float rod is mandatory when installing the guide

– Daily maintenance required

## D DOUBLE HORIZONTAL MECHANICAL SAP RELEASERS

Capacity of 2500 taps.

**407956** 10" x 36" (DG-214)

Capacity of 6000 taps

**400476** 14" x 36" (DG-219)

Capacity of 12 000 taps

**400308** 18" x 36" (DG-220) Vacuum inlet 2"

**400377** 18" x 36" (DG-220-3) Vacuum inlet 3"

25,000 taps capacity

**400360** 18" x 48" (DG-222) Vacuum inlet 3"

– Continuous vacuum mechanical sap releasers

– Installed on a storage tank

– The sap is alternately dumped in, one side at a time

– Manifold heights

For 2500 taps (16.5")

For 6000 taps (22.5")

For 12 000 and 25 000 taps (26.5")

## CONTINUOUS VACUUM



## MECHANICAL RELEASERS WITH DOUBLE SINGLE VALVES

Capacity of 3000 taps.

**A 400896** 10" x 18" (DG-213-2VS) Vertical

Capacity of 6000 taps.

**B 400865** 14" x 36" (DG-219-2VS)

Capacity of 12 000 taps.

**406928** 18" x 36" (DG-220-2VS) Vacuum Inlet 2"

**406911** 18" x 36" (DG-220-3-2VS) Vacuum Inlet 3"

Capacity of 25 000 taps.

**406898** 18" x 48" (DG-222-2VS) Vacuum Inlet 3"


- Releasers allowing an even more constant continuous vacuum
- Allows a bigger volume of sap at a high vacuum
- Installed on a sap tank, they evacuate the sap mechanically (without pump) simply by vacuum

– Manifold heights:

For 3000 taps (20")

For 6000 taps (22.5")

For 12 000 and 25 000 taps (26.5")



## C AUTOMATED MECHANICAL RELEASERS

**NEW** Capacity of 2500 taps.

**487248** 10" x 24" (DG-213B)

**487279** 10" x 36" (DG-214B)

Capacity of 6000 taps.

**407987** 14" x 36" (DG-219B)

Capacity of 12 000 taps.

**407970** 18" x 36" (DG-220B)

Capacity of 25 000 taps.

**407963** 18" x 48" (DG-222B)


- New generation of mechanical releasers
- Eliminates any loss of air when sap is dumped into the tank
- Sap sensors are connected to **Belimo** (5-year guarantee) valves to ensure tightness of the releaser

– Manifold heights:

For 2500 taps (16.5")

For 6000 taps (22.5")

For 12 000 and 25 000 taps (26.5")



A



B



C



D



### COMBINED SAP RELEASERS

Capacity of 3000 taps.

**A 400438** (DG-213 / 225)

Capacity of 6000 taps.

**B 400490** (DG-219 / 227) Vacuum Inlet 2"

Capacity of 12 000 taps.

**400162** (DG-220 / 227)

**400131** (DG-220-3/227) Vacuum Inlet 3"

Capacity of 25 000 taps.

**400148** (DG-222-3/227-60) Vacuum Inlet 3"

"New generation of combo releasers"

- Mechanical/electrical releasers are built to work at 25 Hg with hight vacuum

- Evacuates the releaser water in the second part without being under vacuum

- Easy to dump the sap from the releaser in the tank

- Manifold heights:

- For 3000 taps (38.5")

- For 6000, 12 000 and 25 000 taps (46")

### C COMBINED SAP RELEASERS WITH SINGLE VALVE

Capacity of 3000 taps.

**407147** (DG-213/225 - 2VS)

Capacity of 6000 taps.

**407161** (DG-219/227 - 2VS) Vacuum Inlet 2"

Capacity of 12 000 taps.

**407185** (DG-220/227 - 2VS)

**407208** (DG-220-3/227 - 2VS) Vacuum Inlet 3"

Capacity of 25 000 taps.

**400100** (DG-222-2VS/227-60) Vacuum Inlet 3"

"New generation combo releaser"

- Mechanical / electric releasers are built to work at 25 Hg and higher

- Single valve installed on each top parts

- Allows to receive a bigger volume of sap

- Improves continuous vacuum

- Evacuate the releaser water in the second part without being under vacuum

- Manifold heights:

- For 3000 taps (38.5")

- For 6000, 12 000 and 25 000 taps (46")

### D VACUUM GAUGE (LEAD-FREE)

**116261** 2.5" dia. – 0 – 30 Hg, lead-free brass..... \$16.50

**371462** 4" dia. – 0 – 30 Hg, lead-free brass..... \$30.00

**080104** 2.5" dia. – 0 – 30 Hg, stainless steel ..... \$32.00

**080128** 4" dia. – 0 – 30 Hg, stainless steel ..... \$49.50

# MOISTURE TRAPS

## A CONVENTIONAL MOISTURE TRAPS

**400773** 8" x 30" Model (Vacuum 1.5 hp)

**400827** 10" x 24" Complete Model (Vacuum 5 hp and under)

Options:

**400735** Moisture trap only

**400711** Aluminum base

**485893** Water level sensor for emergency stop

**400834** Complete 14" x 30" model (Vacuum 7.5 hp) and up

Options:

**400636** Moisture trap only

**400704** Aluminum base

**485893** Water level sensor for emergency stop

## HIGH VACUUM



## B DELUXE MOISTURE TRAPS

– Includes filtering devices for water particles

– Water level sensor to stop the pump in case of failure

**409295** Deluxe D&G 14" x 30" moisture trap for Becker pump (recommended)  
7.5 hp and more

**404108** Deluxe 10" x 24" moisture trap D&G

## D&G SAP LIFTERS WITH MANIFOLD

Single (up to 350 taps).

**C 400582** Sap lifter with manifold (DG-555)

Double (up to 800 taps)

**D 400599** Sap lifter with manifold (DG-555-2)

– Requires high-level vacuum (20 to 29 Hg)

– Makes it possible to collect sap from trees on sites lower than the main pumping station

– Maximum elevation drop of 15 feet

We recommend the installation of this unit in a temperate place between  
1 ° and 5 ° Celsius to avoid frost

## FDA BLUE FLAPPERS FOR RELEASERS

**E 403156** 2" small ..... 42.25 \$

**F 403125** 3" large ..... 59.50 \$

**G 403187** 3" with spring and hinge (specify releaser model)..... 103.00 \$



## Y KITS FOR SAP LIFTERS

**H 463846** 1" in PVC including plastic check valve


**I 463808** 1 1/2" in PVC including plastic check valve

**J 463822** 1" in stainless steel including plastic check valve

**463761** 1 1/2" in stainless steel including plastic check valve



# PUMPS / ACCESSORIES



## A 1 PH -230 V-ODP GOULD PUMPS

Made of stainless steel. 2- and 3-stage pumps also available.

|                     |                     |
|---------------------|---------------------|
| 385001 3/4 hp – 1ST | 385049 3 hp – 1ST   |
| 385032 2 hp – 1ST   | 385025 1.5 hp – 1ST |
| 385018 1 hp – 1ST   |                     |

## B GOULD HI-PRESSURE MULTISTAGE PUMPS

125 to 350 PSI, 5 gallons and more per minute, 1/2 to 5 hp.

SEE OUR IN-STORE REPRESENTATIVES FOR YOUR SPECIFIC NEEDS

## C RELEASER PENN SWITCH

|                      |         |
|----------------------|---------|
| 401923 (DG-430)..... | \$73.25 |
|----------------------|---------|

## D ELECTRIC CONTROL FOR STORAGE TANK

Starts water pump. Used to transfer sap to another tank. Volume to be transferred is also adjustable.

|                      |          |
|----------------------|----------|
| 401985 (DG-432)..... | \$264.00 |
|----------------------|----------|

OTHER ROD LENGTHS ALSO AVAILABLE

## E STAINLESS STEEL FLOAT TANK SUPPORT

|                                                                                               |         |
|-----------------------------------------------------------------------------------------------|---------|
| 402579 Stainless steel support for electrical control for storage tank<br>(See letter D)..... | \$71.00 |
|-----------------------------------------------------------------------------------------------|---------|

## F HORIZONTAL VACUUM BOOSTERS

Helps vacuum transport on long distances from the sugar bush and enhances vacuum performance in the lines.

| Without support | With support     |
|-----------------|------------------|
| 400872 6" x 12" | 358692 10" x 24" |
| 400902 6" x 18" | 358166 10" x 30" |
| 400933 6" x 24" | 358708 10" x 48" |
| 401046 3" x 24" | 358197 10" x 60" |

362217 O-ring joint for 10" booster

403453 Orange O-ring joint \$/per foot

## G INVERSE SLOPE PUMPING SYSTEM

Allows sap to flow from a remote pumping station to the main sap releaser (sugar bush). To be installed with a mechanical releaser storage tank. Enables sap to flow by gravity when the vacuum pump is shut down.

|                      |          |
|----------------------|----------|
| 403934 (DG-520)..... | \$556.00 |
|----------------------|----------|

## H AIR INJECTOR SYSTEM

Air injector system increases sap flow toward the main sap releaser. Also optimizes sap ladder operation and helps sap rise.

|                                                                           |          |
|---------------------------------------------------------------------------|----------|
| 405426 Air injector system (DG-510).....<br>(for check valves see pg. 64) | \$365.00 |
|---------------------------------------------------------------------------|----------|

## I RELEASER FLOATS



|                        |         |
|------------------------|---------|
| 402227 Small blue..... | \$48.80 |
| 402524 Large.....      | \$59.00 |

## A ANTI-FRAZIL PVC MESH

- 408144** For manifold 6" x 12"
- 408175** For manifold 6" x 27"
- 408151** For manifold 6" x 18"
- 408182** For manifold 6" x 38"
- 408168** For manifold 6" x 24"
- 401138** Other sizes available (\$/foot<sup>2</sup>)

## B SWIVELS FOR MECHANICAL SAP RELEASER

|                                    |         |
|------------------------------------|---------|
| <b>403965</b> 1 1/2"               | \$21.00 |
| <b>403996</b> 2"                   | \$24.00 |
| <b>404023</b> 3"                   | \$27.25 |
| <b>C 404733</b> Grease pack (3 ml) | \$5.00  |



## HEIGHT ADJUSTABLE RELEASER STANDS (NOT SHOWN)

- 274510** For 48" tank (set of 2)
- 274527** For 60" tank (set of 2)
- 274534** For 72" tank (set of 2)
- 274541** For 84" tank (set of 2)
- 274558** For 90" tank (set of 2)

## D HEIGHT AND LENGTH ADJUSTABLE RELEASER STANDS

|                                       |             |
|---------------------------------------|-------------|
| <b>274589</b> 3' to 5' (set of 2)     |             |
| <b>274596</b> 4' to 7 1/2' (set of 2) | .....\$5.00 |



## E RELEASER STANDS (NOT SHOWN)

Made of stainless steel 18 gauge. Use to hold the pneumatic releaser above the tank.

|                                       |               |
|---------------------------------------|---------------|
| <b>274404</b> For 48" tank (set of 2) | .....\$208.00 |
| <b>274411</b> For 60" tank (set of 2) | .....\$227.20 |

OTHER SIZES AVAILABLE




## F CYLINDERS FOR RELEASERS

- 402395** Cylinder for releaser (DG-216)
- 401565** 2 1/2" cylinder for releaser (DG-213)
- 401657** 3" cylinder for releaser (DG-215,219,220)
- 401688** 4" cylinder for releaser (DG-220-3,222)

## F SEALING JOINTS

|                                         |              |
|-----------------------------------------|--------------|
| <b>403415</b> For releaser DG-213       | .....\$29.00 |
| <b>403408</b> For releaser DG-216       | .....\$21.75 |
| <b>403521</b> For releaser DG-224,224-1 | .....\$16.50 |

OTHER SETS AVAILABLE FOR ALL RELEASER MODELS



# VACUUM MONITORING SYSTEM

Easy powerful software for monitoring and complete surveillance of your Sugar bush on a tablet, computer or cell phone.

The system allows for an overview of all your sensors and pumping stations to effectively optimize the performance of your Sugar bush. The Dominion & Grimm system **requires no access to internet**.

Features:

- Mapping of your Sugar bush
- Vacuum and leak detection sensors on each mainline with leakage and equipment malfunction warnings
- Remotely control your equipment (Vacuum pumps, sap pumps, pipe drainage, releasers and others)
- Increased sensors' battery life with a new off-season mode. Facilitates system restart at the beginning of each season.
- Metering of sap tank levels
- Integrated camera system
- History of vacuum vs temperature data
- Freeze reports
- Releaser water metering system
- And many more

**INCREASE YOUR TAP YIELD  
WITH CONTINUOUS VACUUM  
SENSOR MONITORING**

## PHONE, TABLET AND COMPUTER



Vacuum Sensor

Sap tank level

Sugar bush satellite map

Graphic of vacuum, temperature and more

## MAPPING SERVICE

### MAP OF YOUR LARGE SUGAR BUSH



COROPLAST PRINTING

THE SIZES OF THE SUGAR BUSH MAPS ARE: 2' X 3'    3' X 5'    4' X 8'

### SUGAR BUSH MAPPING SERVICES

- GPS mapping of your site
- Tubing layout designed by an experienced team
- Tubing system installation according to your terrain and criteria (transfer tanks, wet/dry system, etc.)
- Precise evaluation of the material required
- Accurate plan of your tubing system, stations, buildings, etc.
- Map printing, after completion of your project



**NO INTERNET  
ACCESS  
REQUIRED.  
YOUR DATA  
REMAIN PRIVATE**

# VACUUM MONITORING SYSTEM

## D&G REMOTE MONITORING STARTER KIT

- 121654 D&G** single starter kit with mobile gateway  
**121630 D&G** double starter kit with mobile gateway

Includes:

- |                                |                                             |
|--------------------------------|---------------------------------------------|
| <b>A</b> D&G server (software) | <b>D</b> Single vacuum wireless sensor (5x) |
| <b>B</b> Wireless Gateway      | or                                          |
| <b>C</b> Mobile Gateway        | <b>E</b> Double vacuum wireless sensor (5x) |

## 121326 INPUT-OUTPUT CONTROL BOX (NOT SHOWN)

- Controls and monitors pumping stations

## SURVEILLANCE CAMERAS (NOT SHOWN)

- 121142** Rotary camera  
**121234** Fixed camera



### A 121258 D&G SERVER (SOFTWARE)

- Mandatory for all setups
- At the heart of D&G's monitoring system
- Compatible with all your electronic devices (computer, tablet or smartphone)

### B 121265 WIRELESS GATEWAY

- Sends information collected by the wireless sensors to the D&G server
- Link between the wireless network and the monitoring system

### C 121272 MOBILE GATEWAY

- Link between a smartphone and the wireless sensors
- Simplified sensor installation
- Monitors the wireless sensors without connecting to the Web

### D 121302 SINGLE VACUUM WIRELESS SENSOR

- Vacuum and temperature readings for **1** mainline
- 2 "D" alkaline batteries
- 2 - 4 seasons of battery life
- Covers long distances in the forest
- Most advanced casing in the market

### E 121609 DOUBLE VACUUM WIRELESS SENSOR

- Vacuum and temperature readings for **2** mainlines
- 2 "D" alkaline batteries
- 2 - 4 seasons of battery life
- Covers long distances in the forest
- Most advanced casing in the market



### 121548 WIRELESS TANK LEVEL SENSOR

- Monitoring of sap levels in a tank
- 2 "D" alkaline batteries for 1 - 2 seasons of battery life
- Can read tank levels from 25 feet high



### 121944 WIRELESS SENSOR FOR RELAY

- Lets you start up to 2 pumps and other devices remotely
- 2 "D" alkaline batteries
- Covers long distances in the forest
- Most advanced casing in the market



### 219573 MODULATING VALVE FOR VACUUM PUMP

- Makes it possible to lower the vacuum of the pumps without modifications to them
- Requires a power supply and a controller sold separately


**121876**  $\frac{1}{2}$ " Valve

**121890**  $\frac{3}{4}$ " Valve

**121883** 1" Valve

**NEW**

# VACUUM PUMPS



 **BECKER**







## A BECKER OIL-COOLED PUMPS

- Oil-cooled pallet vacuum pump
- Vibration isolator
- Up to -29.5 Hg
- 3, 5, 7.5 and 10 hp models
- Direct drive shaft
- Available in all voltages
- Ultra quiet
- Stand and drive not included
- Without overheating

## B YASKAWA SMART SPEED MODULATOR

- For vacuum pump
- Smart drive kit including a temperature and vacuum probe
- Controls the vacuum level as needed
- Modulation between -15 and -29.9 Hg
- Motor start, stop and speed adjustment according to temperature setting
- Adjust the vacuum and temperature settings yourself
- Once the desired vacuum is reached, the speed modulator slows the motor and maintains the set level of vacuum

## BECKER CLAW VACUUM PUMPS

- 100 % oil free and without contacts et sans contact
- Air-cooled
- Integrated pressure relief valve
- Air filtration known from other models is integrated as standard
- The claw technology ensures a high degree of efficiency and low power consumption
- Easy to maintain
- Available in 3 models:
  - 388651** -BCV 100 à 4,0 hp
  - 388637** -BCV 150 à 5,4 hp
  - 388668** -BCV 300 à 10,0 hp

## EDWARDS SCREW VACUUM PUMP

- Variable speed drive
- Quiet
- CFM still high at 29.9 Hg
- Available 240V 1 PH, 575V 3 PH et 380/460V 3 PH

**098673** Edwards screw pump EOSi350 7.5 hp 240V 1 PH

**098703** Edwards screw pump EOSi585 10 hp 240V 1 PH

**098737** Edwards screw pump EOSi730 15 hp 240V 1 PH

**098819** Edwards screw pump EOSi900 20 hp 240V 1 PH


## A VACUUM PUMP

Industrial quality . Oil-cooled vacuum pump. These pumps include a wide range of accessories making them safe and efficient.

- Programmable start/stop
- Remote control (cellular or computer)
- Vacuum adjustment based on temperature
- Fully automated.
- Electric engine from 1.5 hp up to 20 hp
- Available with Honda gas or diesel motor (NOT SHOWN)
- Oiler (NOT SHOWN)
- B** Moisture traps 1 1/2", 2" or 3"
- 361944 10" x 24" Moisture trap & 1.5" inlet
- 363597 10" x 24" Moisture trap & 2" inlet
- 361975 15" x 30" Moisture trap & 2" inlet
- 363177 15" x 30" Moisture trap with pen switch & 3" inlet
- 363146 15" x 30" Moisture trap with pen switch & 2" inlet
- 362330 15" x 30" Moisture trap & 3" inlet
- 363627 10" x 24" Moisture trap with pen switch & 2" inlet
- Other moisture traps size available

## C "Flood" oil reclaimer

The FLOOD oil reclaimer lets vacuum pumps operate up to 27 Hg.



## D COOLING UNIT FOR "FLOOD" OIL RECLAIMER

- Cooling unit lets vacuum pumps operate up to 27 Hg
- This system necessarily operates with the "FLOOD" oil recuperator
- The majority of oil injected into the pump is reclaimed by the "FLOOD" oil reclaimer and the cooling unit will cool down before it returns to the pump.
- Temperature control controls the radiator fan according to the oil temperature.
- This system works with all oil and water-recirculation vacuum pumps
- Fits all cold oil model pumps (De Laval, Universal, Elmira)
- Injects 2 litres of oil/minute to cool pump for maximum efficiency



## ECO-FRIENDLY OIL FOR VACUUM PUMPS (NOT SHOWN)

|        |                                      |         |
|--------|--------------------------------------|---------|
| 361852 | 3.7 L Regular vacuum oil pump .....  | \$20.60 |
| 363955 | 3.7 L "Flood" vacuum oil pump .....  | \$23.00 |
| 361883 | 18.9 L Regular vacuum oil pump ..... | \$87.60 |
| 364167 | 18.9 L "Flood" vacuum oil pump ..... | \$84.00 |
| 372162 | 18.9 L Radiator oil pump.....        | \$77.30 |
| 364815 | High performance flood filter.....   | \$25.00 |

# VACUUM PUMPS

# Airabio

**B**

## A VACUUM PUMP AND DRIVE FOR 800 TO 12,500 TAPS

- Vacuum over 29 Hg
- May operate with hydraulic vegetable oil
- Compact design for space sensitive installations
- 230 volts (available on 3 PH voltage)
- Many sizes available

### Includes:

- Vane pump
- Flood - Oil collector
- Speed modulating drive
- Vacuum probe with display
- Radiator
- Check-valve
- Digital thermostat
- Ball valve
- Damp trap with level controller
- Couplings and fittings (accessories can be modified on request)
- Stand (optional)

## MINI VACUUM PUMP

For sugar bushes of 800 taps and less. 8 CFM 27 Hg vacuum pump. Magnetic starter (thermostat not included). Flood Oil collector (temperature indicator not included). Damp trap. Vacuum control. Oil level gauge. Check valve (sap releaser not included). Approved system CSA.

**B** 377839 D&G Vacuum pump 151 flood 3 hp Kit

363511 Gas Honda motor 5.5 hp with electric starter

**C** 378096  $\frac{3}{4}$  hp electric motor with radiator and thermostat

378041 Gas Honda motor 5.5 hp with electric starter and radiator

378072 Gas Honda motor 5.5 hp with manual starter and radiator

371431 8 CFM 1750 vacuum pump head

**C**

## VACUUM PUMPS WITH GUZZLER DIAPHRAGM

Economic models for small operations.

500 taps and less until 25" Hg

**A** 386572 Diaphragm vacuum pump, 115 volts


1,000 taps and less

**B** 386596 Double diaphragm vacuum pump, 115 volts



## VACUUM REGULATORS

|                 |                                              |          |
|-----------------|----------------------------------------------|----------|
| <b>C</b> 401473 | Small pressure regulator (DG 312-1).....     | \$86.20  |
| <b>D</b> 401374 | Medium regulator .....                       | \$118.10 |
| <b>E</b> 362187 | Adjustable vacuum control.....               | \$143.50 |
| <b>F</b> 374685 | 3/4" copper vacuum control with spring ..... | \$76.90  |
| 407772          | 1" PVC vacuum control with spring.....       | \$148.70 |



## AUTOMATIC VACUUM CONTROL

**408427** Automatic vacuum control

Electric vacuum control, wireless remote monitoring and control for pump station

3.5" colour touch panel screen (HMI)

Can manage master lines and be accessed by phone, tablet or computer.



## PRESSURE WASHER

Cold water pressure washer

Pressure: 5000 psi

Flow: 5.0 gpm

TS119 1450RPM industrial pump

motor 20hp TEFC 230VOLT 3 phase (also available on 460 and 575 3 phase)

50 'hose

**Many more models available**





## ECONOMIC SERIES

**400+  
GALLONS  
ECONO**

### A R/O 400+ GPH ECONO JUNIOR, ECONOMIC SERIES

For 1500 - 2500 taps.

- 1 membrane 8" x 40" & 1 membrane 4" x 40"
- ½ hp feed pump
- 3 hp pressure pump
- 1 recirculating pump ¾ hp
- Low amps 22 A.
- Complete and easy to operate
- Stainless steel frame
- Wash tank
- Flow meter
- Dial thermometer
- Automatic shutoff when sap tank is empty
- Instruction panel with pictograms
- Set of 3-way valves for installation
- Stainless steel casings for membranes
- Starting at 400 gallons/hour
- Econo model available up to 20 000 taps

## ECONOMIC 1600 GALLONS SERIES



PERFORMANCE CALCULATIONS ARE BASED ON SAP  
AT 55°F, CONCENTRATED FROM 2 - 8 BRIX

### A ECONO MODEL R/O, 1600 GALLONS

– With 3 membranes, 8" x 40"

- 1 feed pump, 5 hp
- 1 (multistage) pressure pump, 7.5 hp-220V high performance
- 1 recirculation pump, 1.5 hp on the third membrane
- Digital thermometer
- Flow meters
- Stainless steel vessels for membranes
- Set of 3-way valves for installation
- Wash tank
- Automatic shutoff when sap tank is empty
- Stainless steel frame
- Instruction panel with pictures

DOMINION & GRIMM OFFERS THE POSSIBILITY TO UPGRADE TO THE PARALLEL SERIES FOR THIS MODEL

# LX SERIES

*LX-1600 MODEL*

## YOU DESERVE STAINLESS STEEL

10 new models of R/O,  
400 to 3000 GPH

All made of Stainless-  
Steel including pipes  
and butterfly valves

Sequential pump start

Digital Temperature  
indicator

Each membrane has its  
own flow-meter and sampler.



### LX SERIES

For 5000 to 20 000 taps.

- Simplified timer 0 - 60 minutes
- High temperature indicator light
- Pump motor overload warning light
- The filtrate, concentrate and drain outlets are equipped with NTP adapters
- An air purge tank is installed on each model
- The 600 and more models are equipped with a 3-cartridge RAM filter except for the 3000 and 3000-B2 models which have a 7-cartridge RAM filter.
- Complete and easy to operate
- Stainless steel frame
- Wash tank
- Flow meter
- Automatic shutoff when sap tank is empty
- Instruction panel with pictograms
- Set of 3-way valves for installation
- Stainless steel casings for membranes

### Horizontal version



# Ram Edition




FULL AUTOMATED "PRESTIGE" R/O RAM EDITION  
WITH 1000 GALLONS HIGH BRIX

## AUTOMATED CONTROL OF BRIX DEGREE

### A FULL AUTOMATIC 600 GPH / 1000 GPH R/O

- 600 GPH or 1000 GPH models
- High Brix R/O (over 20 Brix)
- Full automatic model
- Daily schedule programmable to save labour
- No labour required after R/O started
- 6 choices sequences to program the automate
- Remote start (option)
- The full automatic R/O can manage your tank by mobile, tablet, or computer (option)
- Automatic soap injection
- Multi-stage pump 7.5 hp stainless steel
- Recirculation pump 3 hp stainless steel
- 3 stainless steel RAM filter cartridges

**D&G, PIONEERS IN THE FIELD OF OSMOSIS AUTOMATION WITH  
MORE THAN 10 YEARS OF EXPERIENCE.**




### SCHNEIDER TOUCHSCREEN INTERFACE

- D&G R/O systems with touchscreen control: advanced technology
- Choose the selected mode on the screen and the machine will start in that mode
- Schedule 1 day without adjusting or making changes to the manual cycle
- Requires no labour after it is started
- 2 automation versions available
  - Advanced automation 2021
  - Advanced automation PLATINUM 2021

# Platinum Ram Edition

**12  
MEMBRANES**



## FULLY AUTOMATED RAM PLATINUM

The only truly automated and flexible reverse osmosis.

- Programmable cycle sequence. 10 different programmable and flexible sequences each comprising 14 cycles.
- Stop, start and arrangement of cycles according to the conditions set by the operator
- Model with high concentration (20 Brix and more) available
- User-friendly and intuitive Schneider touchscreen on mobile console.
- Autonomous, no connection to external servers required
- Remote access to all device functions and controls (PLC)
- Platinum model available with 1 to 28 membranes
- All impellers are made of stainless steel
- Stainless steel vessels
- Stainless steel plumbing
- All electrical and automation components are from Schneider
- Available in 4 models:
  - 1 – Full automatic Platinum
  - 2 – Full automatic
  - 3 – Semi-automatic
  - 4 – Standard

## TO LEARN MORE



QR or Click

## 12 MEMBRANES FULLY AUTOMATED RAM PLATINUM

- 4 Stainless steel housings for 3 membranes, 8" x 40"
- 4 High-pressure pumps in stainless steel, 7.5 hp
- Feed pump in stainless steel, 7.5 hp
- Most efficient on the market (150 Amps / 220 Volts)



Schneider 15" touchscreen on mobile console for the RAM Platinum model

**NEW**

# Mountain 2.0



**HIGHEST PERFORMANCE IN THE INDUSTRY  
ALSO AVAILABLE FULLY AUTOMATED**



## OSMOSIS, 28 MEMBRANES


- 3 x 10 hp feed pumps with variable speed “drive” starter
- 6 x 10 hp pressure pumps with variable speed “drive” starter
- 6 recirculation pumps 5 hp
- 3 cylinders 8' x 80"
- 3 recirculation pumps 3 hp
- 6 filters with 7 cartridges per filter
- 4 recirculating pumps 1 ½ hp
- TDS reader (conductivity of permeate)
- Brix reader 0 - 33 Brix
- Concentrate to 25 Brix and more
- Entirely made of 304 stainless steel

**THE MOUNTAIN MODEL  
IS AVAILABLE WITH  
2, 3 OR 4 PUMPS.  
CONTACT YOUR REP.  
FOR MORE INFORMATION**

# PH NEUTRALIZATION SYSTEM

SUGAR BUSH  
WASTEWATER  
NEUTRALIZATION  
SYSTEM

DO YOUR PART FOR  
THE ENVIRONMENT



This system provides reliable, flexible, and powerful control for the treatment of wastewater discharged from reverse OSMOSIS. No matter the manufacturer or the model

Allows the neutralization of washing water pH before its release into the environment.

Smart control box with easy-to-use touchscreen

Remote management and real-time data consultation

Data recording of all sensors allowing the creation of tables and graphs. Transferable to USB key. Useful for providing reports required by environmental authorities.

Integrated management on automated D&G Osmosis


Piping entirely in stainless steel

Completely autonomous




Reverse osmosis mode  
Permeate  
Drain

Wastewater  
Wash mode



To sewage field  
PH is neutralized



Retention tank

QR or Click

LEARN MORE




**A**

## **SPORTSMAN 80 - 160 GPH**

Ideal to cut in half your volume of maple water to evaporate. For 800 taps and less.



- 1 diaphragm pump ( $\frac{1}{2}$  hp)

**295003** Sportsman 80 GPH

- 1 membrane (4")

**A 294969** Sportsman 160 GPH

- 2 membranes ("4")


**B**

**D**

**C**

## **B BRIX CONTROL MODULE FOR OSMOSIS**

The Brix controller for osmosis allows you to manage the Brix concentration of your osmosis. Making it possible to maintain a constant Brix level.

- Suitable for all conventional osmosis regardless of the brand
- Continuous reading of the sugar level with permanent display
- Allows high data accuracy and time savings
- No manual sampling required
- Can be managed remotely with a smartphone, computer or tablet (option)
- Suitable for all brands of conventional osmosis
- Schneider PLC

## **C ATAGO REFRACTOMETER 0-33 BRIX**

**126543** Atago refractometer - CM-BASE (A) - 0 - 33 Brix

## **D AUTOMATED VALVES FOR TANK**

- Full automatic R/O can manage your sap tank and permeate tank
- The computer manages the electric valves of your tank with sap level detector
- Butterfly valves of 1.5" to 3"

## **E EXPANSION KIT FOR R/O**

**292071** Econo Expansion kit with 1.5 hp recirculation pump. Also available with 3 hp recirculation pump.

**SEDIMENT STRAINER****A 131356** Y shaped 2" sediment strainer**B 131370** Y shaped 4" sediment strainer

– Entirely made of stainless steel


– 1.5" and 3" adapters available

**C MEMBRANES HYDRANAUTICS, ESPA4-LD****485237** 4" x 40" Membrane**360404** 8" x 40" Membrane

High-speed membranes designed to concentrate high Brix

**HYDRANAUTICS**  
Nitto Group Company
**MEMBRANE WASHING SERVICE AVAILABLE****STORAGE HOUSING FOR MEMBRANES****D 359965** Storage housing for 8" x 40" membrane.....\$299.95**E 360480** Storage housing for 4" x 40" membrane.....\$83.50**F MAPLE SAP FILTER CARTRIDGES**

## SPECIAL PRICE (FULL CASE)

**485077** 2 x 10, Purtrex 5 microns (box of 40) .....\$2.95**485091** 2 x 20, Purtrex 5 microns (box of 20) .....\$5.20**485138** 2 x 20, Purtrex 10 microns (box of 20) .....\$5.20**485121** 2 x 20, Purtrex 75 microns (box of 20) .....\$5.20**367465** Cartridge union 2" for sap.....\$15.00**367311** Gasket for 2 X 20 cartridge case.....\$6.00**G BAGS FOR SAP FILTER - 50 - 100 MICRONS****487651** 8" x 17", 50 microns .....\$8.20**487613** 8" x 30", 50 microns .....\$12.50**487774** With rope 8" x 17", 25 microns .....\$7.70**487798** With rope 8" x 30", 25 microns.....\$13.70**H 487637** Bag holder .....\$45.10


**A**

**B**

**C**

**D**

**E**

**F**

**I**

**J**

**G**

**H**

## MEMBRANE CLEANING PRODUCTS

- A** 477737 ALKALINE powder detergent - Blue label (2 kg) ..... \$42.30  
 477782 ALKALINE powder detergent - Blue label (20 kg) ..... \$208.10
- B** 361449 Bio Perm - Suitable for organic production (4 litres) ..... \$40.20  
**C** 361418 Sanitizing Oxisan - peracetic acid (4 litres) ..... \$70.10  
**D** 478055 Acid cleaner in powder, Acide-osmose (2 kg) ..... \$63.90  
**E** 477812 ALKALINE liquid detergent for membrane hydranautics (4 litres) .... \$55.70  
**F** 472718 Pearl ALKALINE cleaner (2 kg) ..... \$42.30  
 478277 Pearl ALKALINE cleaner (20 kg) ..... \$208.10  
**G** 478222 Ecogel ACS (4 litres) **CLEARANCE** ..... \$30.00  
**H** 477751 Anti-bacteria, for storage, for membrane (1 kg S.M.B.S.) ..... \$22.20  
**I** 359453 Glycol concentrated food antifreeze (4 litres) ..... \$47.40  
 359033 Glycol concentrated food antifreeze (20 litres) ..... \$156.60

## J PH TEST STRIPS


Checking PH of your washing solution.

- 133381 PH test strip (set of 10) ..... \$14.50

## SPECIAL VOLUME DISCOUNT

DOMINION & GRIMM **5/16"** TUBING**These items have 10 years limited warranties.**


- A** 459627 Semi-stiff tubing 55X, RL 500', transparent blue **NEW**  
**B** 456435 Semi-stiff tubing 70X, RL 500', blue  
**C** 459122 Semi-stiff tubing 71X, RL 500' medium blue  
**D** 456480 Semi-stiff tubing 75X, RL 500', transparent blue  
**E** 456442 Semi-stiff tubing 80X, RL 500', blue  
**F** 459146 Semi-stiff tubing 81X, RL 500', medium blue  
**G** 458668 Semi-stiff tubing 85X, RL 500', transparent blue  
**H** 458682 Semi-stiff tubing 73X RL 500', blue Duraflex  
**I** 454790 Semi-stiff tubing 86 UL RL 500', light green  
**J** 459108 Semi-stiff tubing 86X, RL, 500', light green  
**K** 454875 Semi-stiff tubing 81 UL RL 500', medium blue  
**L** 469145 Semi-stiff tubing 88X, RL, 500', grey

**5/16" TUBING****5/16" SEMI-STIFF TUBING (THICK WALL), HW****These item has 15 years limited warranty.**

- M** 466489 Semi-stiff tubing 95X HW, RL 500', transparent blue

**These items have 10 years limited warranties.**

- N** 469176 Semi-stiff tubing 88X HW, RL 500' grey  
**O** 467677 Semi-stiff tubing 86X HW, RL 500', light green  
**P** 454929 Semi-stiff tubing 85X HW, RL 500', transparent blue  
**R** 454912 Semi-stiff tubing 83X HW, RL 500', transparent blue  
**S** 467608 Semi-stiff tubing 80X HW, RL 500', blue  
**T** 466465 Semi-stiff tubing 73X HW, RL 500', blue Duraflex  
**U** 466502 Semi-stiff tubing 70X HW, RL 500', transparent blue


**5/16" HW TUBING**

**3/16" Demonstration**  


**3/16" TUBING****H DOMINION & GRIMM PRE-CUT DROP LINES**


| COLOUR            | 32"                 | 36"    | 40"    | 42"    |
|-------------------|---------------------|--------|--------|--------|
| REGULAR           | <b>5/16" TUBING</b> |        |        |        |
| Duraflex Blue     | 73x                 |        |        | 454660 |
| Transparent blue  | 75x                 |        | 458781 |        |
| Transparent blue  | 85x                 |        | 458774 | 462641 |
| Transparent green | 86x                 |        | 461392 |        |
| HEAVY WALL        | <b>5/16" TUBING</b> |        |        |        |
| Transparent blue  | 75x HW              | 467653 | 466441 | 462603 |
| Transparent blue  | 85x HW              |        | 466526 |        |
| Transparent green | 86x HW              |        | 454646 |        |
| ULTRA LIGHT       | <b>5/16" TUBING</b> |        |        |        |
| Medium blue       | 81UL                |        | 467509 |        |
| REGULAR           | <b>3/16" TUBING</b> |        |        |        |
| Duraflex blue     |                     | 467530 |        |        |
| Duraflex green    |                     | 467547 |        |        |

**DROP LINE  
PRE-ASSEMBLED  
AVAILABLE ON REQUEST**




OTHER DROP LINES CATEGORIES AND LENGTHS AVAILABLE ON REQUEST  
MINIMUM QUANTITY OF 10,000


# TUBING



**SUPERIOR QUALITY**



E



## A BLUE MAINLINE

Food grade approved, transparent blue (\$/foot).

- 458484 100 lb  $\frac{1}{2}$ ", 500'
- 455674 100 lb  $\frac{3}{4}$ ", 500'/2500'
- 455698 **120** lb 1", 500'/1000'/2000'
- 456541 100 lb 1  $\frac{1}{4}$ ", 500'/1000'
- 456947 100 lb 1  $\frac{1}{2}$ ", 250'/900'
- 457005 100 lb 2", 500'

## B BLACK MAINLINE TUBING

Food grade approved (\$/foot)

- 455711 100 lb  $\frac{1}{2}$ ", 400'
- 455759 100 lb  $\frac{3}{4}$ ", 500'/2500'
- 455797 **120** lb 1", 500'/1000'/2000'
- 455834 100 lb 1  $\frac{1}{4}$ ", 300'/1000'
- 455872 100 lb 1  $\frac{1}{2}$ ", 250'/900'
- 455919 100 lb 2", 500'

## C LASHED TUBING

Food grade approved , (\$/foot)

| BLACK                                  | BLUE                                          |
|----------------------------------------|-----------------------------------------------|
| 456121 100 lb $\frac{3}{4}$ ", 2500'   | 454936 100 lb 1", 2000'                       |
| 456145 <b>120</b> lb 1", 2000'         | 454950 <b>120</b> lb 1 $\frac{1}{4}$ ", 1000' |
| 456169 100 lb 1 $\frac{1}{4}$ ", 1000' | 454745 100 lb 1 $\frac{1}{2}$ ", 900'         |
| 468995 100 lb 1 $\frac{1}{2}$ ", 900'  |                                               |

## D TENSION GRIPS FOR MAINLINE

|                                             |         |
|---------------------------------------------|---------|
| 104893 1" tension grip.....                 | \$25.70 |
| 104909 1 $\frac{1}{4}$ " tension grip ..... | \$27.00 |
| 104916 1 $\frac{1}{2}$ " tension grip ..... | \$32.00 |
| 104923 2" tension grip .....                | \$50.50 |

## E CEDAR PICKETS

|                                     |         |
|-------------------------------------|---------|
| 023361 2 x 2, 6' (packs of 9) ..... | \$25.20 |
| 023378 2 x 2, 8' (packs of 9) ..... | \$33.60 |

OTHER LENGTHS AVAILABLE UPON REQUEST

## FEET FOR PICKETS

|                                                              |        |
|--------------------------------------------------------------|--------|
| F 023323 Picket foot (round) 2" x 2" .....                   | \$1.95 |
| G 023316 Picket foot (square) 2" x 3" <b>CLEARANCE</b> ..... | \$0.85 |

## H FOAM FOR MAINLINE

|                                              |         |
|----------------------------------------------|---------|
| 480102 1" foam (24/pack) .....               | \$37.80 |
| 480249 1 $\frac{1}{4}$ " foam (12/pack)..... | \$25.30 |
| 480164 1 $\frac{1}{2}$ " foam (12/pack)..... | \$30.10 |
| 480188 2" foam (10/pack) .....               | \$30.10 |

## TUBES FUSION

- Process to combine tubes and fittings
- Fusion bonding of endings

### Advantages:

- Eliminates leaks
- Protects tubing by creating a shell against the weather
- Increased output and performance
- Saves time and money on labour



### A HIGH DENSITY BLACK POLYETHYLENE MAINLINE TUBING (ELECTROFUSION)

|                                           |                                          |
|-------------------------------------------|------------------------------------------|
| <b>467691</b> 1" black, 500'              | <b>469053</b> 1 1/2" blue , 500'         |
| <b>469008</b> 1 1/4" black, 500'          | <b>469060</b> 1 1/2" blue (spool), 3500' |
| <b>469015</b> 1 1/4" black (spool), 4000' | <b>469077</b> 2" blue, 500'              |
| <b>466403</b> 1 1/2" black, 500'          | <b>469084</b> 2" blue (spool), 2000'     |
| <b>467561</b> 1 1/2" black (spool), 3500' |                                          |
| <b>466410</b> 2", 500'                    |                                          |
| <b>467585</b> 2" black (spool), 2000'     |                                          |
| <b>467592</b> 3" black (spool), 800'      |                                          |

### FITTINGS FOR MAINLINE (ELECTROFUSION)

#### B SADDLES

|                           |
|---------------------------|
| <b>467752</b> 1 1/2" X 1" |
| <b>467769</b> 2" X 1"     |
| <b>468933</b> 3" X 1"     |
| <b>468940</b> 3" X 1 1/4" |

#### C COUPLERS

|                      |
|----------------------|
| <b>467721</b> 1"     |
| <b>467738</b> 1 1/2" |
| <b>467745</b> 2"     |
| <b>468926</b> 3"     |

#### TE FUSION

|                            |
|----------------------------|
| <b>468834</b> 1" TE fusion |
|----------------------------|

OTHER SIZES AND FITTINGS AVAILABLE

## FUSION



### 8 easy electrofusion steps:


- After flattening them, align the ends of the tubes
- Set the welding by adjusting the heat
- Melt the material by joining the ends
- Prepare the tubing surface for better adhesion of the fusion and electrofusion fittings
- Screw the saddle on the tube (B)

- Insert the coupler on the saddle (C)
- Activate fusion using the scanner (D)
- Let the fusion cool down

### Demonstration on:



**ALL YOUR POLYETHYLENE TUBING IS FUSIBLE WITH ALL TYPES OF FITTINGS ON THE MARKET**



### ELECTROFUSION UNIT PURCHASE OR LOCATION



DOMINION  
& GRIMM INC.

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS) NYLON

Compatible with all t-plugs from major manufacturers



**NEW**



**NEW**



**NEW**

511387 5/16" spout, blue .....\$0.26

511356 5/16" spout, black .....\$0.26

511363 5/16" spout, white ..... \$0.26



474255 5/16" spout, blue .....\$0.26

508882 3/16" - 5/16" spout, blue.....\$0.26



474279 5/16" spout, black ..... \$0.26

508899 3/16" - 5/16" spout, black .....\$0.26

474262 7/16" spout, black ..... \$0.37



510397 5/16" spout, white ..... \$0.26



510304 5/16" 110° nylon spout, blue .....\$0.23



476266 5/16" 110° nylon spout, black.....\$0.23



510380 5/16" 110° nylon spout, white ....\$0.23



508806 5/16" - 1/4" spout, blue.....\$0.26

508844 3/16" - 1/4" spout, blue.....\$0.26



508813 5/16" - 1/4" spout, black..... \$0.26

508851 3/16" - 1/4" spout, black.....\$0.26



508837 5/16" - 1/4" spout, white..... \$0.26



474200 7/16" short spout, blue.....\$0.27



474316 7/16" short spout, black.....\$0.27

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS) POLYCARBONATE SPOUTS



**465932**  $\frac{5}{16}$ " disposable spout,  
clear .....\$0.25



**509056**  $\frac{3}{16}$ " disposable spout,  
clear .....\$0.25



**510366**  $\frac{5}{16}$ " 110° disposable thin  
wall spout, translucent blue  
.....\$0.22



**511394**  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, purple  
.....\$0.23



**511417**  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, blue...  
.....\$0.23



**511400**  $\frac{5}{16}$ " 110° disposable  
polycarbonate spout, green  
.....\$0.23



**476181**  $\frac{5}{16}$ " 110° disposable  
polycarbonate . spout, clear  
.....\$0.23

### PINK



**511820**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " spout, pink \$0.26

To the benefit of:



FOR EACH SPOUT SOLD,  
**D&G WILL GIVE BACK \$0.01 TO THE  
QUEBEC BREAST CANCER FOUNDATION**



**511387**  $\frac{5}{16}$ " -  $\frac{1}{4}$ " spout, pink.. \$0.26

### REDUCERS



**465628**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, black ..... \$0.25  
**465703**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, clear ..... \$0.25  
**465697**  $\frac{5}{16}$ " -  $\frac{5}{16}$ " adaptor, blue ..... \$0.25



**474408**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, black ..... \$0.25



**465604**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " disposable polycarbonate  
spout reducer, clear.....\$0.24



**474286**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, blue..... \$0.25



**510403**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " spout reducer, white ..... \$0.25

# TUBING FITTINGS

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

5/16" - 3/16" T-PLUGS



**510649** 5/16" long T-plug,  
black ..... \$0.41



**510670** 5/16" short female  
T-plug, black ..... \$0.30



**511349** 5/16" universal T-plug,  
with  
enlarged gas chamber, black  
..... \$0.42



**510656** 5/16" universal T-plug,  
black ..... \$0.30



**508929** 3/16" universal T-plug,  
black ..... \$0.32

**510809** 3/16" - 3/16" - 5/16"  
T-plug, black D&G .... \$0.32



**511325** 5/16" blocked on left long  
T-plug, green ..... \$0.43

**511332** 5/16" blocked on right long  
T-plug, green ..... \$0.43

**510601** 3/16" - 3/16" blocked long  
T-plug, green ..... \$0.33



**510441** 5/16" - 5/16" - 3/16"  
T-plug cap, black ..... \$0.32



**508905** 3/16" long T-plug,  
black ..... \$0.31

**479205** 3/16" blocked on left long  
T-plug, green ..... \$0.43

**479212** 3/16" blocked on right long  
T-plug, green ..... \$0.43



**476235** 5/16" manifold with fixed  
head, black ..... \$2.39  
- 31/64" drilling



**465758** 3/16" manifold with fixed  
head, black ..... \$2.39  
- 31/64" drilling



**510861** Manifold D&G 5/16" (not  
assembled) ..... \$1.59  
Including:

**389764** Manifold, D&G 5/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw.  
- 31/64" drilling



**510854** Manifold D&G 3/16" (not  
assembled) ..... \$1.59  
Including:

**389795** Manifold, D&G 3/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw.  
- 31/64" drilling

### EXCEPTIONAL SEAL

**510861** Manifold D&G 5/16" (not  
assembled) ..... \$1.59

Including:

**389764** Manifold, D&G 5/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw.  
- 31/64" drilling

### EXCEPTIONAL SEAL

**510854** Manifold D&G 3/16" (not  
assembled) ..... \$1.59

Including:

**389795** Manifold, D&G 3/16 fixed head

**510847** Manifold joint 3/16 or 5/16  
WML

**510960** Hose clamp 1" and screw.  
- 31/64" drilling

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### END OF LINE ELBOW HOOKS



**510977**  $\frac{5}{16}$ " end of line elbow hook, black .....\$0.53



**510663**  $\frac{5}{16}$ " long elbow hook, black .....\$0.53



**479120**  $\frac{3}{16}$ " long elbow hook, black .....\$0.51



**479113**  $\frac{3}{16}$ " long end of line elbow hook, black .....\$0.52

## D&G WML FITTINGS - (WITHOUT MICRO LEAKS)

### UNIONS



**510786**  $\frac{5}{16}$ " union with eyelet, black ..... \$0.24



**510779**  $\frac{5}{16}$ " union with hook, black..... \$0.25



**510793**  $\frac{5}{16}$ " union, black..... \$0.24



**465321**  $\frac{3}{16}$ " union with hook, black D&G.....\$0.25



**510908**  $\frac{5}{16}$ " -  $\frac{3}{16}$ " union reducer with hook, black .....\$0.24

## VARIOUS



**510328**  $\frac{5}{16}$ " antibacterial reservoir for alcohol sterilization.....\$0.30



**509032**  $\frac{5}{16}$ " 2SP end of line elbow hook, black .....\$0.30



**463617**  $\frac{5}{16}$ " 6-way star fitting, black..... \$2.60



**509049**  $\frac{3}{16}$ " 2SP end of line elbow hook, black .....\$0.30



**463495**  $\frac{5}{16}$ " "Y", black ..... \$0.37



**465987**  $\frac{5}{16}$ " loop with pin, black ..... \$0.26

# TUBING FITTINGS



**474170** 5/16" spout, black..... \$0.36



**500831** 5/16" T-plug cap, black ..... \$0.43



**501562** 5/16" universal T-plug, (2 stages), black..... \$0.33



**500763** 5/16" cap..... \$0.29

## MANIFOLDS



**465635** 31/64" single manifold without loop..... \$2.39



**465284** 5/16" WML union with hook ..... \$0.27



**511011** Sealer cap for mainline (2pieces) ..... \$1.04



**463600** 31/64" WML fixed head manifold kit..... \$2.59

**465970** Fastener for universal manifold .. \$0.25

## ADAPTORS



**476136** 5/16" straight disposable spout, clear..... \$0.17



**476198** 5/16" - 1/4" disposable polycarbonate adaptor, clear ..... \$0.22



**510717** 5/16" - 5/16" thin-walled polycarbonate adaptor, clear ..... \$0.26



**510700** 5/16" - 5/16" thin-walled polycarbonate adaptor, transparent blue ..... \$0.26

## SLIDING FITTINGS



**006579** Sliding hook fitting..... \$0.32



**006609** 5/16" sliding coupler..... \$0.58



**006623** 3/16" WML sliding fitting ..... \$0.48



**510359**  $\frac{19}{64}$ " Du-Eau spout, blue ..... \$0.28

**474156**  $\frac{19}{64}$ " Du-Eau spout, black ..... \$0.28

**510694**  $\frac{1}{4}$ " Du-Eau spout, black ..... \$0.28

**510885**  $\frac{1}{4}$ " Du-Eau spout, blue ..... \$0.28

## SPOUT REDUCERS



**510045**  $\frac{7}{16}$ " -  $\frac{5}{16}$ " disposable spout reducer, clear ..... \$0.22



**510434**  $\frac{1}{4}$ " spout reducer, clear ..... \$0.24



**510427**  $\frac{1}{4}$ " spout reducer, transparent blue .. \$0.24

## CLEARANCE

## MANIFOLD KIT



**463693**  $\frac{3}{4}$ " single manifold kit..... \$2.18

**463716** 1" single manifold kit..... \$2.18


**510199**  $\frac{5}{16}$ " saddle, black ..... \$0.85

**510168**  $\frac{3}{4}$ " saddle, black.....\$0.89

**463730**  $1\frac{1}{4}$ " single manifold kit..... \$2.07



# WIRES | VALVES



## A GALVANIZED WIRE, QUALITY N° 1

|        |                                          |          |
|--------|------------------------------------------|----------|
| 480010 | Nº 6, 150 lb, 500' (on request)          | \$66.00  |
| 480379 | Nº 9, 50 lb, 900'                        | \$79.25  |
| 480355 | Nº 12, 50 lb, 1735'                      | \$74.75  |
| 480256 | Nº 14, 50 lb, 2900'                      | \$77.85  |
| 480324 | Nº 10, 50 lb, 1100' approx. high density | \$78.25  |
| 480003 | Nº 8, 65 lb, 1000' high density          | \$104.25 |

## B SPLICES

|        |                       |        |
|--------|-----------------------|--------|
| 466151 | Set of 2              | \$3.60 |
| 466205 | Set of 2 for #8 wire  | \$3.60 |
| 466168 | Set of 2 for #10 wire | \$3.70 |

## C BALL VALVES

|        |        |         |
|--------|--------|---------|
| 044663 | 1/2"   | \$14.30 |
| 044694 | 3/4"   | \$18.70 |
| 044724 | 1"     | \$29.95 |
| 044755 | 1 1/4" | \$38.50 |
| 044786 | 1 1/2" | \$55.10 |
| 044816 | 2"     | \$79.00 |

## D GALVANIZED 16GA TWISTING CLIPS, ROLL OF 2500

|        |                  |          |
|--------|------------------|----------|
| 479977 | 10", 2" mainline | \$102.40 |
| 479960 | 14", 3" mainline | \$134.15 |

## GALVANIZED 18GA TWISTING CLIPS, ROLL OF 2500

|        |                     |         |
|--------|---------------------|---------|
| 480348 | 4", 1/2" mainline   | \$33.30 |
| 480133 | 5", 3/4" mainline   | \$37.95 |
| 480157 | 6", 1" mainline     | \$40.60 |
| 480171 | 7", 1 1/4" mainline | \$48.10 |
| 480195 | 8", 1 1/2" mainline | \$52.70 |
| 480218 | 10", 2" mainline    | \$61.90 |
| 480225 | 12", 3" mainline    | \$72.10 |
| 480232 | 14", 3" mainline    | \$81.25 |

## TWISTERS

|   |        |                       |         |
|---|--------|-----------------------|---------|
| E | 475078 | Hand twister          | \$7.30  |
| F | 475115 | Red automatic twister | \$31.20 |

## LARGE GRIPPLE-JOINER - NO° 6, 9, 12 AND 14 GAUGE

**GRI PPLE**

Maximum sustained load: 1200 lb

|   |        |                                      |          |
|---|--------|--------------------------------------|----------|
| G | 480430 | Tensioning tool for gripples         | \$128.00 |
| H | 466267 | More large gripple (10 - 7.5 gauges) | \$4.05   |



**STAINLESS STEEL LONG NIPPLES**

|               |                             |         |
|---------------|-----------------------------|---------|
| <b>465055</b> | $\frac{3}{4}'' \times 4''$  | \$6.30  |
| <b>465086</b> | $\frac{3}{4}'' \times 5''$  | \$7.40  |
| <b>464959</b> | $1'' \times 4''$            | \$7.25  |
| <b>466540</b> | $1'' \times 5''$            | \$8.65  |
| <b>464935</b> | $1\frac{1}{4}'' \times 4''$ | \$7.40  |
| <b>464942</b> | $1\frac{1}{4}'' \times 6''$ | \$10.20 |
| <b>464898</b> | $1\frac{1}{2}'' \times 4''$ | \$7.65  |
| <b>465017</b> | $2'' \times 4''$            | \$15.30 |
| <b>464980</b> | $2'' \times 6''$            | \$19.15 |

**STAINLESS STEEL SHORT NIPPLES**

|               |                                        |         |
|---------------|----------------------------------------|---------|
| <b>466533</b> | $\frac{1}{2}'' \times 2\frac{3}{4}''$  | \$6.30  |
| <b>465031</b> | $\frac{3}{4}'' \times 2\frac{3}{4}''$  | \$6.05  |
| <b>464850</b> | $1'' \times 2\frac{3}{4}''$            | \$7.40  |
| <b>464911</b> | $1\frac{1}{4}'' \times 2\frac{3}{4}''$ | \$8.30  |
| <b>464874</b> | $1\frac{1}{2}'' \times 2\frac{3}{4}''$ | \$8.90  |
| <b>464973</b> | $2'' \times 2\frac{3}{4}''$            | \$14.00 |

**STAINLESS STEEL MAPLE SCREW ADAPTORS**

|               |                                                                 |         |
|---------------|-----------------------------------------------------------------|---------|
| <b>466892</b> | $\frac{1}{2}'' \times 1\frac{1}{2}''$                           | \$17.60 |
| <b>466915</b> | $\frac{1}{2}'' \times 3\frac{1}{4}''$                           | \$19.95 |
| <b>466939</b> | $\frac{3}{4}'' \times 1\frac{1}{2}''$                           | \$22.10 |
| <b>466953</b> | $\frac{3}{4}'' \text{ m} \times \frac{3}{4}'' \text{ insert}$   | \$18.00 |
| <b>467011</b> | $1'' \text{ m} \times 1'' \text{ insert}$                       | \$19.95 |
| <b>467073</b> | $1\frac{1}{4}'' \text{ m} \times 1\frac{1}{4}'' \text{ insert}$ | \$20.65 |
| <b>467158</b> | $1\frac{1}{2}'' \text{ m} \times 1\frac{1}{2}'' \text{ insert}$ | \$23.50 |
| <b>466991</b> | $1'' \text{ m} \times \frac{3}{4}'' \text{ insert}$             | \$23.85 |



**STAINLESS STEEL REDUCERS**

|               |                                        |         |
|---------------|----------------------------------------|---------|
| <b>464799</b> | $1'' \times \frac{3}{4}''$             | \$15.25 |
| <b>464775</b> | $1\frac{1}{4}'' \times \frac{3}{4}''$  | \$16.45 |
| <b>464751</b> | $1\frac{1}{4}'' \times 1''$            | \$17.60 |
| <b>464737</b> | $1\frac{1}{2}'' \times \frac{3}{4}''$  | \$19.15 |
| <b>464829</b> | $1\frac{1}{2}'' \times 1''$            | \$20.35 |
| <b>464713</b> | $1\frac{1}{2}'' \times 1\frac{1}{4}''$ | \$18.25 |
| <b>466878</b> | $2'' \times 1''$                       | \$29.80 |
| <b>464836</b> | $2'' \times 1\frac{1}{4}''$            | \$29.40 |
| <b>464812</b> | $2'' \times 1\frac{1}{2}''$            | \$27.70 |
| <b>481390</b> | $3'' \times 2''$                       | \$59.80 |

**STAINLESS STEEL "T"**

|               |                                                              |         |
|---------------|--------------------------------------------------------------|---------|
| <b>050039</b> | $\frac{3}{4}'' \times \frac{3}{4}'' \times \frac{3}{4}''$    | \$27.00 |
| <b>466809</b> | $1'' \times 1'' \times \frac{3}{4}''$                        | \$27.00 |
| <b>050022</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1\frac{1}{4}''$ | \$27.00 |
| <b>050046</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1\frac{1}{2}''$ | \$29.40 |
| <b>466687</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1''$            | \$29.40 |
| <b>050060</b> | $2'' \times 2'' \times 2''$                                  | \$36.45 |

**STAINLESS STEEL "Y"**

|               |                                                              |         |
|---------------|--------------------------------------------------------------|---------|
| <b>466595</b> | $\frac{3}{4}'' \times \frac{3}{4}'' \times \frac{3}{4}''$    | \$26.50 |
| <b>466632</b> | $1'' \times 1'' \times 1''$                                  | \$31.20 |
| <b>466694</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1\frac{1}{4}''$ | \$31.75 |
| <b>466779</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1\frac{1}{2}''$ | \$35.95 |
| <b>466854</b> | $2'' \times 2'' \times 2''$                                  | \$47.10 |

**STAINLESS STEEL "Y" REDUCER**

|               |                                                              |         |
|---------------|--------------------------------------------------------------|---------|
| <b>466601</b> | $1'' \times \frac{3}{4}'' \times \frac{3}{4}''$              | \$41.15 |
| <b>466618</b> | $1'' \times 1'' \times \frac{3}{4}''$                        | \$30.60 |
| <b>466656</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times \frac{3}{4}''$  | \$32.95 |
| <b>466625</b> | $1\frac{1}{4}'' \times 1'' \times 1''$                       | \$44.75 |
| <b>466670</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1''$            | \$33.30 |
| <b>466731</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1''$            | \$35.30 |
| <b>466755</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1\frac{1}{4}''$ | \$36.45 |
| <b>466793</b> | $2'' \times 2'' \times 1''$                                  | \$37.65 |



**ROBUST HOSE CLAMPS**

|               |                  |        |
|---------------|------------------|--------|
| <b>104855</b> | $1''$            | \$2.04 |
| <b>104862</b> | $1\frac{1}{4}''$ | \$2.14 |
| <b>104879</b> | $1\frac{1}{2}''$ | \$3.06 |
| <b>104886</b> | $2''$            | \$3.26 |

**REGULAR HOSE CLAMPS**

|               |                       |        |
|---------------|-----------------------|--------|
| <b>104343</b> | $H-12 \frac{3}{4}''$  | \$0.49 |
| <b>104374</b> | $H-16 1''$            | \$0.49 |
| <b>104404</b> | $H-20 1\frac{1}{4}''$ | \$0.56 |
| <b>104435</b> | $H-24 1\frac{1}{2}''$ | \$0.56 |
| <b>104466</b> | $H-32 2''$            | \$0.56 |

**STAINLESS STEEL HOSE CLAMPS**

|               |                       |        |
|---------------|-----------------------|--------|
| <b>104527</b> | $H-12 \frac{3}{4}''$  | \$0.64 |
| <b>104589</b> | $H-16 1''$            | \$0.67 |
| <b>104640</b> | $H-20 1\frac{1}{4}''$ | \$0.71 |
| <b>104701</b> | $H-24 1\frac{1}{2}''$ | \$0.87 |
| <b>104763</b> | $H-32 2''$            | \$1.02 |

**QUICK COUPLING INSERTION WITH HOSE AND MILK CLAMPS (HD)**

|               |                  |         |
|---------------|------------------|---------|
| <b>480881</b> | $\frac{3}{4}''$  | \$54.15 |
| <b>480805</b> | $1''$            | \$55.30 |
| <b>480898</b> | $1\frac{1}{4}''$ | \$57.65 |
| <b>476846</b> | $1\frac{1}{2}''$ | \$70.65 |
| <b>476877</b> | $2''$            | \$82.45 |

OTHER COMBINATIONS OF FITTINGS  
WITH MILK AND HOSE CLAMPS AVAILABLE



# STAINLESS STEEL FITTINGS & PLUMBING



## COUPLINGS NPT

|        |                  |         |
|--------|------------------|---------|
| 048869 | $\frac{1}{2}$ "  | \$5.66  |
| 048876 | $\frac{3}{4}$ "  | \$6.02  |
| 048883 | 1"               | \$7.85  |
| 048890 | $1\frac{1}{4}$ " | \$14.23 |
| 048920 | $1\frac{1}{2}$ " | \$17.29 |
| 048951 | 2"               | \$17.75 |

## "T" FIPT

|        |                  |         |
|--------|------------------|---------|
| 049798 | $\frac{1}{2}$ "  | \$6.12  |
| 049828 | $\frac{3}{4}$ "  | \$9.03  |
| 049859 | 1"               | \$21.06 |
| 049880 | $1\frac{1}{4}$ " | \$20.71 |
| 049910 | $1\frac{1}{2}$ " | \$39.37 |

## CAPS MIPT

|        |                  |         |
|--------|------------------|---------|
| 050787 | $\frac{1}{2}$ "  | \$3.47  |
| 050817 | $\frac{3}{4}$ "  | \$5.36  |
| 050848 | 1"               | \$5.05  |
| 050879 | $1\frac{1}{4}$ " | \$9.69  |
| 050909 | $1\frac{1}{2}$ " | \$14.13 |
| 050930 | 2"               | \$17.09 |

## ELBOWS FIPT X FIPT

|        |                  |         |
|--------|------------------|---------|
| 045806 | $\frac{1}{2}$ "  | \$5.36  |
| 045837 | $\frac{3}{4}$ "  | \$6.00  |
| 045868 | 1"               | \$11.93 |
| 045899 | $1\frac{1}{4}$ " | \$12.70 |
| 045929 | $1\frac{1}{2}$ " | \$19.79 |
| 045950 | 2"               | \$32.64 |



## NIPPLES NPT

|        |                                      |         |
|--------|--------------------------------------|---------|
| 047138 | $\frac{1}{4}$ " close                | \$5.61  |
| 047145 | $\frac{3}{8}$ " x close              | \$5.61  |
| 047152 | $\frac{1}{2}$ " close                | \$3.67  |
| 047183 | $\frac{1}{2}$ " x 2"                 | \$4.39  |
| 047213 | $\frac{1}{2}$ " x 2 $\frac{1}{2}$ "  | \$3.83  |
| 047244 | $\frac{3}{4}$ " close                | \$5.05  |
| 047275 | $\frac{3}{4}$ " x 2"                 | \$5.41  |
| 047299 | $\frac{3}{4}$ " x 3"                 | \$5.66  |
| 047305 | $\frac{3}{4}$ " x 5"                 | \$10.05 |
| 047312 | $\frac{3}{4}$ " x 6"                 | \$12.55 |
| 047336 | 1" close                             | \$6.27  |
| 047367 | 1" x 2"                              | \$6.78  |
| 047428 | 1" x 3"                              | \$10.97 |
| 047480 | 1" x 5"                              | \$13.11 |
| 047435 | 1" x 6"                              | \$18.26 |
| 047541 | $1\frac{1}{4}$ " x close             | \$7.96  |
| 047572 | $1\frac{1}{4}$ " x 2"                | \$10.86 |
| 047633 | $1\frac{1}{4}$ " x 4"                | \$16.98 |
| 047664 | $1\frac{1}{4}$ " x 5"                | \$14.84 |
| 047695 | $1\frac{1}{4}$ " x 6"                | \$22.54 |
| 047602 | $1\frac{1}{4}$ " x 2 $\frac{1}{2}$ " | \$10.46 |
| 047794 | $1\frac{1}{2}$ " x close             | \$9.03  |
| 047817 | $1\frac{1}{2}$ " x 2"                | \$10.05 |
| 047848 | $1\frac{1}{2}$ " x 2 $\frac{1}{2}$ " | \$12.95 |
| 047909 | $1\frac{1}{2}$ " x 3"                | \$12.65 |
| 047930 | 2" x close                           | \$11.68 |
| 047961 | 2" x 3"                              | \$13.26 |

## UNIONS FNTP

|        |                  |         |
|--------|------------------|---------|
| 050305 | $\frac{1}{2}$ "  | \$13.11 |
| 050336 | $\frac{3}{4}$ "  | \$12.50 |
| 050367 | 1"               | \$33.00 |
| 050398 | $1\frac{1}{2}$ " | \$34.58 |
| 050381 | $1\frac{1}{4}$ " | \$30.40 |
| 050428 | 2"               | \$61.56 |

## ELBOWS 90° MIPT X FIPT

|        |                  |         |
|--------|------------------|---------|
| 046254 | $\frac{1}{2}$ "  | \$8.26  |
| 046285 | $\frac{3}{4}$ "  | \$17.60 |
| 046315 | 1"               | \$17.29 |
| 046346 | $1\frac{1}{4}$ " | \$24.74 |
| 046377 | $1\frac{1}{2}$ " | \$25.81 |
| 046407 | 2"               | \$44.68 |

## REDUCERS FIPT X FIPT

|        |                                     |         |
|--------|-------------------------------------|---------|
| 051210 | $\frac{3}{4}$ " x $\frac{1}{2}$ "   | \$5.61  |
| 051227 | $1\frac{1}{2}$ " x $1\frac{1}{4}$ " | \$14.18 |



## REDUCERS MIPT X FIPT

|        |                                     |         |
|--------|-------------------------------------|---------|
| 051371 | $\frac{3}{4}$ " x $\frac{3}{8}$ "   | \$3.11  |
| 051296 | $\frac{3}{4}$ " x $\frac{1}{2}$ "   | \$3.83  |
| 051333 | 1" x $\frac{1}{2}$ "                | \$5.81  |
| 051326 | 1" x $\frac{3}{4}$ "                | \$6.78  |
| 051388 | $1\frac{1}{4}$ " x 1"               | \$12.75 |
| 047770 | $1\frac{1}{2}$ " x $1\frac{1}{4}$ " | \$15.30 |

## ADAPTORS INS X MIPT

|        |                 |         |
|--------|-----------------|---------|
| 064159 | $\frac{1}{4}$ " | \$8.11  |
| 064142 | $\frac{3}{8}$ " | \$8.47  |
| 051685 | $\frac{1}{2}$ " | \$13.97 |
| 051715 | $\frac{3}{4}$ " | \$12.04 |
| 064135 | 1"              | \$16.98 |

## TEFLON TAPE FOR STAINLESS STEEL FITTINGS

|        |                       |             |
|--------|-----------------------|-------------|
| 157622 | $\frac{3}{4}$ " gray  | \$5.61/roll |
| 157615 | $\frac{1}{2}$ " white | \$0.82/roll |

# «QUICKCONNECT» FITTINGS & PLUMBING



## DUST CLAMPS ONLY DC, MALE ADAPTORS

|                                                |         |
|------------------------------------------------|---------|
| 461491 $\frac{3}{4}$ " + $\frac{1}{2}$ " ..... | \$12.06 |
| 461514 1" + $1\frac{1}{4}$ " .....             | \$17.29 |
| 461552 $1\frac{1}{2}$ " .....                  | \$21.90 |
| 461576 2" .....                                | \$23.66 |



## MALE COUPLER HOSE SHANKS FOR POLYETHYLENE "E"

|                                    |        |
|------------------------------------|--------|
| 462436 $\frac{1}{2}$ " .....       | \$7.35 |
| 462450 $\frac{3}{4}$ " .....       | \$8.18 |
| 462474 1" .....                    | \$9.01 |
| 462498 $1\frac{1}{4}$ " .....      | \$9.11 |
| 464720 $1\frac{1}{4}$ " male ..... | \$8.96 |
| 462511 $1\frac{1}{2}$ " .....      | \$9.01 |
| 462535 2" .....                    | \$9.94 |

## MALE COUPLERS FEMALE THREAD INT. "A"

|                                                 |        |
|-------------------------------------------------|--------|
| 461873 $\frac{1}{2}$ " .....                    | \$7.71 |
| 461897 $\frac{3}{4}$ " .....                    | \$6.32 |
| 461910 1" .....                                 | \$8.44 |
| 461934 $1\frac{1}{2}$ " x $\frac{1}{4}$ " ..... | \$9.01 |
| 461958 $1\frac{1}{2}$ " .....                   | \$4.66 |
| 461972 2" .....                                 | \$8.49 |

## DUST PLUGS FOR FEMALE COUPLER "DP"

|                                                |        |
|------------------------------------------------|--------|
| 501029 $\frac{1}{2}$ " + $\frac{3}{4}$ " ..... | \$787  |
| 501067 1" + $1\frac{1}{4}$ " .....             | \$6.41 |
| 501104 $1\frac{1}{2}$ " .....                  | \$7.35 |
| 501128 2" .....                                | \$9.84 |

## MALE COUPLERS MALE THREAD EXT. "F"

|                               |        |
|-------------------------------|--------|
| 462597 $\frac{3}{4}$ " .....  | \$8.18 |
| 462610 1" .....               | \$8.18 |
| 462634 $1\frac{1}{4}$ " ..... | \$9.94 |
| 462658 $1\frac{1}{2}$ " ..... | \$9.01 |
| 462672 2" .....               | \$9.94 |

## "O-RING" FOR ADAPTOR (NOT SHOWN)

|                               |        |
|-------------------------------|--------|
| 465192 $\frac{3}{4}$ " .....  | \$1.14 |
| 465215 1" .....               | \$1.14 |
| 465253 $1\frac{1}{2}$ " ..... | \$1.19 |
| 465277 2" .....               | \$1.24 |



## TYPE "A" STAINLESS STEEL QUICK COUPLERS

|                              |         |
|------------------------------|---------|
| 462948 $\frac{1}{2}$ " ..... | \$16.07 |
| 462962 $\frac{3}{4}$ " ..... | \$16.07 |
| 462986 1" .....              | \$19.43 |

## TYPE "D" STAINLESS STEEL QUICK COUPLERS

|                              |         |
|------------------------------|---------|
| 463327 $\frac{1}{2}$ " ..... | \$30.75 |
| 463587 $\frac{3}{4}$ " ..... | \$24.79 |
| 463648 1" .....              | \$35.34 |

## TYPE "CS" STAINLESS STEEL QUICK COUPLERS

|                              |         |
|------------------------------|---------|
| 463655 $\frac{1}{2}$ " ..... | \$28.05 |
| 463662 $\frac{3}{4}$ " ..... | \$28.05 |
| 463686 1" .....              | \$33.97 |

## TYPE "E" STAINLESS STEEL QUICK COUPLERS

|                              |         |
|------------------------------|---------|
| 463709 $\frac{1}{2}$ " ..... | \$12.24 |
| 463723 $\frac{3}{4}$ " ..... | \$15.30 |
| 463754 1" .....              | \$20.83 |

# PVC FITTINGS & PLUMBING



## "T" (SLIP X SLIP)

|               |                                                              |             |
|---------------|--------------------------------------------------------------|-------------|
| <b>458378</b> | $\frac{3}{4}'' \times \frac{3}{4}'' \times \frac{3}{4}''$    | .....\$0.69 |
| <b>461231</b> | $\frac{3}{4}'' \times \frac{3}{4}'' \times 1''$              | .....\$2.17 |
| <b>463174</b> | $1'' \times 1'' \times 1''$                                  | .....\$1.20 |
| <b>463198</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1\frac{1}{4}''$ | ..\$1.88    |
| <b>463228</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1\frac{1}{2}''$ | \$2.28      |
| <b>460586</b> | $2'' \times 2'' \times 1''$                                  | .....\$3.61 |

## REDUCING ADAPTORS (SLIP X SLIP)

|               |                                                   |        |
|---------------|---------------------------------------------------|--------|
| <b>456886</b> | $1\frac{1}{4}'' \times 1''$ (SP x S).....         | \$1.19 |
| <b>456848</b> | $1\frac{1}{2}'' \times 1''$ (SP x S)....          | \$1.27 |
| <b>458491</b> | $1\frac{1}{2}'' \times 1\frac{1}{4}''$ (SP x S)\$ | \$1.27 |
| <b>461828</b> | $2'' \times 1\frac{1}{4}''$ (SP x S)....          | \$2.07 |

## 90° ELBOWS (SLIP X SLIP)

|               |                                              |        |
|---------------|----------------------------------------------|--------|
| <b>458262</b> | $\frac{3}{4}'' \times \frac{3}{4}''$ .....   | \$0.53 |
| <b>460975</b> | $1'' \times 1''$ .....                       | \$0.95 |
| <b>460999</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}''$ ..... | \$1.64 |
| <b>460982</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}''$ ..... | \$1.72 |
| <b>461019</b> | $2'' \times 2''$ .....                       | \$2.69 |

## QUICK COUPLINGS (SLIP X SLIP)

|               |                        |         |
|---------------|------------------------|---------|
| <b>462801</b> | $\frac{3}{4}''$ .....  | \$4.77  |
| <b>455148</b> | $1''$ .....            | \$6.15  |
| <b>461255</b> | $1\frac{1}{4}''$ ..... | \$16.71 |
| <b>461309</b> | $1\frac{1}{2}''$ ..... | \$17.37 |
| <b>461323</b> | $2''$ .....            | \$27.84 |

## COUPLINGS (SLIP X SLIP)

|               |                        |        |
|---------------|------------------------|--------|
| <b>457685</b> | $\frac{3}{4}''$ .....  | \$0.42 |
| <b>461811</b> | $1''$ .....            | \$0.74 |
| <b>461835</b> | $1\frac{1}{4}''$ ..... | \$0.99 |
| <b>461842</b> | $1\frac{1}{2}''$ ..... | \$1.06 |
| <b>461859</b> | $2''$ .....            | \$1.61 |
| <b>457661</b> | $3''$ .....            | \$5.68 |

## "T" (FIPT X FIPT)

|               |                                                                    |         |
|---------------|--------------------------------------------------------------------|---------|
| <b>458408</b> | $\frac{1}{2}'' \times \frac{1}{2}'' \times \frac{1}{2}''$ .....    | \$2.12  |
| <b>458385</b> | $\frac{3}{4}'' \times \frac{3}{4}'' \times \frac{3}{4}''$ .....    | \$3.29  |
| <b>458361</b> | $1'' \times 1'' \times 1''$ .....                                  | \$4.56  |
| <b>458347</b> | $1\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1\frac{1}{4}''$ ..... | \$6.31  |
| <b>458323</b> | $1\frac{1}{2}'' \times 1\frac{1}{2}'' \times 1\frac{1}{2}''$ ..... | \$6.50  |
| <b>458309</b> | $2'' \times 2'' \times 2''$ .....                                  | \$10.21 |

## 90° "STREET" ELBOWS (MIPT X SLIP)

|               |                                   |        |
|---------------|-----------------------------------|--------|
| <b>458064</b> | $1'' M \times S$ .....            | \$1.96 |
| <b>458040</b> | $1\frac{1}{2}'' M \times S$ ..... | \$2.86 |

## FEMALE COUPLINGS (SLIP X FIPT)

|               |                                                  |        |
|---------------|--------------------------------------------------|--------|
| <b>461590</b> | $1'' S \times 1'' F$ .....                       | \$0.74 |
| <b>461613</b> | $1\frac{1}{4}'' S \times 1\frac{1}{4}'' F$ ..... | \$1.17 |
| <b>461187</b> | $1\frac{1}{2}'' S \times 1\frac{1}{2}'' F$ ..... | \$1.38 |
| <b>461637</b> | $2'' S \times 2'' F$ .....                       | \$1.80 |
| <b>457425</b> | $3'' S \times 3'' F$ .....                       | \$7.05 |



## QUICK COUPLINGS (FIPT X FIPT)

|               |                        |         |
|---------------|------------------------|---------|
| <b>461583</b> | $\frac{3}{4}''$ .....  | \$9.83  |
| <b>461385</b> | $1''$ .....            | \$11.51 |
| <b>461408</b> | $1\frac{1}{4}''$ ..... | \$19.76 |
| <b>461422</b> | $1\frac{1}{2}''$ ..... | \$20.16 |
| <b>461446</b> | $2''$ .....            | \$24.83 |

## 90° "STREET" ELBOWS (MIPT X FIPT)

|               |                                   |        |
|---------------|-----------------------------------|--------|
| <b>458002</b> | $\frac{1}{2}'' M \times F$ .....  | \$1.33 |
| <b>457982</b> | $\frac{3}{4}'' M \times F$ .....  | \$1.64 |
| <b>459207</b> | $1'' M \times F$ .....            | \$2.76 |
| <b>457944</b> | $1\frac{1}{4}'' M \times F$ ..... | \$3.50 |
| <b>457920</b> | $1\frac{1}{2}'' M \times F$ ..... | \$3.82 |



## PLUGS (MIPT)

|               |                        |        |
|---------------|------------------------|--------|
| <b>467394</b> | $\frac{1}{2}''$ .....  | \$1.27 |
| <b>437373</b> | $\frac{3}{4}''$ .....  | \$1.33 |
| <b>467356</b> | $1''$ .....            | \$2.17 |
| <b>467318</b> | $1\frac{1}{2}''$ ..... | \$2.46 |
| <b>467295</b> | $2''$ .....            | \$3.18 |

# PVC FITTINGS & PLUMBING



## PVC VALVES

|                                |         |
|--------------------------------|---------|
| THREAD x THREAD                |         |
| 463679 $\frac{1}{2}$ " .....   | \$4.31  |
| 463976 $\frac{3}{4}$ " .....   | \$6.20  |
| 464010 1" .....                | \$7.52  |
| 464058 1 $\frac{1}{4}$ " ..... | \$11.08 |
| 464072 1 $\frac{1}{2}$ " ..... | \$15.58 |
| 464119 2" .....                | \$20.49 |



## SINGLE COUPLING PVC VALVES

|                                           |         |
|-------------------------------------------|---------|
| 462023 $\frac{3}{4}$ " SLIP x SLIP .....  | \$17.18 |
| 462122 1" SLIP x SLIP .....               | \$24.27 |
| 462184 1 $\frac{1}{2}$ " SLIP x SLIP .... | \$24.56 |
| 462207 2" SLIP x SLIP.....                | \$38.33 |
| 462245 $\frac{3}{4}$ " screw.....         | \$17.18 |
| 462269 1" screw .....                     | \$25.55 |
| 462283 1 $\frac{1}{4}$ " screw.....       | \$28.94 |
| 462344 2" screw.....                      | \$55.97 |




## GUILLOTINE VALVES

|                                |         |
|--------------------------------|---------|
| 464683 1" .....                | \$21.33 |
| 464126 1 $\frac{1}{2}$ " ..... | \$23.06 |
| 464133 2' .....                | \$37.51 |
| 464690 3" .....                | \$55.79 |



## SLIP X SLIP VALVES

|                                |         |
|--------------------------------|---------|
| 464065 $\frac{3}{4}$ " .....   | \$6.04  |
| 463990 1" .....                | \$7.52  |
| 464034 1 $\frac{1}{4}$ " ..... | \$10.84 |
| 464027 1 $\frac{1}{2}$ " ..... | \$15.71 |
| 464096 2" .....                | \$20.49 |



## PVC STRAPS

|                                |         |
|--------------------------------|---------|
| 470929 $\frac{3}{4}$ " .....   | \$1.05  |
| 470899 1" .....                | \$1.37  |
| 470912 1 $\frac{1}{4}$ " ..... | \$1.37  |
| 470905 1 $\frac{1}{2}$ " ..... | \$1.47  |
| 470936 2" .....                | \$2.66  |
| 471018 3" .....                | \$10.15 |

## RIGID PVC TUBING, CLEAR 10' (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 455087 1" .....                | \$5.36 |
| 455681 1 $\frac{1}{2}$ " ..... | \$6.47 |
| 455667 2" .....                | \$7.98 |

## RIGID PVC TUBING, WHITE 10' (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 456275 $\frac{3}{4}$ " .....   | \$1.00 |
| 456459 1" .....                | \$1.58 |
| 456473 1 $\frac{1}{4}$ " ..... | \$2.05 |
| 456466 1 $\frac{1}{2}$ " ..... | \$1.92 |
| 456497 2" .....                | \$2.52 |
| 456565 2 $\frac{1}{2}$ " ..... | \$4.10 |

## FLEXIBLE PVC TUBING, CLEAR (\$/FOOT)

|                                |         |
|--------------------------------|---------|
| 455094 $\frac{1}{2}$ " .....   | \$3.52  |
| 455131 $\frac{3}{4}$ " .....   | \$3.05  |
| 455179 1" .....                | \$5.52  |
| 455216 1 $\frac{1}{4}$ " ..... | \$10.19 |
| 455254 1 $\frac{1}{2}$ " ..... | \$14.49 |
| 455339 2" .....                | \$15.13 |

## FLEXIBLE PVC TUBING, REINFORCED, CLEAR (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 455117 $\frac{1}{2}$ " .....   | \$1.16 |
| 455155 $\frac{3}{4}$ " .....   | \$1.84 |
| 455193 1" .....                | \$2.71 |
| 455230 1 $\frac{1}{4}$ " ..... | \$4.78 |
| 455278 1 $\frac{1}{2}$ " ..... | \$5.47 |
| 455315 2" .....                | \$8.26 |



## FLEXIBLE "SPA" TUBING (\$/FOOT)

|                                |        |
|--------------------------------|--------|
| 467363 1 $\frac{1}{2}$ " ..... | \$3.07 |
| 467370 2" .....                | \$4.77 |

## PVC SUCTION TUBING (\$/FOOT)

|                                |         |
|--------------------------------|---------|
| 368240 $\frac{3}{4}$ " .....   | \$5.62  |
| 368271 1" .....                | \$6.20  |
| 366772 1 $\frac{1}{4}$ " ..... | \$5.27  |
| 368332 1 $\frac{1}{2}$ " ..... | \$8.93  |
| 368363 2" .....                | \$12.01 |

## PVC GLUE

|                                 |        |
|---------------------------------|--------|
| 463440 118 ml, clear .....      | \$8.35 |
| 463501 226 ml, clear .....      | \$8.57 |
| 463068 8 oz, clear primer ..... | \$9.16 |

# POLYETHYLENE FITTINGS



## REGULAR

|               |                                                              |        |
|---------------|--------------------------------------------------------------|--------|
| <b>459931</b> | 1" x 1" x $\frac{3}{4}$ " .....                              | \$3.20 |
| <b>459955</b> | 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " x 1" .....             | \$2.78 |
| <b>459979</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1" .....             | \$4.85 |
| <b>459993</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " .. | \$6.36 |

## REDUCERS

|               |                                                  |        |
|---------------|--------------------------------------------------|--------|
| <b>459313</b> | 1" x $\frac{3}{4}$ " insert.....                 | \$1.52 |
| <b>459351</b> | 1 $\frac{1}{4}$ " x 1" insert.....               | \$2.42 |
| <b>459412</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{4}$ " insert ... | \$2.79 |
| <b>459474</b> | 2" x 1 $\frac{1}{2}$ " insert.....               | \$4.52 |

## ELBOWS

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>460852</b> | $\frac{3}{4}$ " insert .....   | \$2.49 |
| <b>460890</b> | 1" insert.....                 | \$2.52 |
| <b>460913</b> | 1 $\frac{1}{4}$ " insert ..... | \$2.42 |
| <b>460937</b> | 1 $\frac{1}{2}$ " insert ..... | \$3.62 |
| <b>460951</b> | 2" insert .....                | \$5.06 |

## CAPS

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>500886</b> | $\frac{3}{4}$ " insert .....   | \$1.68 |
| <b>500909</b> | 1" insert.....                 | \$2.26 |
| <b>500923</b> | 1 $\frac{1}{4}$ " insert ..... | \$2.87 |
| <b>500947</b> | 1 $\frac{1}{2}$ " insert ..... | \$3.15 |



## MALE ADAPTORS

|               |                                    |        |
|---------------|------------------------------------|--------|
| <b>461675</b> | $\frac{3}{4}$ " insert x m .....   | \$1.10 |
| <b>461279</b> | 1" insert x m .....                | \$1.10 |
| <b>461699</b> | 1 $\frac{1}{4}$ " insert x m.....  | \$1.74 |
| <b>461712</b> | 1 $\frac{1}{2}$ " insert x m ..... | \$1.94 |
| <b>461736</b> | 2" insert x m.....                 | \$3.81 |

## "T" (INSERT X INSERT)

|               |                                                              |        |
|---------------|--------------------------------------------------------------|--------|
| <b>463013</b> | $\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{3}{4}$ " .....    | \$2.42 |
| <b>463037</b> | 1" x 1" x 1" .....                                           | \$3.15 |
| <b>463051</b> | 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " x 1 $\frac{1}{4}$ " .. | \$4.25 |
| <b>463075</b> | 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " .. | \$4.83 |
| <b>463099</b> | 2" x 2" x 2" .....                                           | \$9.35 |
| <b>460210</b> | 2" x 2" x 1 $\frac{1}{2}$ " .....                            | \$9.88 |

## "T" GREY ADAPTORS

|               |                                  |        |
|---------------|----------------------------------|--------|
| <b>461132</b> | $\frac{3}{4}$ " for star .....   | \$2.63 |
| <b>461156</b> | 1" for star .....                | \$3.42 |
| <b>461170</b> | 1 $\frac{1}{4}$ " for star ..... | \$4.68 |

## UNIONS (INSERT X INSERT)

|               |                         |        |
|---------------|-------------------------|--------|
| <b>462818</b> | $\frac{3}{4}$ " .....   | \$1.10 |
| <b>462832</b> | 1" .....                | \$1.12 |
| <b>462856</b> | 1 $\frac{1}{4}$ " ..... | \$1.31 |
| <b>462870</b> | 1 $\frac{1}{2}$ " ..... | \$2.00 |
| <b>462894</b> | 2" .....                | \$3.78 |



## POLYETHYLENE FITTINGS NO RESTRICTIONS (UNIONS)

|               |                                |        |
|---------------|--------------------------------|--------|
| <b>468056</b> | $\frac{3}{4}$ " insert .....   | \$4.08 |
| <b>468063</b> | 1" insert.....                 | \$4.42 |
| <b>468070</b> | 1 $\frac{1}{4}$ " insert ..... | \$4.82 |
| <b>468087</b> | 1 $\frac{1}{2}$ " insert ..... | \$5.10 |
| <b>468094</b> | 2" insert .....                | \$5.50 |

## POLYETHYLENE FITTINGS NO RESTRICTIONS (MALE ADAPTORS)

|               |                         |        |
|---------------|-------------------------|--------|
| <b>468001</b> | $\frac{3}{4}$ " .....   | \$3.23 |
| <b>468018</b> | 1" .....                | \$4.08 |
| <b>468025</b> | 1 $\frac{1}{4}$ " ..... | \$4.36 |
| <b>468032</b> | 1 $\frac{1}{2}$ " ..... | \$4.65 |
| <b>468049</b> | 2" .....                | \$4.99 |

## CLEAR PLASTIC CHECK VALVES (FIPT)

|               |                         |         |
|---------------|-------------------------|---------|
| <b>405440</b> | 1" .....                | \$49.38 |
| <b>405457</b> | 1 $\frac{1}{4}$ " ..... | \$46.00 |
| <b>383991</b> | 1 $\frac{1}{2}$ " ..... | \$51.11 |
| <b>384042</b> | 2" .....                | \$72.18 |

## CLEAR PLASTIC CHECK VALVES (SLIP X SLIP)

|               |                         |          |
|---------------|-------------------------|----------|
| <b>383861</b> | 1" .....                | \$43.92  |
| <b>383878</b> | 1 $\frac{1}{2}$ " ..... | \$50.69  |
| <b>383892</b> | 2" .....                | \$73.65  |
| <b>383915</b> | 3" .....                | \$133.95 |

OTHER SIZES AVAILABLE IN BOTH MODELS



## TOOLS

- A** 480980  $\frac{3}{16}$ " compact insertion plier & vise grip (710651).....\$136.15  
**480690** 9" wire bender, with #9 and #12 spring (71576).....\$87.25

**B** 480959 11" wire bender, with #6 and #9 spring (71571).....\$96.50

**C** 473975  $\frac{5}{16}$ " compact insertion plier & vise grip (71065) .....\$136.15

**D** 475160 Repair tool, automatic tension (71401) .....\$159.70

**E** 474934 Deluxe tubing drop plier (71106) .....\$329.30

**F** 480744 Electric rewinding hook (719991).....\$11.75

**G** 480126 Small tubing repair plier (71050).....\$132.40

**H** 480362  $\frac{3}{16}$ " small tubing repair plier (710501) .....\$134.40

**I** 480140 Spring for insertion plier (71051).....\$12.30

**J** 474897  $\frac{31}{64}$ " metal punch (71300).....\$121.35

**K** 474873  $\frac{3}{8}$ " metal punch (71315) .....\$119.00

474903  $\frac{15}{32}$ " metal punch (for Plastech).....\$121.35

**L** 470646  $\frac{3}{16}$ " -  $\frac{5}{16}$ " bring together hook (71905) .....\$21.65

**M** 470639  $\frac{5}{16}$ " bring together hook (71904).....\$17.40

**N** 473401 Reducer spout remover (71292).....\$78.25

**O** 476907  $\frac{5}{16}$ " Installation plier with knife (71146).....\$284.30

476914  $\frac{3}{16}$ " Installation plier with knife (711081).....\$256.20

473999  $\frac{5}{16}$ " Installation plier without knife (71109).....\$201.45





**P** 480904  $\frac{3}{16}$ " Installation plier without knife (711091).....\$201.45

**Q** 470943  $\frac{1}{4}$ " cone and gauge tester(71947).....\$39.65


**R** 470547  $\frac{7}{16}$ " tapping bit stopper (71910).....\$12.55

470561  $\frac{5}{16}$ " tapping bit stopper (71911).....\$12.55


470523  $\frac{19}{64}$ " tapping bit stopper (71912).....\$12.55



# TOOLS



- Entirely in aluminum
- Ultra-light, very robust
- Excellent grip



## SINGLE DRILL BIT

|                 |                                        |         |
|-----------------|----------------------------------------|---------|
| <b>480607</b>   | $\frac{15}{32}$ ", green (71311).....  | \$51.70 |
| <b>474828</b>   | $\frac{3}{8}$ ", black (71316).....    | \$47.35 |
| <b>A 474729</b> | $\frac{31}{64}$ ", red (71301).....    | \$51.70 |
| <b>474705</b>   | $\frac{7}{16}$ ", blue (71321).....    | \$51.70 |
| <b>475764</b>   | $\frac{5}{16}$ ", yellow (71331) ..... | \$45.10 |

## TUBING TOOLS AND ACCESSORIES

|                 |                                                   |          |
|-----------------|---------------------------------------------------|----------|
| <b>B 476921</b> | Cut vacuum plier, automatic tension (71919) ..... | \$81.15  |
| <b>C 475016</b> | Tubing remover, four functions (71210) .....      | \$123.40 |

|                 |                                                      |          |
|-----------------|------------------------------------------------------|----------|
| <b>D 480447</b> | $\frac{3}{4}$ " + 1" mainline plier(71500) .....     | \$279.70 |
| <b>E 006531</b> | $\frac{1}{2}$ " "U" pipe with hook positioning ..... | \$44.25  |
| <b>F 006524</b> | $\frac{1}{2}$ " "U" pipe SS for filling drum.....    | \$18.80  |
| <b>006517</b>   | $\frac{3}{4}$ " "U" pipe SS for filling drum.....    | \$19.95  |
| <b>006487</b>   | 1" "U" pipe SS for filling drum.....                 | \$21.15  |

|                 |                                                              |          |
|-----------------|--------------------------------------------------------------|----------|
| <b>G 480577</b> | Horizontal reel, adjustable for wire and tubing (71625)..... | \$213.10 |
| <b>H 475177</b> | Horizontal 22" adjustable tubing reel (71610) .....          | \$110.85 |

## LOAC HAMMERS

|                 |                                              |          |
|-----------------|----------------------------------------------|----------|
| <b>I 473876</b> | 10" hammer with handle (2 faces).....        | \$30.60  |
| <b>J 473708</b> | Hammer spout remover .....                   | \$36.80  |
| <b>K 473715</b> | Tapping hammer with hatchet.....             | \$37.80  |
| <b>L 473920</b> | $\frac{5}{16}$ " tubing aluminum plier.....  | \$331.50 |
| <b>478604</b>   | $\frac{3}{16}$ " tubing aluminum plier ..... | \$321.30 |

## LOAC SPOUT REMOVERS

|                 |                                     |         |
|-----------------|-------------------------------------|---------|
| <b>M 473883</b> | 15" spout remover (small) .....     | \$35.70 |
| <b>474521</b>   | 22.5" spout remover (medium).....   | \$39.80 |
| <b>474033</b>   | 30" spout remover (tall) .....      | \$43.90 |
| <b>N 474583</b> | 40" spout remover (x-tall) .....    | \$48.00 |
| <b>476365</b>   | 48" spout remover (on request)..... | \$50.00 |

## LOAC MAINLINE ADJUSTER

|                 |                                  |          |
|-----------------|----------------------------------|----------|
| <b>O 477010</b> | 30" mainline adjusting tool..... | \$104.10 |
|-----------------|----------------------------------|----------|

**OTHER D&G TOOLS AND ACCESSORIES**

|                 |                                              |          |
|-----------------|----------------------------------------------|----------|
| <b>A</b> 155284 | Garant pruner.....                           | \$14.25  |
| <b>B</b> 474835 | 1 1/2" plastic mainline cutter .....         | \$29.35  |
| 474859          | 2" plastic mainline cutter .....             | \$30.00  |
| <b>C</b> 466243 | Knipex plier for high tension #10 wire ..... | \$110.00 |
| <b>D</b> 466359 | CHAMBERLAND Drop line plier .....            | \$213.00 |
| <b>E</b> 480751 | Support level line .....                     | \$69.25  |

**LOWE CUTTER**

|                 |                                  |         |
|-----------------|----------------------------------|---------|
| <b>F</b> 480584 | 5/16" Lowe straight cutter ..... | \$69.25 |
| <b>G</b> 480522 | 5/16" Lowe cutter .....          | \$56.50 |

**H LINE LEVELER**

|        |                              |          |
|--------|------------------------------|----------|
| 479892 | Kuker Ranken hand level..... | \$142.00 |
|--------|------------------------------|----------|

**I LINE TAPPING MULTI-TOOL**

|        |                      |          |
|--------|----------------------|----------|
| 467028 | LineViper 3/16 ..... | \$159.95 |
| 467004 | LineViper 5/16 ..... | \$159.95 |

**J APRON FOR FOREST WORK**

|        |              |          |
|--------|--------------|----------|
| 475382 | Orange ..... | \$226.00 |
|--------|--------------|----------|



**HIGH-DENSITY  
ULTRA-DURABLE  
FABRIC**



# TAPPING






## BUCKETS FOR MAPLE SYRUP

|          |                                                         |                |
|----------|---------------------------------------------------------|----------------|
| <b>A</b> | 470493 2 gallons used aluminum .....                    | PRICE IN STORE |
| <b>B</b> | 470516 1.5 gallons used aluminum .....                  | PRICE IN STORE |
| <b>C</b> | 470462 2 gallons plastic, clear (5-year warranty) ..... | \$4.75         |
|          | 470578 2 gallons new aluminum bucket .....              | \$3.95         |

## GRIMM COVER

Grimm galvanized covers with rolled edges.

|          |                                      |        |
|----------|--------------------------------------|--------|
| <b>D</b> | 482731 Size: 11 1/4" x 11 5/6" ..... | \$2.95 |
|          | 480119 Replacement wire only.....    | \$0.47 |



## DOMINION & GRIMM ROYAL SPOUTS

|          |                                                 |        |
|----------|-------------------------------------------------|--------|
| <b>E</b> | 474002 D&G aluminum royal spout with hook ..... | \$1.70 |
|          | 473517 Replacement spout hooks (only).....      | \$1.00 |
| <b>F</b> | 474606 5/16" turnable spout with hook .....     | \$0.99 |

## WOODEN-HANDLE GATHERING PAILS

With EASY-GRIP handle, made in polyethylene.

|          |                       |         |
|----------|-----------------------|---------|
| <b>G</b> | 470417 3 gallons..... | \$21.50 |
|          | 470431 4 gallons..... | \$27.50 |

## H DENATURED ALCOHOL

|          |                                                                   |         |
|----------|-------------------------------------------------------------------|---------|
| <b>H</b> | 477843 Disinfects tapping drills and spouts, 4 litres (2-J) ..... | \$28.50 |
|----------|-------------------------------------------------------------------|---------|

## I SURVEYOR TAPE

|          |                     |        |
|----------|---------------------|--------|
| <b>I</b> | 149733 Orange ..... | \$2.40 |
|          | 149900 Pink.....    | \$2.40 |
|          | 149917 Blue.....    | \$2.40 |
|          | 149924 Red.....     | \$2.40 |

## SQUIRREL TRAP

|          |                            |         |
|----------|----------------------------|---------|
| <b>J</b> | 476099 Squirrel trap ..... | \$58.00 |
|----------|----------------------------|---------|

## TAPPING DRILLS

|          |        |         |                              |         |
|----------|--------|---------|------------------------------|---------|
| <b>A</b> | 474668 | 5/16"   | regular, length .....        | \$18.60 |
| <b>B</b> | 474644 | 19/64"  | regular, length.....         | \$18.60 |
| <b>C</b> | 472008 | 1/4"    | regular, length.....         | \$16.50 |
| <b>D</b> | 474682 | * 7/16" | regular, special right ..... | \$24.40 |
| <b>E</b> | 478956 | 19/64"  | short, length .....          | \$18.60 |
| <b>F</b> | 478963 | 5/16"   | short, length.....           | \$18.60 |
|          | 474484 | 1/4"    | short, length .....          | \$16.50 |



## TAPPING DRILLS

|          |        |        |               |         |
|----------|--------|--------|---------------|---------|
| <b>G</b> | 475047 | 19/64" | regular.....  | \$25.70 |
|          | 475009 | 5/16"  | regular ..... | \$25.70 |
|          | 476747 | 1/4"   | regular.....  | \$25.70 |
|          | 478987 | 19/64" | short .....   | \$25.70 |
|          | 478994 | 5/16"  | short.....    | \$25.70 |
| <b>H</b> | 478970 | 1/4"   | short .....   | \$25.70 |



## GV SNOWSHOES, ALUMINUM FRAME

|          |        |           |                            |          |
|----------|--------|-----------|----------------------------|----------|
| <b>I</b> | 475443 | 9" x 29"  | (5902, Snow aerolite)..... | \$209.99 |
|          | 475467 | 10" x 36" | (5903, Snow aerolite)..... | \$209.99 |
|          | 476334 | 11" x 28" | (5546, Wide trail).....    | \$319.99 |
| <b>J</b> | 475481 | 11" x 38" | (5548, Wide trail).....    | \$319.99 |
|          | 475894 | 12" x 33" | (5547, Wide trail) .....   | \$319.99 |
|          | 475504 | 12" x 42" | (5549, Wide trail).....    | \$319.99 |
| <b>K</b> | 476310 | 9" x 30"  | (5821, Snow).....          | \$259.99 |
|          | 476327 | 10" x 36" | (5822, Snow) .....         | \$259.99 |
| <b>L</b> | 476341 | 9" x 30"  | (5384, Winter trail) ..... | \$159.99 |
|          | 476358 | 10" x 36" | (5385, Winter trail) ..... | \$159.99 |

## OTHER SNOWSHOE MODELS AVAILABLE

## HIGH PERFORMANCE TAPPING DRILLS



OUR SHARPENING SERVICE IS LOCATED AT:  
1372 , 8 E RUE , ST-PROSPER DE DORCHESTER , QC GOM 1Y0  
T. 418-594-5255



# BARRELS



## STAINLESS STEEL DRUMS

|          |                                           |                |
|----------|-------------------------------------------|----------------|
| <b>A</b> | 472695 34 gallons, BARINOX                |                |
| 473067   | 40 gallons, BARINOX.....                  | PRICE IN STORE |
| 499692   | 2" stainless steel plug for above.....    | \$16.00        |
| 952036   | 2" nylon gasket for stainless steel ..... | \$1.00         |
| 473135   | Drum wrench .....                         | \$56.00        |
| 499708   | Reducing drum plug for 3/4" plug.....     | \$9.50         |
| 499685   | 2" TRI-SURE zing plug for drum .....      | \$5.50         |
| 473050   | 2" irradiated gasket for drunk.....       | \$1.00         |

## B 266492 HEATING BELT, 1200 WATTS

|                                                                      |
|----------------------------------------------------------------------|
| – Keeps or warms your barrels (not completely filled)                |
| – Ensure your barrels are packaged at a minimum temperature of 180°F |
| – Thermostat 0 - 375°F                                               |
| – Runs on 110/120 Volts – 15 Amps                                    |
| – Length of 58.5", for 34 gallons barrels                            |
| .....\$334.80                                                        |

## C D&G LITHOGRAPHED BARREL

|                                                              |                |
|--------------------------------------------------------------|----------------|
| 473111 34 gallons stainless steel (PERSONALIZATION POSSIBLE) | PRICE IN STORE |
|--------------------------------------------------------------|----------------|

## PLASTICA DRUMS

|                                                                  |                       |
|------------------------------------------------------------------|-----------------------|
| 473296 6 gallons reusable drum (not shown) .....                 | PRICE IN STORE        |
| 473258 16 gallons reusable drum (not shown) .....                | PRICE IN STORE        |
| <b>D 473265 35 gallons EVOLUTION drum, 2 plugs included.....</b> | <b>PRICE IN STORE</b> |

## PLASTICA TEST KIT, (NOT SHOWN)

|                                            |         |
|--------------------------------------------|---------|
| 473395 Drum wrench for Plastica.....       | \$24.30 |
| 473340 Sampler cap, large threads .....    | \$9.40  |
| 473357 Sampler cap, small threads.....     | \$9.40  |
| 473432 Plastica syringe to test syrup..... | \$10.00 |
| 473302 3/4" regular tap plug .....         | \$5.70  |
| 473821 3/4" plastic tap .....              | \$7.60  |
| 473814 2" plastic tap .....                | \$34.60 |

## E DRUM ROCKER

For moving, draining, or storing drums up to 45 gallons.

|                              |          |
|------------------------------|----------|
| 473210 1000 lb capacity..... | \$185.00 |
|------------------------------|----------|

## F DRUM TRUCK

Designed to handle containers from 18" in diameter to large 45 gallons drums.

|                              |          |
|------------------------------|----------|
| 473234 1000 lb capacity..... | \$396.42 |
|------------------------------|----------|

## 540ML ROUND CAN COOLING UNIT (NOT SHOWN)

Improves the finished product. Used for cooling round "cans" rapidly with cold, clean water. Prevents your syrup from getting thicker and darker after the packing process. 3/4" cold water feed. 1" water outlet. 46 cans on the dripping tray portion. Width: 11, length: 10', height: 38".

|                                             |                |
|---------------------------------------------|----------------|
| 266485 Submerges 12 cans in the water ..... | PRICE IN STORE |
|---------------------------------------------|----------------|


## G DRUM TRANSFER

Lets you switch from one drum to another during filling. Helps avoid overflow.

|                                |          |
|--------------------------------|----------|
| 402074 1/2" .....              | \$200.00 |
| 402470 1" stainless steel..... | \$409.00 |

## MAPLE SAP DENSIMETER

|                                                                          |                                                                                                 |         |
|--------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------|
| <b>A</b>                                                                 | 116599 * Densimeter, 0° - 8.5° Brix (2010).....                                                 | \$15.90 |
| <b>B</b>                                                                 | 116391 * Densimeter, 0° - 15° Brix (1755).....                                                  | \$18.40 |
| <b>C</b>                                                                 | 116612 * Densimeter, 8° - 23° Brix .....                                                        | \$21.90 |
| <b>D</b>                                                                 | 116629 * Syrup densimeter (2075). 35° - 75° Brix & baume,<br>59° hot syrup, 66° cold syrup..... | \$12.50 |
| 267666 * Syrup densimeter (2075) with <b>certified calibration</b> ..... | \$17.60                                                                                         |         |



## 2000 HYDROTHERM

Will give you reading between 35°F and 210°F. Pre-calibration at 65.8° Brix.  
Combination of a hydrometer and a thermometer

|          |                                         |         |
|----------|-----------------------------------------|---------|
| <b>E</b> | 115998 * Alla Hydrotherm.....           | \$22.50 |
| <b>F</b> | 470202 * Strong Kessler Hydrotherm..... | \$31.00 |

## HYDROMETER CUPS

|          |                                            |         |
|----------|--------------------------------------------|---------|
| <b>G</b> | 267727 Height: 10", diameter: 1 1/2" ..... | \$52.70 |
| <b>H</b> | 267758 Height: 10", diameter 2" .....      | \$52.70 |



## THERMOMETERS

|          |                                                   |         |
|----------|---------------------------------------------------|---------|
| <b>I</b> | 116025 * Red drop D&G thermometer .....           | \$61.00 |
| <b>J</b> | 116056 * Refill for D&G red drop thermometer..... | \$40.00 |
| <b>K</b> | 116124 * Digital thermometer, for candies.....    | \$36.00 |

## BRIX REFRACTOMETERS

Included: An adjustment screwdriver, a rag, pipettes and carrying case.

|                                                                   |                                                |          |
|-------------------------------------------------------------------|------------------------------------------------|----------|
| <b>L</b>                                                          | 116636 * Alla 1st quality, 0° - 32° Brix ..... | \$203.00 |
| 116582 * Alla 1st quality, 45° - 82° Brix .....                   | \$203.00                                       |          |
| 116575 * Alla 1st quality, 58° - 90° Brix.....                    | \$203.00                                       |          |
| 116537 15 ml calibration liquid for refractometer 58° - 90°       | ....\$22.95                                    |          |
| <b>M</b> 357459 Atago Pal-Maple 0° - 85° Brix refractometer ..... | \$725.00                                       |          |
| 117398 Atago invert sugar refractometer .....                     | \$595.00                                       |          |



## N INDUSTRIAL QUALITY DIAL THERMOMETERS

Tempered glass. These dial thermometers are 1/4" mpt

|                                                           |          |
|-----------------------------------------------------------|----------|
| 115783 * 12" x 5" dial thermometer (0°F - 50°F).....      | \$88.00  |
| 115813 * 9" x 5" dial thermometer (0°F - 50°F) .....      | \$85.00  |
| 115844 * 9" x 3" dial thermometer (0°F - 50°F) .....      | \$61.00  |
| 115875 * 12" x 3" dial thermometer (0°F - 50°F) .....     | \$64.00  |
| 115936 * 18" long prob dial thermometer (0°F - 50°F)..... | \$185.00 |
| 206634 Bracket for pan (not shown) .....                  | \$30.80  |



\* **LIMITED WARRANTY, NON-REFUNDABLE.**

# CLEANERS



## BRUSHES

|          |        |                             |                                        |         |
|----------|--------|-----------------------------|----------------------------------------|---------|
| <b>A</b> | 475573 | 7/16"                       | for drill .....                        | \$3.50  |
| <b>B</b> | 475597 | 7/16"                       | with eyelet .....                      | \$3.50  |
| <b>C</b> | 475702 | For 5/16" and 19/64"        | eco spout .....                        | \$5.30  |
| <b>D</b> | 475696 | N° 99                       | fiber brush, for 7" flue .....         | \$50.00 |
| <b>E</b> | 475672 | Nylon N° 97                 | flues .....                            | \$19.90 |
| <b>F</b> | 475658 | 1/2"                        | special, nylon (small flue) .....      | \$22.00 |
| <b>G</b> | 475719 | N° 98                       | for underneath 2" flue pan .....       | \$22.00 |
| <b>H</b> | 475795 | Brush for 1.5 and 2 gallons | bucket washer. Used with a drill ..... | \$69.40 |

## I THERMAL GLOVES

|                                                           |         |
|-----------------------------------------------------------|---------|
| Breathable polyurethane coating. Insulated acrylic liner. |         |
| <b>486654</b> Medium .....                                | \$35.00 |
| <b>486630</b> Large .....                                 | \$35.00 |
| <b>486678</b> XLarge .....                                | \$35.00 |
| <b>486647</b> XXLarge .....                               | \$35.00 |

## PAN CLEANERS

|          |        |                                                                                       |          |
|----------|--------|---------------------------------------------------------------------------------------|----------|
| <b>J</b> | 477973 | D&G powdered cleaner, 10 lb.....                                                      | \$28.50  |
|          | 477997 | 2 D&G powdered cleaner, 5 kg.....                                                     | \$100.00 |
| <b>L</b> | 477898 | 4 litres, liquid pan cleaner .....                                                    | \$30.60  |
| <b>L</b> | 478048 | 20 litres, liquid pan cleaner .....                                                   | \$146.80 |
|          |        | Agriculture Canada Approved. Biodegradable products. Liquid cleaners for evaporators. |          |
| <b>M</b> | 477423 | 3.78 litres, "Super Clean" liquid cleaner for pans .....                              | \$31.70  |
|          | 477430 | 20 litres, "Super Clean" liquid cleaner for pans .....                                | \$143.90 |
| <b>O</b> | 478192 | 4 litres, "Myster Pan" liquid cleaner .....                                           | \$31.70  |
|          | 478208 | 20 litres, "Myster Pan" liquid cleaner .....                                          | \$132.00 |
| <b>P</b> | 477393 | 4L "Finox" creosote cleaner .....                                                     | \$37.25  |

## ISOPROPYL ALCOHOL

|          |        |                                                           |          |
|----------|--------|-----------------------------------------------------------|----------|
| <b>Q</b> | 477478 | 70% isopropyl alcohol, 4 litres .....                     | \$24.70  |
|          | 477485 | 70% isopropyl alcohol, 18.9 litres .....                  | \$63.75  |
|          | 477492 | 70% isopropyl alcohol, 205 litres (45 gallons) drum ..... | \$560.00 |
|          |        | (Non-returnable drums)                                    |          |
|          | 477201 | Container and adjustable strap only .....                 | \$49.00  |
|          | 477225 | Seal for syringe gun .....                                | \$3.20   |
| <b>R</b> | 477379 | 5 litre container kit with adjustable straps .....        | \$110.00 |
| <b>S</b> | 477386 | 15ml feed regulator plastic gun (only) .....              | \$67.00  |

## CHLORINE

|          |        |                                           |         |
|----------|--------|-------------------------------------------|---------|
| <b>N</b> | 477805 | 20 litres, chlorine disinfectant .....    | \$19.95 |
|          | 477744 | Empty container for chlorine (returnable) |         |


## A LOLLIPOP MOULDS

|                                             |                                                 |
|---------------------------------------------|-------------------------------------------------|
| <b>488528</b> Rabbit.....\$4.70             | <b>488627</b> Duck in shell .....\$4.70         |
| <b>488603</b> Cute bunny .....\$4.70        | <b>488665</b> Apple.....\$4.70                  |
| <b>488689</b> Heart .....\$4.70             | <b>488726</b> Medium dinosaur.....\$4.70        |
| <b>488788</b> Snowman.....\$4.70            | <b>488764</b> Maple leaf .....\$4.70            |
| <b>488801</b> Easter egg .....\$4.70        | <b>488610</b> Diploma .....\$4.70               |
| <b>488887</b> Pony head.....\$4.70          | <b>489327</b> 1 $\frac{1}{8}$ " ball.....\$4.70 |
| <b>488924</b> Small smiley face .... \$4.70 | <b>489334</b> Spoons .....\$4.70                |
| <b>488948</b> Balloon .....\$4.70           |                                                 |



## FDA LOLLIPOP MOULDS

|                                                                                |
|--------------------------------------------------------------------------------|
| <b>B</b> <b>488757</b> Barrel with maple leaf, clear (12 cavities).....\$13.80 |
| <b>C</b> <b>488771</b> Maple leaf (12 cavities) .....\$13.80                   |




## D HARD CANDY MOULDS

|                                          |                                              |
|------------------------------------------|----------------------------------------------|
| <b>488429</b> Rose .....\$4.70           | <b>488580</b> Small bells .....\$4.70        |
| <b>488443</b> Small shamrock..... \$4.70 | <b>488849</b> Tiny eggs.....\$4.70           |
| <b>488467</b> Small leaf.....\$4.70      | <b>488641</b> Maple leafs .....\$4.70        |
| <b>488504</b> Smiley face .....\$4.70    | <b>489341</b> Flowers, fruit & nuts ..\$4.70 |
| <b>488542</b> Small heart .....\$4.70    | <b>489358</b> Strawberries .....\$4.70       |
| <b>488566</b> Small stars.....\$4.70     |                                              |



## E LOLLIPOP STICKS

|                                           |
|-------------------------------------------|
| <b>489082</b> Package of 1000.....\$18.90 |
|-------------------------------------------|



# ACCESSORIES



## A CONES

**452581** 900 per box .....\$25.70

## B CONE TABLES

Made with polyethylene

**489105** For mini cones, 60 cavities (white) .....\$143.90

**489921** 12 cavities .....\$52.60

**489938** 24 cavities .....\$76.30

**489945** 36 cavities .....\$95.90

**489952** 48 cavities .....\$125.50

## C LITHOGRAPHED CONE BOXES WITH CLEAR TOP

Bush scene design, space to inscribe producer's name. 100 per box.

**452857** For 6 cones.....\$0.95

**452888** For 12 cones.....\$1.05

## D WHITE CONE BOXES WITH OPEN CLEAR TOP

100 per box

**452611** For 6 cones.....\$0.95

**452765** For 12 cones.....\$1.05

## E SUGAR MOULDS

**268625** 250 g adjustable table, 35 moulds.....\$215.00

**268656** 500 g adjustable table, 24 moulds .....\$195.00

**487989** Table only .....\$50.00

**268687** 250 g moulds only, separators included.....\$6.25

**268717** 500 g moulds only, separators included .....\$7.95

## F CELLOPHANE BAGS

100 per box

**487675** 4 oz (2.5" x 1" x 6").....\$9.55

**487552** 375g, for lollipops (2.5" x 1.25" x 7") .....\$11.35

**487583** 1 lb (3.25" x 1.25" x 8.5") .....\$14.05

**487590** 1.5 lb (3.5" x 1.25" x 9") .....\$15.45

## G SEALING WAX BLOCS

**489020** Red (1kg) .....\$41.20      **489044** Gold (1kg) .....\$41.20

**488979** Silver (1kg) .....\$41.20      **489518** Black (1kg) .....\$41.20

**488993** Blue (1kg).....\$41.20      **489556** White (1lb).....\$23.65

# ACCESSORIES

## A STAINLESS STEEL PAIL

470066 3 gallons ..... \$105.60



**A**

## DRUM FUNNEL (NOT SHOWN)

473159 Drum funnel ..... \$175.00

## HEAVY PADDLES MADE OF MAPLE WOOD

- B** 490125 42" ..... \$25.50
- C** 490002 24" Old-fashioned model ..... \$20.60
- D** 490026 18" Old-fashioned model ..... \$17.60
- E** 490040 12" Old-fashioned model ..... \$14.50



**B**



**C**



**D**



**E**



**F**



**G**



**H**



**K**



**I**



**J**



**M**



**L**



**N**



**O**

## TAFFY STICKS MADE OF MAPLE WOOD

- F** 490057 10", 12 per package ..... \$18.20
- 490033 6", 12 per package ..... \$12.00
- 490101 8", 12 per package ..... \$17.90
- G** 489129 Tongue depressors (500/cs) ..... \$11.60

## H GLUCOSE

- 477539 20 litres ..... \$70.40
- 477553 4 litres ..... \$17.40

## DEFOAMER, KOSHER

- I** 477614 1 litre, liquid ..... \$25.50
- 477621 4 litres, liquid ..... \$74.00
- J** 477591 200 g, powder ..... \$8.25
- K** 477560 2.5 Kilo, powder ..... \$64.00

## DEFOAMER

- L** 477669 4 Litres, organic sunflower oil ..... \$63.00
- M** 267024 Stainless steel spoon for defoamer ..... \$20.50

## N D&G GENUGEL

- Gelatine to produce maple jelly. Approximately one jar of 250 ml / g
- 477577 200 g ..... \$19.80

## O SUCROVERT

- To invert syrup which has to be transformed into sub-products.
- 498541 465 ml ..... \$38.50

# LABELS



B



C




D



E



F



G



H



I



J



K



L



M



N



O

## GUMMED LABELS, 4 COLOURS

Bush scene design, 500/Roll

|   |        |                                          |         |
|---|--------|------------------------------------------|---------|
| A | 493201 | Oval 4" x 3 3/4" for 375 ml bottle ..... | \$58.98 |
|---|--------|------------------------------------------|---------|

## GUMMED LABELS

Oval, can be used on different bottles (500/Roll).

|        |             |         |
|--------|-------------|---------|
| 493423 | 125 ml..... | \$12.20 |
|--------|-------------|---------|

|   |        |             |         |
|---|--------|-------------|---------|
| B | 493485 | 250 ml..... | \$13.40 |
|---|--------|-------------|---------|

|        |              |         |
|--------|--------------|---------|
| 493508 | 500 ml ..... | \$16.00 |
|--------|--------------|---------|

|        |              |         |
|--------|--------------|---------|
| 493546 | 1 litre..... | \$16.00 |
|--------|--------------|---------|

|   |        |                                  |         |
|---|--------|----------------------------------|---------|
| C | 493621 | Small, no volume indication..... | \$13.00 |
|---|--------|----------------------------------|---------|

|        |                                   |         |
|--------|-----------------------------------|---------|
| 493645 | Large, no volume indication ..... | \$16.20 |
|--------|-----------------------------------|---------|

|   |        |                    |         |
|---|--------|--------------------|---------|
| D | 493393 | Clear, Large ..... | \$19.70 |
|---|--------|--------------------|---------|

|        |            |         |
|--------|------------|---------|
| 493669 | Mini ..... | \$24.60 |
|--------|------------|---------|

|        |                             |         |
|--------|-----------------------------|---------|
| 493157 | Clear, mini (100/Roll)..... | \$12.00 |
|--------|-----------------------------|---------|

## E MAPLE LEAF STICKER

Gold maple leaf with clear background. Completes your package.

|        |                |         |
|--------|----------------|---------|
| 493522 | 500/Roll ..... | \$16.25 |
|--------|----------------|---------|

## F NUTRITION FACTS TABLE STICKERS

500/Roll

|        |            |         |
|--------|------------|---------|
| 493904 | Large..... | \$30.00 |
|--------|------------|---------|

|        |              |         |
|--------|--------------|---------|
| 493911 | Medium ..... | \$26.00 |
|--------|--------------|---------|

|        |                       |        |
|--------|-----------------------|--------|
| 493942 | Small, 200/Roll ..... | \$9.75 |
|--------|-----------------------|--------|

## PERSONALIZED LABELS (MINIMUM OF 1000)

Printed with customer's name. For syrup cans or any other container used for maple syrup products.

|   |        |                                           |         |
|---|--------|-------------------------------------------|---------|
| G | 493447 | 15/16" x 2 11/16" sugar bush design ..... | \$33.75 |
|---|--------|-------------------------------------------|---------|

|        |                                 |         |
|--------|---------------------------------|---------|
| 493355 | Bar code, without pattern ..... | \$50.00 |
|--------|---------------------------------|---------|

+ \$100 activation fee

## GRADE STICKERS (CANADA)

|          |  |              |
|----------|--|--------------|
| 500/Roll |  | \$13.25/Roll |
|----------|--|--------------|

Code Description Transmission of light

|   |        |                                      |
|---|--------|--------------------------------------|
| H | 492785 | Gold with delicate taste..... + 75 % |
|---|--------|--------------------------------------|

|   |        |                                           |
|---|--------|-------------------------------------------|
| I | 492778 | Amber with rich taste ..... 50 % - 74.9 % |
|---|--------|-------------------------------------------|

|   |        |                                            |
|---|--------|--------------------------------------------|
| J | 492761 | Dark with robust taste ..... 25 % - 49.9 % |
|---|--------|--------------------------------------------|

|   |        |                                          |
|---|--------|------------------------------------------|
| K | 492754 | Very dark with strong taste ..... - 25 % |
|---|--------|------------------------------------------|

## GRADE STICKERS (ONTARIO)

|          |  |              |
|----------|--|--------------|
| 500/Roll |  | \$13.25/Roll |
|----------|--|--------------|

Code Description Transmission of light

|   |        |                                      |
|---|--------|--------------------------------------|
| L | 492655 | Gold with delicate taste..... + 75 % |
|---|--------|--------------------------------------|

|   |        |                                           |
|---|--------|-------------------------------------------|
| M | 492662 | Amber with rich taste ..... 50 % - 74.9 % |
|---|--------|-------------------------------------------|

|   |        |                                            |
|---|--------|--------------------------------------------|
| N | 492679 | Dark with robust taste ..... 25 % - 49.9 % |
|---|--------|--------------------------------------------|

|   |        |                                          |
|---|--------|------------------------------------------|
| O | 492686 | Very dark with strong taste ..... - 25 % |
|---|--------|------------------------------------------|





## DECORATIVE CARDS, 100/BAG

Bilingual decorative cards with nutrition facts for maple syrup.

**A** 452482 Maple leaf .....\$0.21

452475 Sugar bush scene  
with elasti-band .....\$0.40

493713 Tamper evident gold  
foil sticker  
(1000/Roll) .....\$31.50





## TECHNICAL BOOKS

480492 Baking – Confection  
(by-products) .....\$16.10

493317 Guide to forest  
management .....\$33.10

494215 Guide for using isopropyl alcohol  
to sanitize your sap collecting  
system .....\$14.70



## HISTORY

492952 Spouts, patents and  
sugar making objects  
of yester-year. By:  
Jean-Rock Morin....\$36.70

## RECIPES

493881 Vermont Festival  
Cookbook .....\$26.20

494260 Sweet Ontario –  
Our Favourite Maple  
Syrup Recipes .....\$15.80

# SYRUP CONTAINERS


A



B



C



D



G



F



E



H



M



N



## METAL CONTAINERS -MADE IN NORTH AMERICA

Covers included. 200/box

**A** 452918 540 ml, D&G

**C** 453038 540ml, Canada "Vintage"

**D** 452819 540ml, Quebec, Organic, 4 colours

524714 N° 307, metal lids (only)

## METAL CONTAINERS -ECONOMICAL

Covers included. 200/box

**B** 520297 540 ml, Canada, sugar bush scene.

## 540ML RESHIPPING BOXES

|                 |                                    |               |
|-----------------|------------------------------------|---------------|
| <b>E</b> 450990 | 4 x 540ml.....                     | 25 per bundle |
| <b>F</b> 452086 | 8 x 540ml.....                     | 25 per bundle |
| 487743          | 8 x 540ml (brown).....             | 25 per bundle |
| <b>G</b> 452222 | 8 x 540ml with handle.....         | 25 per bundle |
| 452130          | 8 x 540ml with handle (brown)..... | 25 per bundle |
| <b>H</b> 452055 | 24 x 540ml.....                    | 25 per bundle |

## METAL LITHOGRAPHED CONTAINERS

With metal screw caps.

Qty/Box

|                 |              |     |
|-----------------|--------------|-----|
| <b>I</b> 500107 | 100 ml.....  | 216 |
| <b>J</b> 500077 | 250ml.....   | 65  |
| <b>K</b> 500053 | 500ml .....  | 35  |
| <b>L</b> 500039 | 1 Litre..... | 24  |

## METAL CAPS FOR LITHOGRAPHED CONTAINERS

522024 Gold for 100ml (18mm)

522109 Gold for 250ml and 500ml (25mm)

522031 Gold for 1 Litre (38mm)

## METAL "NUCAN" BARREL

**M** 521201 500ml for Gold syrup grade

593208 Gold metal cap (button)

**N** 521218 500ml for Amber syrup grade

593000 Black metal cap (button)

# CAN SEALERS | GRADING KITS




**CAN SEALERS**

**A** 536304 "DIXIE" automatic – electric



**B** 470332 "MASTER" automatic – electric



**C** 470295 "MASTER" automatic – manual



**D** 470363 "Yves way" automatic – manual

## GRADING SETS

**E** 117435 Grading set, new classes ..... \$54.10

Valid for two years.

**495182** Additional empty bottles ..... \$4.15

**117299** Box for deflect flavours (with English instructions) ..... \$49.95

**F** 117312 Lovibond grading set, Complete ..... \$420.75

**G** 117329 Lovibond colour wheel, IMSI ..... \$291.50

**H** 117510 Lovibond optical glass (only)..... \$117.00

**I** 117503 Lovibond support (only)..... \$190.00

## ACCESSORIES FOR HANNA TESTER (NOT SHOWN)

**J** 122415 Maple Syrup Grading Portable Photometer (HI759) ..... \$86.00


122422 Test tubes, 25/package (HI759)

**K** 117213 Hanna photometer (HI96759) ..... \$400.00

115622 Disposable test tube, 100/package (HI96759)..... \$45.00

115615 6 ml disposable pipette, 50/package..... \$8.50

117183 450 ml Glycerin for Hanna Tester ..... \$33.00





**A**

## A OMSPA PLASTIC JUGS

Plastic light brown with colourful label. Nutrition facts included. Caps NOT included.

- 490163 100 ml (28PP), 100/box
- 500114 250ml (38PP), 100/box
- 500145 500 ml (38PP), 100/box
- 491993 1 L (38PP), 100/box
- 491931 2 L (38PP), 50/box
- 501999 4 L (38PP), 24/box

## SPECIAL PRICING PER QUANTITY

## B CANADIAN PLASTIC JUGS

Plastic light brown with colourful label. Nutrition facts included. Caps NOT included.

- 490170 100 ml (28PP), 100/box
- 500480 250ml (38PP), 100/box
- 500541 500 ml (38PP), 100/box
- 490477 1 L (38PP), 100/box
- 492075 2 L (38PP), 50/box
- 501494 4 L (38PP), 24/box

## TAMPER EVIDENT CAPS FOR JUGS

- |                                   |                                   |
|-----------------------------------|-----------------------------------|
| 590559 28PP(TE), brown, 2300/box  | 590443 38PP (TE), brown, 1600/box |
| 590009 28PP (TE), black, 2300/box | 591525 38PP (TE), black, 1600/box |
| 590542 28PP (TE), red, 2300/box   | 589942 38PP (TE), red, 1600/box   |

## RESHIPPING BOXES FOR BEIGE JUGS (NOT SHOWN)

- |                              |                                 |
|------------------------------|---------------------------------|
| 450570 24 x 100ml, 25/bundle | 450693 12 x 1 Litre, 25/bundle  |
| 450600 12 x 250ml, 25/bundle | 450723 6 x 2 Litres, 25/bundle  |
| 450631 12 x 500ml, 25/bundle | 450716 4 x 4 Litres, 25/ bundle |

**C**

**D**



## 4 LITRE PLASTIC CONTAINERS

Natural plastic.

- C 589041 4 litre square
- D 589065 4 litre rectangular

# LITHOGRAPHED TUBS

## SPECIALTY PRICING PER QUANTITY



**A**



**B**



**C**



**D**

### LITHOGRAPHED BUTTER & TAFFY CONTAINERS

Comes with lid and nutrition facts. 500g/box

**A** 491085 Butter, Canada (250 g)

**B** 491023 Butter, Canada (500 g)

**C** 491108 Taffy, Canada (250 g)

**D** 491207 Taffy, Canada (500 g)



**E**



**F**



**G**



**H**

### LITHOGRAPHED TUBS WITH HANDLE

Comes with lid, handle and nutrition facts.

**E** 549700 Pail for butter with lid, Canada, 250 g (300/box)

**F** 549762 Pail for butter with lid, Canada, 500 g (200/box)

### TAMPER EVIDENT LITHOGRAPHED CONTAINERS

Comes with lid and nutrition facts.

**G** 494659 Butter, 250g (500/box)

**H** 494666 Taffy, 250g (500/box)



**I**

### I D&G COFFEE MUG

602894 ..... \$6.00



**J**

### J 540ML CANDLE

602887 ..... \$14.99

# BOTTLES

VISIT OUR BROCHURE ONLINE TO VIEW OUR  
ENTIRE LINE OF JARS AND BOTTLES  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)



## G TARQUINA BOTTLES

**503672** 250 ml (28-400), 12/box

## FOLIA BOTTLES

**496745** 250 ml (28-400), 12/box

**496769** 500 ml (28-400), 16/box

## MAPLE LEAF BOTTLES

**498619** 50 ml (18PP), 48/box

**498633** 100 ml (24PP), 12/box

**498602** 250 ml (24PP), 12/box

**498749** 500 ml (28PP), 12/box

## D&G MAPLE LEAF BOTTLES

**499098** 40 ml (18PP), 48/box

**499104** 200 ml (28PP), 12/box



## BOUTEILLES TONDO

**498190** 100 ml (28PP), 96/bundle

**498084** 250 ml (28PP), 53/bundle

**498169** 500 ml (28PP), 32/bundle



## GALLONE BOTTLES

**502279** 50 ml (18PP), 96/box

**499401** 250 ml (31.5PP), 12/box

**495625** 500 ml (31.5PP), 12/box

**495663** 1 litre (31.5PP), 6/box

**503313** 64 oz (38-400), 6/box

**503320** 128 oz (38-400), 4/box



## I BASQUAISE BOTTLES

**499036** 250 ml (28PP), 12/box

**498145** 500 ml (31.5PP), 12/box



## SYRUP BOTTLES WITH HANDLES

- 505188** 250 ml (28PP), 12/box  
**505195** 375 ml (28PP), 12/box  
**505218** 500 ml (28PP), 12/box



## WHISKEY BOTTLES

- 501661** 750 ml (28-400), 12/box  
**502064** 1 litre (28-400), 12/box



## ROUND BOTTLE

- 502002** 1 Litre (28PP), 12/box



## ICE BOTTLES

- 498435** 50 ml (18PP), 96/box  
**503788** 100 ml Stephanie (22-400), 12/box  
**504211** 200 ml Stephanie (31.5PP), 12/box



## GENA BOTTLES

- 503047** 8oz (38-400), 12/box  
**499029** 16oz (38-400), 12/box  
**499012** 12oz (38-400), 12/box  
**499050** 32oz (48-400), 12/box



## HOCKEY PLAYER BOTTLE

- 503924** 200 ml (28PP), 12/box



## LEO BOTTLE

- 496820** 50 ml Leo (18PP), 48/box  
**502774** 375 ml Leo (28PP), 12/box



## MARASCA (CLEAR) BOTTLES

- 495823** 60 ml (18PP), 24/box  
**498329** 100 ml (24PP), 24/box  
**503771** 250 ml (31.5PP), 12/box  
**498428** 500 ml (31.5PP), 12/box  
**498442** 750 ml (31.5PP), 12/box  
**503351** 1 litre (31.5PP), 12/box



## DORICA (CLEAR) BOTTLES

- 501708** 100 ml (24PP), 24/box  
**502125** 250 ml (31.5PP), 12/box  
**503566** 500 ml (31.5PP), 12/box  
**504334** 750 ml (31.5PP), 12/box



## HEAT SHRINK CAPSULES

- 588624** Black (31.5PP)

# JARS

VISIT OUR BROCHURE ONLINE TO VIEW OUR  
ENTIRE LINE OF JARS AND BOTTLES  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)



**A**



**B**



**C**



**D**

## A OVAL HEX JARS

- 497285** 110 ml (48mm), 12/box
- 497308** 190 ml (58mm), 12/box
- 497322** 270 ml (63mm), 12/box

## B HEX JARS

- 497063** 45 ml (43mm), 24/box
- 496943** 110 ml (48mm), 12/box
- 496974** 190 ml (58mm), 12/box
- 496981** 270 ml (63mm), 12/box
- 504662** 390 ml (70mm), 12/box

## FANCY JARS

- C 503627** 125 ml Square (53mm), 20/box
- 502415** 212 ml Square (58mm), 12/box
- 503399** 190 ml Panel (63mm), 12/box

## D TURENNE JARS

- 497599** 100 ml (70mm), 12/box
- 497537** 200 ml (82mm), 12/box
- 497568** 370 ml (89mm), 24/box

**F**



## TALL JARS

- 497100** 250 ml (53mm), 12/box
- E 497315** 375 ml (58mm), 12/box
- 497124** 375 ml (58mm), 12/box
- 497148** 500 ml (63mm), 12/box
- F 502453** 750 ml (82mm), 12/box
- 497186** 750 ml (70mm), 12/box
- 502422** 991 ml (82mm), 12/box

**G**



## SHORT JARS

- 503597** 100 ml (53mm), 12/box
- 503061** 229 ml (70mm), 12/box
- G 497483** 250 ml (70mm), 12/box
- 496882** 250 ml (70mm), 12/box
- 503375** 375 ml (70mm), 12/box
- 496905** 375 ml (70mm), 12/box
- 497247** 500 ml (82mm), 12/box
- H 558047** 750 ml (82mm), 12/box



## ROUND JARS

- 503849** 106 ml (70-DTO-18), 12/box
- 503894** 212 ml (70-DTO-18), 12/box
- 504754** 314 ml (70-DTO-18), 12/box
- I 504754** 375 ml (70-DTO-18), 12/box
- J 504273** 580 ml (70-DTO-18), 12/box

## LIDS FOR ROUND JARS

- | <b>70 MM X-DTO (18)</b> |                          |
|-------------------------|--------------------------|
| <b>K 593703</b>         | Black, 550/box           |
| <b>L 591990</b>         | Gold, 480/box            |
| <b>M 591969</b>         | Copper, 480/box          |
| <b>N 592379</b>         | Silver, 550/box          |
| <b>591488</b>           | Silver (button), 575/box |

# CONTAINERS FOR HONEY



**PLASTIC CONTAINERS WITH HONEYCOMB PATTERN**

- A** 524035 500g, 12/box  
**B** 524042 1 kilo, 12/box



**LIDS FOR PLASTIC CONTAINERS**

- 524097 63 Yellow  
**C** 524103 63 Black

**C**  
**B**



**JARS THAT TAKE EITHER MASON LID OR PLASTIC LID**

- D** 496011 250 ml / 330g (70-450), 12/box  
**E** 496189 375 ml / 500g (70-450), 12/box  
**496240** 750 ml / 1 kilo (70-450), 12/box

**F MASON LID OPTIONS**

- 591761 Gold (button), 70-450, 725/box  
**591754** Gold (no button), 70-450, 725/box  
**591778** Black (button), 70-450, 725/box  
**591242** Black (no button), 70-450, 725/box



**PLASTIC BOTTLES**

- G** 558320 2 panel bear, 375 g (38-400), 240/box  
**H** 558344 1 panel bear, 375 g (38-400), 240/box  
**I** 589133 500g Upside Down (38-400), 12/box  
**J** 583346 500 g OBA (38-400), 12/box  
**583315** 1 Kg OBA (38-400), 12/box



**COMBED HONEY CONTAINERS**

- 491559** 250 ml aluminum (lids included), 1000/box  
**L** 540257 250 g white rectangular TE container, 560/box  
**K** 539299 Clear rectangular lid, 1260/box



- M** 540103 500 g TE graphic tub, 500/box  
**540127** 1 Kilo TE graphic tub, 456/box  
**N** 540486 Graphic lid, 1000/box



**SMALL GLASS JARS**

- O** 497520 20 ml (43 mm), 96/box  
**P** 497728 40 ml (43 mm), 96/box  
**Q** 497469 60 ml (48 mm), 96/box  
**R** 497032 125 ml (48 mm), 12/box



**MIELE JARS**

- S** 497667 390 ml / 500 g (70 mm), 12/box  
**T** 497742 780 ml / 1 Kilo (82 mm), 12/box



**WOOD HONEY DIPPERS**

- U** 489051 4", 100/box  
**V** 489068 6", 25/box

**HONEY STICKERS (NOT SHOWN)**

- 452666 Tamper Evident Sticker - "Granulation..." - 1000/Roll  
**452536** Decorative card with nutrition facts table 100/Bag  
**452567** Small bilingual nutrition fact stickers - 500/Roll  
**452604** Large bilingual nutrition fact stickers - 500/Roll

# CAPS AND COVERS




## REGULAR PLASTIC CAPS

|   | Code   | Colour           | Size   | Qty/Box |   | Code   | Colour          | Size   | Qty/Box |
|---|--------|------------------|--------|---------|---|--------|-----------------|--------|---------|
|   | 589393 | Black            | 18x400 | 7600    |   | 590481 | Black           | 18PP   | 3000    |
|   | 589423 | White            | 18x400 | 7600    |   | 590313 | Gold            | 18PP   | 3000    |
| A | 590139 | Black            | 22x400 | 4700    |   | 590016 | Black           | 24PP   | 2000    |
|   | 589690 | White            | 24x400 | 3900    |   | 590368 | Gold            | 24PP   | 2000    |
| A | 590078 | Brown            | 24x400 | 3900    |   | 590009 | Black           | 28PP   | 2300    |
| B | 590023 | Black            | 28x400 | 4675    | C | 589485 | White           | 28PP   | 2300    |
| B | 589966 | White            | 28x400 | 4675    |   | 590559 | Brown           | 28PP   | 2300    |
|   | 589782 | Brown            | 28x400 | 4675    |   | 590580 | Gold            | 28PP   | 2300    |
|   | 590238 | White            | 31.5   | 4000    |   | 590542 | Red             | 28PP   | 2300    |
|   | 590207 | Black            | 31.5   | 4500    |   | 590375 | Gold *Italian*  | 28PP   | 3000    |
|   | 590535 | White            | 38x400 | 2600    |   | 504822 | Black *Italian* | 28PP   | 3000    |
|   | 590450 | White (Tri-Foam) | 38x400 | 2600    | D | 589768 | Black (short)   | 31.5PP | 1600    |
|   | 590467 | Black (Tri-Foam) | 38x400 | 2500H   |   | 589799 | Black           | 31.5PP | 1600    |
|   |        |                  |        |         | E | 590030 | Gold            | 31.5PP | 1600    |
|   |        |                  |        |         |   | 590443 | Brown           | 38PP   | 1600    |
|   |        |                  |        |         |   | 589942 | Red             | 38PP   | 1600    |

## METAL CONTINUOUS THREAD CAPS

| Code     | Description    | Qty/Box |
|----------|----------------|---------|
| F 591716 | 38 x 400 Gold  | 3800    |
| G 591693 | 38 x 400 Black | 3800    |



## METAL COVERS

| Code   | Description          | Qty/Box | Code   | Description       | Qty/Box | Code     | Description                   | Qty/Box | Code     | Description            | Qty/Box |
|--------|----------------------|---------|--------|-------------------|---------|----------|-------------------------------|---------|----------|------------------------|---------|
| 593024 | 38 mm black          | 3700    | 593246 | 53 mm black       | 1750    | 590696   | 63 mm silver                  | 1430    | J 593666 | 82 mm white            | 725     |
| 593000 | 38 mm black (button) | 3700    | 593277 | 53 mm gold        | 1750    | 590702   | 70 mm silver                  | 1050    | K 593659 | 82 mm silver           | 725     |
| 593031 | 38 mm gold           | 3700    | 593307 | 53 mm white       | 1750    | 593512   | 70 mm black                   | 1050    | L 593680 | 82 mm honeycomb        | 725     |
| 593062 | 38 mm white          | 3700    | 590917 | 53 mm silver      | 2000    | 593543   | 70 mm gold                    | 1050    | 593628   | 82 mm gold p.b.        | 725     |
| 593093 | 43 mm black          | 3400    | 593338 | 58 mm black       | 1575    | 593086   | 70 mm gold retort push button | 1050    | 593109   | 82 mm gold retort p.b. | 725     |
| 593123 | 43 mm gold           | 3400    | 593369 | 58 mm gold        | 1575    | 593574   | 70 mm white                   | 1050    | M 593710 | 82 mm pink flower      | 725     |
| 593154 | 43 mm white          | 3400    | 593390 | 58 mm white       | 1575    | 593505   | 70 mm silver p.b.             | 1050    | N 482649 | 82 mm yellow flower    | 725     |
| 593116 | 43 mm silver         | 3400    | 593611 | 58 mm honeycomb   | 1575    | 593499   | 70 mm gold p.b.               | 1050    | 593697   | 89 mm gold             | 600     |
| 590634 | 43 mm honeycomb      | 3400    | 593376 | 58 mm silver p.b. | 1575    | 593673   | 70 mm honeycomb               | 1050    | 593727   | 89 mm white            | 600     |
| 593048 | 48 mm black          | 2700    | 593420 | 63 mm black       | 1200    | 593567   | 70 mm pink flower             | 1050    | 592041   | 100 mm white           | 390     |
| 593185 | 48 mm gold           | 2700    | 593451 | 63 mm gold        | 1200    | 522451   | 70 mm yellow flower           | 1050    | 592058   | 100 mm gold            | 390     |
| 593215 | 48 mm white          | 2700    | 593482 | 63 mm white       | 1200    | H 593604 | 82 mm black                   | 725     | 593758   | 110 mm gold            | 270     |
| 590665 | 48 mm silver         | 2700    | 593444 | 63 mm silver p.b. | 1200    | I 593635 | 82 mm gold                    | 725     | 593765   | 110 mm white           | 270     |
| 590672 | 48 mm honeycomb      | 3400    | 482595 | 63 mm honeycomb   | 1200    |          |                               |         |          |                        |         |

**TO SEE ALL OUR BOTTLES AND JARS,  
CONSULT OUR PACKAGING BROCHURE AT:  
[www.dominiongrimm.ca](http://www.dominiongrimm.ca)**



## 2021 Virtual Summer Tour



**Now scheduled for mid-July 2021**

For more information:

Visit [www.omspasummertour.ca](http://www.omspasummertour.ca)

Email: [admin@ontariomaple.com](mailto:admin@ontariomaple.com)



8250, Marconi, Anjou  
Montréal, QC H1J 1B2  
T. 514.351.3000  
F. 514.354.6136  
info@dominiongrimm.ca  
www.dominiongrimm.ca



## DOMINION & GRIMM MONTREAL (HEAD OFFICE)

8250 Marconi, Anjou, Montréal, QC H1J 1B2  
T. 514.351.3000 / F. 514.354.6136  
Email: info@dominiongrimm.ca  
**Hours: Monday - Friday, 8:00am - 4:30pm**  
**Maple Season Hours:**  
**Saturday: 8:00am - 12:00pm**  
**Weekdays: 8:00am - 7:00pm**

## DOMINION & GRIMM ONTARIO

**PACKAGING**  
**Heather Clark**  
T. 1.877.676.1914  
heather@dominiongrimm.ca

**MAPLE SYRUP EQUIPMENT**  
**Martin Desilets**  
T. 1.866.351.2811  
mdesilets@dominiongrimm.ca

## DOMINION & GRIMM USA

90 Parah Dr.,  
St. Albans, VT 05478  
T. 1.877.277.9625 / F. 802.524.9643  
Email: omanahan@dominiongrimm.ca  
Email: mdesilets@dominiongrimm.ca

## MONTEREGIE - ONTARIO EAST

**Mario Lemire**  
Technical Representative  
T. 518.483.7649 / C. 450.370.6121 (CAN)  
C. 518.651.7792 (USA)  
Email: mlemire@dominiongrimm.ca

## DEALERS

### NOVA SCOTIA DEALERS

#### KD HUNTER MAPLE PRODUCTS.

11770, HWY 2, Springhill,  
Nova Scotia B0M 1X0  
T. 902.664.7367  
drewhunter@eastlink.ca

#### MARGAREE VALLEY MAPLE.

119 Timmons Road, Margaree Valley,  
Nova Scotia B0E 2C0  
T.902.248.2631

### NEW BRUNSWICK DEALERS

#### JAMES AND LISA MITTON

5 Meadow Rd, Elgin, N.B. E4Z 1N7  
T. 506.756.8690

#### HALIFAX SEED COMPANY

664 Rothesay Ave., Saint-John, N.B. E2L 3T5  
T: 506.633.2032

### QUEBEC DEALERS (OTTAWA / OUTAOUAIS)

#### ÉRABLIÈRE DU RUISSEAU

4, chemin de la Montagne  
Val des Monts, QC J8N 1B8  
Richard Moore  
rssm3@sympatico.ca  
T. 819.457.1335

### ONTARIO DEALERS

#### EMBRUN CO-OP

755, Notre Dame Road  
Embrun, ON K0A 1W0  
T. 613.443.7662

### ONTARIO DEALERS CONTINUED

**KIDD'S HOME HARDWARE**  
23 John St., Sundridge, ON P0A 1Z0  
T: 705.384.5365  
info@kiddshomehardware.ca

**McCLELLAND HARDWARE LTD**  
3 Lake Huron Drive, Desbarats, ON P0R 1E0  
T: 705.782.6281  
mcclellandhardwareandfeed@gmail.com

**GRANTS SETTLEMENT FARMS**  
43 Dittburner Rd., Forester Falls, ON K0J 1V0  
T: 613.639.9567  
jason@gsfarms.ca

**WEBER'S SUGARBUSH SUPPLIES**  
2844 Lobsinger Ln., Heidelberg,ON N0B 2M0  
T: 519.699.4769  
F: 519.699.5004

**REIST FARM SUPPLIES**  
6681 Ln 86, RR#2, Elmira, ON N3B 2Z2  
T: 519.669.1422  
F: 519.669.9262

**KLEIN'S MAPLE SYRUP**  
126 Conc. 6E, RR#3, Mildmay, ON N0G 2J0  
T: 519.367.2334  
kleinmapleproducts@gmail.com

**COMFORT WATER TREATMENT LTD**  
33 main St. North., Alexandria ON K0C 1A0  
T: 613-674-5305  
rejean@comfortwater.com

**MAPLE COUNTRY HOME & FARM LTD.**  
3851 Davidson Rd., Inverary, ON K0H 1X0  
T: 613.653.2000  
maplecountryinverary@gmail.com

### ONTARIO DEALERS CONTINUED

**E.F. MARTIN**  
245794 Southgate Rd 24, Proton Station, ON N0C 1L0  
T: 519.379.7021  
enosfm@live.ca

#### VADER'S MAPLE EQUIPMENT

1260 County Rd 18 RR#1, Cherry Valley, ON K0K 1P0  
T: 613.476.7537  
vadersmaple@gmail.com

#### SPRINGDALE MAPLE & EQUIPMENT

1790 Galbraith Rd, RR#2, Clayton, ON K0A 1P0  
T: 613.256.4045  
F: 613.256.7054  
info@springdalemaple.ca

#### CAMP CAN-AQUA INC.

503 Beaver Lake Dr., Cardiff, ON K0L 1M0  
T: 613.339.2969  
info@canaqua.ca

#### CLEASON BAUMAN SYRUP SUPPLIES

205 Kairshea Ave., Teeswater, ON N0G 2S0  
F: 519.395.5062

#### DANCING BEE SUPPLIES

3384 Loyalist Rd, Port Hope, ON, L1A 3V7  
T: 905.753.2623  
sales@dancingbeeequipment.com

#### LAURIN MAPLE SYRUP SUPPLIES

11 Dananne Dr., Tiny, ON L0L 2J0  
T: 705.427.6766  
peter@laurinmaplesyrupsupplies.ca